

Accepted Manuscript

Opportunities and Challenges in Sustainable Supply Chain: An Operations Research Perspective

Ana Paula Barbosa-Póvoa , Cátia da Silva , Ana Carvalho

PII: S0377-2217(17)30949-9
DOI: [10.1016/j.ejor.2017.10.036](https://doi.org/10.1016/j.ejor.2017.10.036)
Reference: EOR 14760



To appear in: *European Journal of Operational Research*

Received date: 31 October 2016
Revised date: 11 October 2017
Accepted date: 16 October 2017

Please cite this article as: Ana Paula Barbosa-Póvoa , Cátia da Silva , Ana Carvalho , Opportunities and Challenges in Sustainable Supply Chain: An Operations Research Perspective, *European Journal of Operational Research* (2017), doi: [10.1016/j.ejor.2017.10.036](https://doi.org/10.1016/j.ejor.2017.10.036)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- A review on OR methods to support sustainable supply chain decisions is performed
- Supply Chain decision levels problems, and sustainability dimensions are analyzed
- Optimization models solving strategic decisions are the most preponderant studies
- The sustainability social component treatment needs further development
- A Research framework defining future research directions is proposed

ACCEPTED MANUSCRIPT

Opportunities and Challenges in Sustainable Supply Chain: An Operations Research Perspective

Ana Paula Barbosa-Póvoa*, Cátia da Silva, Ana Carvalho
Centre for Management Studies (CEG-IST), Instituto Superior Técnico,
University of Lisbon,
Av. Rovisco Pais, 1049-001 Lisboa, Portugal

*Corresponding author: Ana Paula Barbosa-Póvoa, IST, Av. Rovisco Pais, 1049-001 Lisbon, Portugal
Tel.: +351 21 423 3550/841 7981; fax: +351 21 841 7979.
E-mail: apovoa@tecnico.ulisboa.pt

Abstract

Sustainable Supply Chain have become a cornerstone to any company that seeks to achieve sustainable goals. A company's image is no longer related to the old paradigm of being sustainable in its own activities, but instead is associated with a strong collaboration between all supply chain stakeholders, towards a sustainable activity. It is then critical to create new methods and tools to account for the three pillars of sustainability: economic, environmental and social, in a multi-stakeholder chain. In this context, operational research (OR) methods play a key role in supporting sustainable supply chain activities. This paper aims to review the trends and directions of OR methods applications towards the achievement of sustainable supply chain. A set of 220 papers has been reviewed to identify the OR methods being employed, the levels of decision considered and how sustainability practices were treated through OR. We found that optimization models applied to strategic level decisions are the most preponderant studies. Moreover, it was verified that sustainability has been mainly tackled by assessing economic and environmental aspects, leaving behind the social aspects. Additionally, OR-based studies do not yet present a clear definition of sustainability, a fact that is proven by the number of environmental and social methodologies explored. Based on the major trends identified in the literature, a research framework is derived, pointing towards a future research agenda in the area.

Keywords: Supply Chain Management; Sustainability; Decision Levels; OR methods; Review

1. Introduction

Supply Chain (SC) have appeared for the first time in the literature more than thirty years ago when Oliver and Weber (Oliver & Webber, 1982) proposed the first definition for the management of such systems. Since then, the SC management (SCM) area has grown considerably at both research and industrial levels, and SC are nowadays bedrock systems in any organization. SC, in its classical form – forward supply chain, are viewed as a combination of processes aimed at fulfilling customers' requests, that include all possible network entities such as suppliers, manufacturers, transporters, warehouses, retailers and customers, whose main purpose is the customer's satisfaction at a minimum cost (Simchi-Levi et al., 2007). However, such a purpose has enlarged over time, and SC have been expanding their activities towards the goal of integrating not only economic, but also environmental aspects. Reverse logistics activities have been incorporated within the existing networks, and the collection and treatment of end of life products through recycling, or remanufacturing, repairing, and/or finally disposing of some used parts, have been considered within those networks (Cardoso et al. 2013; Fleischmann et al., 1997). This led to the dawn of the closed-loop supply chain (CLSC) (Guide & Van Wassenhove, 2002). CLSC are logistic systems whose design, planning and operation aim to maximize value creation over the entire life cycle of a product, pursuing a dynamic recovery of the product value from different types and volumes of returns. Savaskan & Van Wassenhove (2006) highlighted the benefits of an integrated CLSC, and such systems have been explored in several published works, namely by Salema et al. (2010); Cardoso et al. (2013); and Zeballos et al. (2014). Some reviews have appeared in the area

where supply chain with reverse flows were analyzed in detail (see, Sasikumar & Govindan, 2008a, 2008b, 2009).

Recently, this trend has been widening to include not only the economic and environmental concerns, as the ones present in the CLSC, but also social concerns, following the requisites defined by the World Commission on Environment and Development for Sustainable Development (WCED, 1987), where sustainability was defined as the “use of resources to meet needs of the present without comprising the ability of future generations to meet their own needs”. This has resulted in the appearance of the Sustainable Supply Chain (SSC) area, which is nowadays recognized as a challenging area by both academics and industrialists (Seuring & Müller, 2008; Barbosa-Póvoa, 2009; Barbosa-Póvoa, 2014; Brandenburg et al., 2014).

Sustainable Supply Chain (SSC) can be described as complex network systems that involve diverse entities that manage the products from suppliers to customers and their associated returns, accounting for social, environmental and economic impacts (Barbosa-Póvoa, 2014). The treatment of such systems has recently gained a noticeable importance, as companies face the challenge of dealing with sustainable issues caused by growing society’s awareness towards environmental and social problems. The United Nations Global Corporate Sustainability report identified an intense shift in corporate attitudes towards sustainability (United Nations, 2013). Even facing one of the worst economic downturns in nearly a century, commitments to sustainability supply chain principles are now at a historic high. But while companies are making progress in terms of setting expectations for supply chain sustainability, most fail to implement tangible measures to drive adherence to such actions. This is justified by several reasons. The first one is related to the understanding of the true meaning of SSC within the organizations and how this should be managed amongst the different entities involved. Additionally, as interest in responsible SCM grows, increasing numbers of initiatives have sprouted up in every sector promoting various methods and standards, leaving companies with the discouraging task of identifying the best practices to use. Thus, a clear understanding of the meaning of SSC and of what is important at the corporate level is essential. Moreover, the sheer size and complexity of global SC means that companies that begin their journey towards sustainability need tools to support their decision-making process from the strategic to the operational levels, where the presence of uncertainty and risk is a rising reality that must be dealt with.

In this context, the question on how to design, plan and operate SSC in an uncertain environment is a research question yet to be answered. Based on this research challenge, the present paper aims to develop a comprehensive literature review of the papers published on SSC, focusing on the use of Operational Research (OR) methods to support the SSC complex decision process. From this analysis, we aim to understand how SSC have been treated by the OR academic community and based on this identify the still existing research gaps. Grounded on these gaps, a research framework will be derived, pointing towards a future research agenda in the area, that we hope will be used as a roadmap for SSC OR future research.

The remainder of this paper is structured as follows: section 2 describes the review methodology followed in the present paper and characterizes the analyzed sample; section 3 states the position of the present paper when compared to the reviews published in the area; in section 4 the sample characteristics are analyzed and a descriptive analysis is performed; section 5 presents a detailed insight on how OR has been contributing to the decision process within SSC. Papers addressing strategic, tactical to operational decisions levels are analyzed in detail. Section 6 details how the three pillars of sustainability have been modeled; and section 7 pinpoints the main industrial sectors where SSC have been addressed. Section 8 develops a critical analysis of the works published and proposes a future research agenda in SSC, identifying the main research lines where the OR community can, in the future, contribute to shape SSC. Lastly, in section 9, conclusions are presented.

2. Research Methodology and Initial Data Statistics

The present paper performs a comprehensive literature review on SSC focusing on the usage of OR methods to inform the SSC decision process, spanning from strategic to operational decisions. A systematic research methodology is used (Tranfield et al., 2003) to ensure the consistency and quality of the work developed and to provide a suitable examination of the decisions, procedures, and conclusions taken. Additionally, the usage

of such methodology allows replicability and provides appropriate means of synthesizing the field of knowledge evolution (Carter & Easton, 2011). The methodology followed is structured along four steps:

Step 1: Material Collection

In this step, the unit of analysis, as well as the material to be collected, are specified. As for unit of analysis, only papers written in English and published in peer-reviewed journals, with no limit set on the date range, were considered. The papers' selection was made through an exhaustive search using Thomson Reuters Web of Knowledge (TR) and Science Direct (SD) Data Bases. The final updated set of data for the review was compiled in May 2016.

The primary search considered as keywords the words Sustainable Supply Chain. As results, 2634 papers in TR and 32107 papers in SD were identified. This search was then refined and the first level keywords was combined respectively with the keywords "Operational Research" and "Operations Research". The results lead to 7 papers in TR and 12 papers in SD for the first keyword and 16 papers in TR and 51 papers in SD for the second one. These numbers are not, however, representative of the work developed on SSC using OR methods, and a more all-inclusive search was performed. This combined sustainable supply chain keywords with the topics characterizing operational research methods as defined by the EURO and INFORMS organizations: "simulation"; "optimization"; "queuing theory"; "Markov decision processes"; "economic methods"; "data analysis"; "statistics"; "neural networks"; "expert systems"; "meta-heuristics", and "decision analysis". A total of 3958 papers was identified, distributed through the topics mentioned as follows: simulation, 1333; optimization, 1960; queuing theory, 3; Markov decision processes, 13; economic methods, 10; data analysis, 135; statistics, 223; neural networks, 92; expert systems, 41; meta-heuristics, 44; decision analysis, 104.

In order to understand if the selected papers match the present paper's objective, which aims to understand how researchers studying SSC have been supporting SSC decisions through the use of OR methods, the 3958 papers were subjected to a content analysis. In this process, papers were excluded if they did not match all the criteria below that represent this paper objectives:

- 1) The paper is written in English and was published in a peer-reviewed journal.
- 2) The paper applies a formal OR method. Empirical manuscripts not making use of quantitative OR-based methods; explorations of non-managerial topics; or review papers were not considered.
- 3) The paper addresses "sustainable supply chain" concepts where apart from the economic pillar, the environmental or the social pillars are considered (i.e. papers on closed-loop supply chain (CLSC) or reverse chain that did not explicitly model environmental or social aspects were excluded). This is justified as there is a large body of literature in CLSC and Reverse Chain that does not model explicitly environmental or social aspects.
- 4) Papers model a supply chain problem. Meaning that papers exploring a single operation were excluded (e.g. production planning or scheduling problems looking just to the shop-floor problem were excluded), as supply chain papers should consider the interaction amongst two or more entities in the chain. This goes in line with the conclusion of Brandenburg et al. (2014), which states that most of the SSC papers focused on single operations problems – namely manufacturing problems, questioning the validity of the classification of existing works under the label of sustainable supply chain.

A final sample of 220 papers was obtained. This is considered for the detailed analysis that will be performed within this paper.

The literature review developed was extensive, but not exhaustive. While TR and SD provide a broad coverage of the academic literature, they do not cover all peer-reviewed publications and, consequently, it is possible that relevant papers on SSC using OR methods were not selected.

Step 2: Descriptive Analysis

In order to understand the position of the present paper in the related literature, its scope is comparable to the ones from the literature reviews published in the area from 2007 onwards, when Srivastava (2007)

published his review on Green Supply Chain (Green SC). One year later Seuring & Müller (2008) published a detailed review on SSC, which has been identified as the most cited review paper in Sustainable Supply Chain (731 citations in WoK in October 2017). The results are presented and discussed in section 3.

Secondly, and to better apprehend the breath of the papers collected in step 1, a 4 W's analysis (When, Who, What, and Where) is applied. These four questions provide a framework for structuring our analyses towards important issues that we aim to address. The following questions are used as motivation:

- Q1) When were published the papers that explore OR methods in SSC?
- Q2) Who has been exploring OR methods in SSC?
- Q3) What OR methods have been explored when addressing SSC?
- Q4) Where are located the researchers that have been exploring OR methods in SSC?

To answer to question Q1, papers have been divided by year of publishing. Q2 is addressed by identifying the journals where the different papers have been published. The analysis proceeds and the identification of the OR methods that have been applied when addressing SSC is made, allowing the answer to question Q3. Finally, in order to understand the geographic origin of the SSC research - Q4, the countries of the researcher's institutions are identified. This analysis is presented and discussed in section 4.

Step 3: Category Selection

To obtain a deep understanding of how OR methods have been used to support SSC decisions and what have been the main sustainability pillars treated within the SSC decision process, a categorization of the decision levels and sustainability dimensions is considered. At the decision levels, strategic, tactical and operational problems within SSC are analyzed. As sustainability dimensions, the three pillars established by the Triple Bottom Line (TBL: economic; environmental and social) are contemplated (Elkington, 2004). The different OR methods, as classified in step 1 of this methodology, are also analyzed. The treatment or not of uncertainty within the decision problems studied is looked at. The analysis performed is then conducted by answering the following questions:

- Q5) What SSC decisions levels (strategic; tactical or operational) have been addressed when applying OR methods to SSC?
- Q6) What sustainability pillars (economic; environmental and social) have been explored when using OR methods in SSC?
- Q7) What OR methods have been used along the different SSC decision levels?
- Q8) What type of problem has been treated at the different SSC decision levels – deterministic or subject to uncertainty?

This analysis is developed throughout sections 5 and 6 of this paper.

Finally, and to better understand what industrial sectors have been targeting SSC, the following question is also considered:

- Q9) Which industrial sectors have been addressed when applying OR methods to SSC?

Industrial sectors as bio-related products and processes; food and beverage; manufacturing; retail; etc., are considered (section 7).

Step 4: Material Evaluation

In this step, we carry out the assessment of the sample of papers according to the selected categories and dimensions. To identify groups of published papers that demonstrate similar approaches in terms of decision levels, sustainability pillars and OR methods, an agglomerative hierarchical cluster analysis (HCA) is performed. A conceptual map is developed, which describes in a summarized form why the analysis is performed and helps to categorize, organize, visualize and structure the discussions and main findings of the systematic

literature review performed (section 8). A critical analysis, motivated by the answers to questions 5 to 9 is performed and, as a result, the main existing research gaps are identified. Based on these gaps a framework is proposed, which contemplates a future research agenda that embraces a holistic view on how OR can contribute in the future, to design, plan and operate SSC (section 8).

The developed research methodology is summarized in Figure 1, where the objective of each step; the methods and tools used; as well as the section where the results are analyzed and discussed, along the paper, are presented.




Figure 1 – Research methodology, objectives, methods, tools and structure of analysis

3. Related literature reviews published recently (2006 onwards)

In recent years, several reviews have been published on SSC demonstrating the growing interest in the area. A total of 26 relevant review papers were identified and classified based on different criteria: research focus and objectives; research methodology analyzed; whether a systematic review was performed; number of papers reviewed; and the time horizon covered. Additionally, and to understand how SSC have been addressed, other criteria have been contemplated in line with this present paper's objectives: type of supply chain structure considered (forward; reverse and/or both); decision levels explicitly analyzed; and sustainability dimensions studied. Finally, if provided, the main journals publishing SSC works were identified. The result of this classification is shown in Table 1.

From Table 1, we can ascertain that the year with the highest number of published review papers over the last 10 years was 2015 (8 out of 26). This undoubtedly supports the rising interest of the academic community in the SSC topic. Additionally, when performing a review, the selected methodology was most commonly a

systematic review (present in 19 out of 26 papers), translating a methodological rigor pursued by the authors. Moreover, in terms of supply chain characteristics, most of the reviews studied the three SC structures: forward, reverse chain and closed-loop supply chain (e.g. forward & reverse, in Table 1) with the forward structure being always present. Regarding the treatment of sustainability, most of the papers have considered the three pillars of sustainability (economic, environmental and social), with some exceptions related to the green supply chain where the main focus is the environmental pillar (9 papers - Ahi & Searcy, 2015a; Fahimnia et al., 2015; Golicic & Smith, 2013; Ilgin & Gupta, 2010; Ilgin et al., 2015; Min & Kim, 2012; Sarkis, 2012; Sarkis et al., 2011; Srivastava, 2007). On the decision-making levels, most of the review papers did not disclose such information, with one exception (Eskandarpour et al., 2015) that looked into the supply chain network design, considering only the strategic decision level.

When considering focus and objectives, as well as research methodologies studied, five groups of reviews can be identified. A first group contemplates papers that explored a general research focus, meaning that the authors followed a holistic approach to analyze the published papers that address SSC (5 papers - Ahi & Searcy, 2015b; Ashby et al., 2012; Fahimnia et al., 2015; Min & Kim, 2012; Seuring & Müller, 2008; Srivastava, 2007). The second group of papers uses an empirical approach, which is essentially aligned with papers that explored qualitative methodologies (4 papers - Carter & Easton, 2011; Gold et al., 2010; Golicic & Smith, 2013; Sarkis, 2012). A third group looked into organizational theory concepts (5 papers - Alexander et al., 2014; Carter & Rogers, 2008; Golicic & Smith, 2013; Sarkis et al., 2011; Touboulic & Walker, 2015), where one of them combined decision theory with organizational theory (Alexander et al., 2014). Group four considered papers exploring OR methods (9 papers - Banasik et al., 2016; Brandenburg et al., 2014; Brandenburg & Rebs, 2015; Dekker et al., 2012; Eskandarpour et al., 2015; Ilgin & Gupta, 2010; Ilgin et al., 2015; Seuring, 2013; Tang & Zhou, 2012). Finally, the fifth group looks into metrics and performance (3 papers - Ahi & Searcy, 2015b; Hassini et al., 2012; Taticchi et al., 2015).

Taking a closer look at group four, the one closest to the objectives of this paper, only four papers identified as their main focus the use of quantitative models in SSC (Brandenburg et al., 2014; Brandenburg & Rebs, 2015; Seuring, 2013; Tang & Zhou, 2012). Tang & Zhou (2012) analyzed 56 papers and within these explored five main dimensions for analysis where OR/MS methodologies could have been used: product design; technology selection in production processes; remanufacturing and cannibalization, competition and incentives for collection and recycling; supply chain design/restructuring; supply chain operations; reverse supply chain. Seuring (2013) studied 36 papers that employed quantitative models when studying forward SSC. The author, based on existing reviews, considered that CLSC and reverse chain were extensively studied and these were not within his focus. Two main dimensions of analysis were considered: sustainability dimensions and modeling approaches. Brandenburg et al. (2014) presented a very comprehensive review on forward SSC, and like in Seuring (2013), CLSC and reverse chain were also not considered by the authors. A sample of 134 papers was analyzed, and in order to do this the authors considered three main dimensions: supply chain dimensions, including four major characteristics: actor research focus, organizational level of analysis, SCOR processes, and applications; sustainability dimension: economic, environmental; social pillars and all three; modelling dimension, exploring models as prescriptive - problem solved oriented; or descriptive - to evaluate or understand the problem. Deterministic or stochastic approaches were added to the model's usage – leading to four combinations; still on the modelling dimension the authors considered the model type (e.g. analytical, simulation...), modelling technique (e.g. multi-objective, MCDM...), solution approach; the research dimension, where the type of data used (empirical, generic example, none), and what the research perspective (extend/validate; none; specific) was analyzed. Finally, Brandenburg & Rebs (2015) identified 185 papers also associated with forward SSC. For dimensions of analysis, as in Brandenburg et al. (2014), these authors considered the supply chain dimensions; sustainability dimensions; modelling dimension, but within this they considered only the model type and purpose and added a new dimension which they called sustainable supply chain dimension, where sustainable supplier management, pressures incentives and sustainability risks were considered.

After a careful analysis of the above four reviews it is our understanding that although detailed evaluations were performed, important dimensions of SSC are still lacking a detailed analysis. So far none of the

previously mentioned reviews analyzed the usage of OR methods across the three chain decision levels (strategic; tactical and operational) towards the achievement of sustainability goals. Such analysis will provide researchers and managers with the information on what OR tools have been explored in each decision level, and what type of problems have been studied, leading to the identification of current gaps when trailing the development of effective decision supporting tools. Additionally, it is also important to understand through a sound basis how the three sustainability pillars have been approached in supply chain at each decision level. What methodologies and metrics have been used to assess and model each one of the pillars? Moreover, accounting for the ever-changing context where SSC operate, it is crucial to determine if any uncertainty has been dealt with, complementing Brandenburg et al. (2014) work, which concluded that uncertainty was rarely addressed. It is important to understand what OR methodologies have been used so as to identify the best form of dealing with such a problem. Moreover, this paper also aims to apprehend if risk and resilience aspects have been addressed and how, as such factors require a special attention when dealing with SSC as stated by Brandenburg & Rebs (2015). Finally, and as considered in Seuring (2013); Brandenburg et al. (2014) and Brandenburg & Rebs (2015), this paper will also look into the industrial areas explored.

This paper's analysis will be performed not only on forward SSC, as developed by Seuring (2013); Brandenburg et al. (2014) and Brandenburg & Rebs (2015) but also on CLSC and reverse chain. This is because although we agree with Seuring and Brandenburg and co-authors that CLSC and reverse chain have been comprehensively studied (see, reviews by Govindan et al., 2015b; Sasikumar & Govindan, 2008a, 2008b, 2009), for ample analysis), we want to understand if apart from the management of reverse flows and reverse operations, environmental and social dimensions have also been addressed explicitly. So, in our review, these structures will be considered if named as "sustainable supply chain".

Another important idea to explore in this paper, is related to the concern expressed by Brandenburg et al. (2014) that questioned the validity of classifying most of the existent works analyzed under the label of "sustainable supply chain", as these concentrated sustainability concerns in a single SC activity, particularly the production function. These authors claimed that the research community should decide and agree on the proper concept for SSC so that a holistic view of such systems can be pursued. This led us to carefully choose our sample, focusing only on the papers that treat "sustainable supply chain". Papers considering a single operation were left out from our study as explained in section 2. This will help us to conclude if the concern of Brandenburg and co-authors is still valid.

With this proposed detailed analysis, this paper aims to actualize the conclusions and research challenges specified in the above reviews on SSC, and through the study of different dimensions to contribute to the establishment of a research agenda that can help researcher's pursuit the development of OR methods as a mean to support SSC decisions in an uncertain context.

4. Sample Description and Main Characteristics

A keywords-based bibliometric analysis on both the initial (3958 papers) and final (220 papers) samples were performed to better understand what keywords are usually used in papers that address SSC through the usage of OR methods (see Figure 2). The bibliometric analysis performed to the initial sample reveals that, although there is a great concentration of keywords related to sustainability, other keywords with similar concentration are not visible (e.g. life cycle assessment). On the other hand, the analysis of the final sample gives us an idea of the keywords related not only to sustainability but also with OR methods, enabling the validation of the content analysis performed in order to refine the initial sample of 3958 papers into 220 papers. Figure 2 points out to important keywords that represent dominant research options when using OR methods in SSC, namely optimization, and within this multi-objective optimization; simulation; lifecycle assessment and carbon emissions; and bio-related supply chain. This translates, at an early stage, possible conclusions to be drawn from this paper's analysis.




Figure 2 – Keywords bibliometric analysis of both initial (left) and final (right) sample

To further characterize the final sample of papers (220 papers), the first four main questions are answered and the results presented in Figures 3 to 7, and Table 2.

Figure 3 shows that the number of papers that have been exploring OR methods in SSC has been growing over the last five years, reaching its peak in 2015, with 60 papers being published. As our search was conducted in May 2016, it is expected that in 2016 the usage of OR methods dealing with SSC will continue to rise, probably over the number of 60 papers from 2015.




Figure 3 – Number of Papers published per year since 1999

The top 10 journals that have been publishing papers in SSC are shown below in Figure 4, the Journal of Cleaner Production and the International Journal of Production Economics being the ones that have been publishing more frequently in the area. It is interesting to observe that four of the top journals (Computers and Chemical Engineering; Industrial and Engineering Chemical Research; ACS Sustainable Chemistry and Engineering; and AIChE Journal) come from the Chemical Engineering area, a fact that is undoubtedly justified as in this area there is a very active community in Process Systems Engineering that explores OR-based methods in the modelling and solution of Operations and Supply Chain related problems, pointing out to a possible treatment of chemical-related applications. Additionally, the area of Energy is also being represented by two journals (Applied Energy and International Journal of Hydrogen Energy), which again shows the interest of this community on SSC and their treatment through OR methods. The European Journal of Operational Research, the flagship journal in OR methods, is also within the top ten journals with 8 papers published.




Figure 4 – Top 10 journals publishing papers that explore OR methods when dealing with SSC

Regarding OR methods, from Figure 5 it can be concluded that optimization based methods, where the development of a mathematical programming model is contemplated, are the most used methods (178 papers), followed by Simulation (33 papers). In this analysis, more than 220 papers, the sample size considered, are identified showing the usage of more than one OR method in the same problem (42 papers use more than one OR method).




Figure 5 – Main OR methods addressing SSC

Taking as an example the papers that explore optimization based methods, the combination of these with other OR methods are shown in Table 2. Simulation is the method more frequently used, jointly with optimization, followed by decision analysis and metaheuristics. In Table 1, it is further identified what different sustainability pillars have been studied when optimization was explored in conjunction with other OR method. The economic pillar is nearly always present, followed by the environmental pillar and few papers address the social pillar (6).

Another important aspect to analyze is related to tendency observed over the years on the usage of the OR methods. This is shown in Figure 6. Through the analysis of this figure, it can be seen that optimization has grown over the years, reaching its peak of usage in 2015 (more than 90 published papers addressing optimization). Moreover, optimization has been following the growing research interest in SSC.

Table 1 - Literature reviews in the last 10 years on SSC (2006 onwards)


Reference	Research Focus and objective	Research Methodologies	Systematic Literature Review	Number of papers	Time horizon	Supply Chain Structure	Decision Level Analyzed	Sustainability Dimensions	Main Journals
Srivastava (2007)	Focus on Green Supply Chain (Green SC). Identifies Green SC major areas; green design and green operation.	General	Yes	227	1990-2006	Forward & Reverse	n.a.	Economic Environmental	n.a.
Carter & Rogers (2008)	Explores the concept of sustainability in SSC. Proposes a framework for SSC Management	Theory Building	No	n.a.	n.a.	n.a.	n.a.	Economic Environmental Social	n.a.
Seuring & Müller (2008)	Focus on research in SSC. Proposes a conceptual framework that summarizes the research in SSC.	General	Yes	191	1995-2007	Forward	n.a.	Economic Environmental Social	JCLP, POM, IJPR
Gold et al. (2010)	Quantitative analysis of case-studies in SSCM.	Empirical Case-studies	Yes	70	1994-2007	n.a.	n.a.	Economic Environmental Social	n.a.
Ilgin & Gupta (2010)	Focus on environmentally conscious manufacturing & product recovery.	IE and OR Methods	n.a.	540	1999-2010	Forward & Reverse	n.a.	Economic Environmental	n.a.
Carter & Easton (2011)	Identifies major gaps and trends in SSCM research.	Empirical	No	80	1991-2010	n.a.	n.a.	Economic Environmental Social	n.a.
Sarkis et al. (2011)	Establishes major lines of research in Green SC	Organizational Theories	No	+150	1995-2010	Forward & Reverse	n.a.	Economic Environmental	n.a.
Sarkis (2012)	Through the use of a framework analysis the literature Green SC.	Empirical	Yes	+100	2000-2010	Forward & Reverse	n.a.	Economic Environmental	n.a.
Min & Kim (2012)	Identifies major research issues and research lines in Green SC.	General	Yes	519	1995-2010	Forward & Reverse	n.a.	Economic Environmental	JCLP, IJPR, IJPE, EJOR
Ashby et al. (2012)	Focus on SC looking into explicitly to environmental and social sustainability dimensions.	General	Yes	134	1983-2011	Forward & Reverse	n.a.	Economic Environmental Social	BSE, GMI, JBL, SCM-IJ
Dekker et al. (2012)	Focus on the use of Operational research methods in green logistics.	OR Methods	Yes	60	n.a.	Forward & Reverse	n.a.	Economic Environmental Social	IJPR, IJPE, EJOR
Hassini et al. (2012)	Focus on SSC metrics. Proposes a framework for sustainable SC metrics.	Metrics	Yes	87	2000-2010	Forward & Reverse	n.a.	Economic Environmental Social	IJPR, IJPE, EJOR

Tang & Zhou (2012)	Develops a framework to classify literature that uses OR/MS methods in SC for sustainable operations.	OR and MS Methods	No	56	n.a.	Forward & Reverse	n.a.	Economic Environmental Social	n.a.
Seuring (2013)	Analyses quantitative models for forward sustainable supply chain.	OR Methods	Yes	36	1994-2010	Forward	n.a.	Economic Environmental Social	JCLP, EJOR, IJPE, IJPR
Golicic & Smith (2013)	Analyses through a meta-analysis Green SC environmental practices	Empirical	No	77	2000-2011	Forward & Reverse	n.a.	Economic Environmental	n.a.
Alexander et al. (2014)	Analyses decision-making theory in SSC exploring the use of decision theory concepts and how these can help SSC theory Building.	Decision Theory & Theory Building	Yes	160	1980-2013	n.a.	n.a.	Economic Environmental Social	IJPE, IJPR, JCOP, EJOR, SCM-IJ, JBE, PPC
Brandenburg et al. (2014)	Focus on the use of model-based methods in Forward SSC.	OR Methods	Yes	134	1994-2012	Forward	n.a.	Economic Environmental Social	JCLP, IJPR, IJPE, EJOR, DSS, OR
Brandenburg & Rebs (2015)	Focus on the use of model-based Forward SSC.	Model-Based SC	Yes	185	1994-2014	Forward	n.a.	Economic Environmental Social	JCLP, IJPE, EJOR, IJPR
Fahimnia et al. (2015)	Bibliometric research to identify research opportunities in Green SC	General	Yes	1066	1992-2013	Forward	n.a.	Economic Environmental	JCP, IJPE, IJPRB, SE, SCMIJ
Touboulic & Walker (2015)	Analyses the existent theoretical perspectives in SSCM. Proposes an SSCM integrated theoretical map.	Organizational theories in SSCM	Yes	308	1996-2013	Forward	n.a.	Economic Environmental Social	JCP, SCMIJ, IJPE, BSE, IJPDLM, JBE
Ahi & Searcy (2015a)	Studies the metrics in Green SC. Proposes a framework for measuring performance in Green SC.	Metrics	Yes	445	1989-2012	n.a.	n.a.	Economic Environmental	JCP, IJPE, IJPR, IJPO, SCM-IT
Ahi & Searcy (2015b)	Identifies and analyses the published definitions of Green SC and SSC. Proposes a new definition for SSCM	General	Yes	180	2002-2012	Forward & Reverse	n.a.	Economic Environmental Social	JCP, IJPE, BSE, JOM, Bench., IJPDLM, SCM-IT
Taticchi et al. (2015)	Focus on the generic use of decision-support tools and performance measurement in SSCM.	DSS tools & Performance measurement	Yes	384	2000-2013	Forward & Reverse	n.a.	Economic Environmental Social	JCP, IJPE, IJPR, SCM-IT, BSE, EJOR
Ilgin et al. (2015)	Focus on environmentally conscious manufacturing and product recovery.	OR Methods	n.a.	190	1999-2010	Forward & Reverse	n.a.	Economic Environmental	n.a.

Eskandarpour et al. (2015)	Focus on supply chain network design (SCND) models and methods that account for sustainability issues.	OR Methods	Yes	87	1990-2014	Forward & Reverse	Strategic level	n.a.	IECR, CCE, IJPE, AIChE, EJOR, JCP
Banasik et al. (2016)	Focus on multi-criteria decision making approaches (MCDM) in Green SC	MCDM Methods	Yes	188	2000-2015	Forward & Reverse	n.a.	Economic Environmental	JCP; IJPE; IJPR; EJOR; ESA; CACE; Sustainability


Table 2 - Optimization plus other OR method addressing SSC

Other OR methods	Sustainability pillars		
	Economic	Environmental	Social
Simulation	17	15	2
Queuing theory	1	0	0
Markov decision processes	0	0	0
Data analysis	2	1	0
Neural networks	0	0	0
Expert systems	0	1	0
Decision analysis	7	7	3
Metaheuristics	9	6	1
Statistics	4	4	0

**Figure 6 – Usage of OR methods along the years**

Although simulation, decision analysis and statistics do not have the representativeness that optimization has in the analyzed sample, these OR methods have always been used over the years, reaching the maximum number of publications in 2015. On the other hand, data analysis, neural networks, expert systems and queuing theory are OR methods that are used less frequently over the years.

Finally, the analyzes of the country of origin of the corresponding authors (see Figure 7), confirmed a strong focus on USA (60 papers), Italy (21), Germany and China (10 each).

**Figure 7 – Country of origin of the corresponding authors of the papers analyzed**

5. How have OR Methods been used to support Sustainable Supply Chain Decisions?

In this section, a detailed analysis of SSC will be presented with the aim of understanding how OR methods have been supporting SSC decisions. This analysis follows the fifth to eighth questions raised in the methodology section (section 2). A general overview, considering the three levels of decision will first be presented, followed by a deeper analysis of the papers covering each decision level.

5.1 General Overview

This analysis will focus globally on the questions mentioned above, which are related to decision level; sustainability pillars; OR methods used and whether deterministic or stochastic problems have been considered.

The categorization of the sample was an important process that required special attention due to the variety of decisions involved in sustainable supply chain management (SSCM). Some decision rules were used to categorize papers in strategic, tactical or operational category. A paper to be considered strategic should address a long planning cycle for several years out, which may be accomplished at an executive management level. On the other hand, a tactical paper deals with a shorter planning cycle, which is more concerned with inventory, demand and/or supply planning. Furthermore, papers related with operational SSC include demand fulfillment, production, transportation, scheduling and monitoring activities that are current planning tasks measured weekly. The combination of decision levels namely strategic-tactical and tactical-operational are also analyzed as these will allow to understand about the investment that the authors have made on the integration of more than one decision level, leading to more wide-ranging papers.



Figure 8: Number of publications covering the different decision levels in SC

From Figure 8 it is possible to verify that authors have been mainly focused on strategic aspects of SSC (207 papers), from where 59 papers explored the integration with tactical aspects. Only six papers exclusively focused tactical aspects (Alharbi et al., 2015; Amorim et al., 2013; Azadi et al., 2014; Battini et al., 2014; Bortolini et al., 2016; Hoen et al., 2014). Furthermore, when looking at operational aspects authors have been essentially addressing them combined with tactical aspects (Chardine-Baumann & Botta-Genoulaz, 2014; Hsueh, 2015; Mansoornejad et al., 2013; Ramos et al., 2014), existing only three papers that only explored operational aspects (Bouchery et al., 2012; Mansouri et al., 2016; Sabio et al., 2012). The exception to the aforementioned papers is Liotta et al. (2015) and Zhang et al. (2014), which cover the three decision levels, presenting a holistic perspective of SSCM. However, none of these papers cover the three pillars of sustainability simultaneously.

To understand the main relationships between decision levels and sustainability pillars, an HCA analysis is performed. Four clusters were obtained (Table 3), where the strategic decision level *per se* justifies a single cluster followed by the strategic-tactical integration levels showing the authors' main attention to this kind of decisions, as previously mentioned. Such decisions, when dealing with the sustainability pillars, have been focused on the economic sustainability aspect and most papers considered the economic and the environmental aspects together, while the social aspect was mainly analyzed when addressing the previous two pillars combined (42 papers). This shows a tendency to have a more complete view on the SSC where the

three pillars are considered simultaneously. The other clusters show that the tactical aspects, if not in conjunction with strategic decisions, are seldom studied and operational decisions are almost inexistent when addressing SSC. It is, however, interesting to note that in relative terms the number of papers covering social aspects is much higher than in the previous clusters. Also in these cases, the combination of economic and environmental aspects together is still the main trend. Furthermore, a lack of multi-decision level approaches is missing, as only two papers have addressed the three decision levels, and in none of these papers considered the three pillars of sustainability. These facts point out that further research is required to cover a complete SSC analysis. Additionally, the authors have been naming SSC to SC decisions that consider economic and environmental aspects together, and thus have been “abusively” calling green supply chain as SSC. A holistic view on SSC is still far from reach. Finally, the treatment of SSC addressing tactical and operational problems is still an area to further explore when considering the usage of OR methods.

Table 3 – Cluster analysis of decision level and sustainability pillars

	Cluster			
	1	2	3	4
Cluster size	59	145	6	10
Decision level				
Strategic	-	145	-	-
Strategic-Tactical	59	-	-	-
Tactical	-	-	6	-
Tactical-Operational	-	-	-	4
Operational	-	-	-	3
Strategic-Operational	-	-	-	1
Strategic-Tactical-Operational	-	-	-	2
Sustainability pillars				
Economic	12	17	2	1
Economic-Environmental	35	81	3	5
Environmental	-	15	-	-
Environmental-Social	-	1	1	1
Social	-	-	-	-
Economic-Social	1	-	-	-
Economic-Environmental-Social	11	31	-	3

Another important aspect to grasp is related to the type of OR methods explored to address the different levels of decision. To do so, an HCA analysis was carried out once more, whose results are shown in Table 4. Four clusters are identified. As expected, the larger cluster is the one that deals with strategic decisions, followed by cluster 1 that encompasses all papers that combine decisions considering two to three levels. These clusters show the usage of a wide diversity of OR methods, missing, however, the expert's system and showing a clear focus on the usage of optimization methods. An interesting find is that, when addressing only strategic problems (cluster 2), several other OR methods have been combined with optimization-based methods. Thus, SSC characteristics at the strategic level have been usually represented through a mathematical formulation, but simulation, neural networks, data analysis, decision analysis, metaheuristics and statistics have been applied to deal with the complex input data and resolution of the developed models. In cluster 3 only the tactical papers are included, and here it is possible to verify that optimization is clearly dominating the approach towards these problems. Finally, cluster 4 includes only operational studies, which have been all addressed by optimization combined with another method. Strangely enough, simulation methods have not been explored in these problems, being, however, one of the more adequate methods to treat tactical and operational problems. Additionally, operational activities are run on a daily basis and therefore the amount and volume of available information to be treated cannot be solely addressed by optimization methods. Therefore, the integration of other OR methods becomes critical.

In conclusion, the study of methods apart from optimization is still open to exploration, and the integration of other methods is also a future challenge that should be trailed, as SSC are complex systems that often deal with conflicting objectives and a large set of diversified data.

Table 4 - Cluster analysis of decision levels and OR methods

	Cluster			
	1	2	3	4
Cluster size	66	145	6	3
Decision level				
Strategic	-	145	-	-
Strategic-Tactical	59	-	-	-
Tactical	-	-	6	-
Tactical-Operational	4	-	-	-
Operational	-	-	-	3
Strategic-Operational	1	-	-	-
Strategic-Tactical-Operational	2	-	-	-
OR methods				
Simulation	10	23	-	-
Optimization	60	110	5	3
Queuing Theory	1	-	-	-
Data analysis	-	9	1	1
Neural networks	1	1	-	-
Expert systems	-	-	1	-
Decision analysis	4	10	-	1
Metaheuristics	4	5	-	-
Statistics	2	12	-	2

Finally, since the supply chain are often subject to diverse types of uncertainty, it is important to understand if this has been a factor of concern by the authors. After analysis, it has been concluded that only 16% of papers have considered uncertainty aspects (Figure 9), 11% of them through the development of stochastic approaches and 5% considering a robust approach. Furthermore, when considering the type of uncertainties treated (Figure 10), product demand has been the main focus (46%), followed by purchase and/or sale prices (13%), and fixed and/or variable costs (9%), which include diverse types of costs as: opening costs; inventory costs; transportation costs; and processing costs. Additionally, the next two aspects, 1) supply and 2) products returns, accounts for 7% each. Finally, other aspects, such as environmental impacts, collection of goods,

consumer purchasing behavior and transportation count for 18% of the uncertainties approached by the authors.




Figure 9: Distribution of papers dealing with deterministic, stochastic and robust approaches

In conclusion, uncertainty in SSC is still not thoroughly contemplated, and the development of approaches that consider it is urgent, not only focusing on economic parameters but also considering environmental and social parameters.




Figure 10 - Uncertainty aspects considered in stochastic and robust models

5.2 Strategic Decisions

A deeper analysis was undertaken in order to analyze what has been done within the strategic decision of SSC (see Figure 11).

A first point to consider is concerning the structure of the SC when addressing explicitly sustainability issues. Through Figure 11, it is possible to verify that authors have been mostly looking into SSC as forward SC and only a few authors have explored the reverse SC as well as the CLSC. When attaining SSC, CLSC appears to corporations as the basis structure towards the achievement of sustainability, since it allows the integration of waste as raw materials in a circular economy. The lack of research studies covering CLSC within a sustainable supply chain context indicates that a long research path has yet to be covered towards the approximation of research work and real needs for the companies. Is not enough to design, plan and operate reverse flows and reverse operations, this should be done in conjunction with the explicit evaluation of environmental and social impacts (e.g. assessing CO₂ minimization, creation of jobs, amongst other sustainability indicators).




Figure 11: Strategic aspects considered in the different types of SC

Within the papers covering the strategic aspects of SSC, network design arises as the most discussed topic among authors (Figure 11) for all types of SC structure (forward, reversed and closed-loop). Within network design decisions (Table 5), transportation aspects appear as the most analyzed problems followed by facilities' location and technologies decisions. In the transportation studies, some decisions are related to the transportation network definition, while some are related to the selection of transportation modes. Aspects such as inventory positioning, facility design (in here the design within the facility is considered) as well as production allocation to different facilities and supplier's integration are only considered in a few papers.

Table 5: Aspects considered in the papers focused on network design (number of papers)

	Facility design	Facilities location	Technologies	Transportation	Suppliers	Inventory	Production allocation
CLSC	1	14	3	13	2	7	7
Forward	10	56	46	69	16	26	23
Reverse	2	4	2	3	1	1	1

Still on the network design problem, from Figure 12, it can be stated that most papers (77%) deal with static models, meaning that the network, when defined, stays the same during the analyzed time horizon. It is also worth mentioning that no paper covering dynamic systems in reverse SC has been found. Thus, an opportunity of research for considering dynamic networks within the network design problems is established.




Figure 12: Distribution of the papers addressing static and dynamic problems within the network design

Other aspects within the strategic level have been addressed, namely: suppliers' selection/integration, resilience within the network design problem, risk, product development and others (Figure 11 and Table 6).

- Suppliers' selection:** Some authors have been analyzing the suppliers' selection on the forward SC (e.g. Aqlan & Lam, 2016; Varsei & Polyakovskiy, 2016; Altmann, 2015; Ashayeri et al., 2014; amongst others, see Table 4), two papers cover the supplier's integration in CLSC (Devika et al., 2014; Eskandarpour et al., 2013) and one paper considers the reverse SC together with the suppliers selection (Govindan et al., 2015). This leads to an unexplored area where sustainability improvements can be reached if CLSC and reverse SC researchers start exploring further the collaboration with the suppliers. Moreover, although more papers have addressed supplier selection within a forward SC, these are still few. Thus, as stated by Brandenburg & Rebs (2015), suppliers' selection towards sustainability goals is an area that still needs further research within a SSC context.
- Resilience:** Works exploring SSC resilience is practically inexistent. There are only two papers (Henriques et al., 2015; Mari et al., 2014) that cover this topic. The two papers address a network design problem where resilience is related to the network restructuring when facing a disruptive event. It is also interesting to verify that these two issues have only been included in studies that are focused on forward SC. Thus, exploring resilience of SC together with sustainability aspects especially in the reverse SC and CLSC seems to be a future line of research to explore. Henriques et al. (2015) cover a specific aspect of water treatment and energy, while Mari et al. (2014) is the only paper that presents a solution for network design covering resilience and sustainability at a strategic level.
- Risk:** Regarding risk assessment, it is important to understand how risk aspects have been modeled and evaluated when applying OR methods. Some authors have been dealing with risk in a very simplistic way. Mari et al. (2014), for example, presented a model where resilience is related to location-specific risks. These authors have allocated a probability of occurrence of disruption events according to associated locations. Risk is considered as a parameter, which is included in disruption cost estimation. Reich-Weiser & Dornfeld (2009) also consider risk as a parameter in the model. In this case, the risk assessment of water scarcity in different regions is considered through risk cost mitigation. Nagurney et al. (2015) incorporated risk in the objective function, attaining to its minimization. This work is focused on perishable health goods, which in contact with people might be harmful. The risk is modeled as a function of the flow between entities multiplied by a risk parameter, which estimates the harm probability. The risk parameters are dependent on population density in the areas of the transportation, travel time, transportation route, distance, etc. Zhou et al. (2000) include risk as a constraint in the optimization model. They model supply chain planning where they assume a minimization of risk associated with a guarantee of stock correspondent to three days of production. Few authors have attempted to model risk, where risk metrics are incorporated. Amorim et al. (2013) consider a risk-averse production planning model incorporating financial risk measures.

They measure a risk-neutral attitude through the upper partial mean and the conditional value-at-risk (Cvar). This model has been developed to analyze the financial risk within a supply chain of perishable food, which considers the spoilage and the revenue loss due to risk in demand, decay rates and consumer behavior. Another work, which models risk in a more complete form, is the work of Giarola et al. (2013). This model aims to mitigate the risk for decision makers through the application of risk metrics, namely expected downside risk (eDR) and value at risk (var). They apply a multi-objective risk constraint formulation applied to bioethanol supply chain' design and planning. The risk has been considered only at the economic level. Other approaches to model risk have also been applied. Kim et al. (2011) have developed a relative risk index that could be applied to classify the risk of implementing supply chain entities in different locations. An optimization model was developed. Ruiz-Femenia et al. (2013) were the only authors that assessed risk related to environmental aspects of the supply chain. These authors have determined the worst case scenario, obtaining the maximum global warming potential (GWP) attained over all scenarios under uncertainty. This scenario was then used as a metric to establish the environmental impact risk that was modeled in the environmental objective function.

Regarding the sectors addressed in the risk targeted work, it is possible to verify that most papers cover risks associated with the energy sector and at a strategic level, namely when defining a SSC structure. Some are specific to hydrogen-based energy SC (Dayhim et al., 2014; De-León Almaraz et al., 2014; Kim et al., 2011), others with biofuels (Babazadeh et al., 2016; Giarola et al., 2013) and finally one article covers renewable energies in general (Lee et al., 2015). The remaining papers cover different risk aspects related to specific sectors, namely the perishable food (Amorim et al., 2013), water (Reich-Weiser & Dornfeld, 2009), medical aspects (Nagurney et al., 2015), chemicals production (Ruiz-Femenia et al., 2013; Zhou et al., 2000) and waste management (Yu et al., 2014). Only two papers are not industry related and assess generic economical risks in SSCM (Ashayeri et al., 2014; Mari et al., 2014). It is also important to mention that none of the papers cover risks in CLSC.

- **Product Development:** 25 papers cover product development in their analysis (see Figure 12). None of them relates product development with a reverse SC. This indicates that authors have not been focused on the design for logistics when thinking about the recovery of the products. The lack of analysis regarding these two topics together indicates that the life cycle approach required to achieve SSC has not been fully addressed, when it comes to the return of the products.

5.3 Tactical Decisions

When analyzing the papers that cover tactical aspects it is concluded that most of them also cover strategic decisions and four of them cover operational decisions. Only five papers cover exclusively tactical aspects. Alharbi et al. (2015) present a tactical model for the schedule of containers with time windows. Amorim et al. (2013) and Bortolini et al. (2016), have focused their studies in the planning and distribution of perishable goods. Battini et al. (2014) have studied inventory policies at the tactical level and Azadi et al. (2014) focused on the efficiency aspects of supplier's integration in the supply chain. The aforementioned areas are still requiring a deeper analysis and other tactical decisions in SSC would benefit from research specifically applied to this decision level. On the OR methods all five papers have employed optimization, where three of them exclusively consider optimization methods and Bortolini et al. (2016) have combined optimization with experts system methods for economic and environmental considerations. Azadi et al. (2014) combine optimization with data analysis. None of the papers cover the three pillars of sustainability, being Azadi et al. (2014) the only paper covering tactical aspects and assessing the social pillar.

Regarding the treatment of uncertainty within tactical decisions, only Amorim et al. (2013) presented a stochastic model. The remaining models are deterministic.

5.4 Operational Decisions

Only 10 papers were identified that deal with operational decisions, where out of those three are exclusively focused on the operational level (see Figure 8 and Table 6).

Bouchery et al. (2012); Chardine-Baumann & Botta-Genoulaz (2014) and Ramos et al. (2014) are the only three papers that cover the three pillars of sustainability considering operational decisions. Chardine-Baumann & Botta-Genoulaz (2014) proposed a framework to assess sustainability in SSC and therefore they have included the TBL approach. Bouchery et al. (2012) include the TBL decisions in the SC inventory management and Ramos et al. (2014) incorporates the three dimensions of sustainability into a reverse chain.

The other papers considering operational decisions focus on different issues, like Corporate social responsibility practices in the daily companies' management (Hsueh, 2015); collaboration towards an integrated distribution between companies (Liotta et al., 2016); specific KPI to assess forest-based bio-refineries (Mansoornejad et al., 2013); scheduling of equipment and human resources considering energy consumption issues (Mansouri et al., 2016); cost assessment on CO₂ emissions (Harris et al., 2011) or minimization of the life cycle environmental impact of hydrogen infrastructures (Sabio et al., 2012). The operational decisions towards a SSC leave a huge research path for future development in the mentioned areas and in many other operational decisions, which have not been considered yet (e.g. employee's safety and wellbeing, environmental legislation in the workday, among others).

Consideration of uncertainty has been revealed to be inexistent at this decision level. No papers have been found covering uncertainty and operational decisions. This also opens a major research avenue, which is completely unexplored at the moment.

All operational decision papers have applied optimization models, which in some cases are combined with simulation (Harris et al., 2011; Liotta et al., 2016), data analysis (Sabio et al., 2012), decision analysis (Bouchery et al., 2012) and statistics (Sabio et al., 2012).

It is important to highlight that the few publications on operational aspects are due to the fact that only papers involving at least two SC entities were considered for analysis, as mentioned in section 2. This means that several papers focused on sustainable operations management of a single facility have been excluded from this literature review since they did not have the holistic view of a SC. In the literature, there are several authors working on sustainability practices at the operations management level (e.g. green lean practices; green EOQ models, etc. (see Absi et al. (2013, 2016) and Helmrich et al. (2015))). Therefore, it is recommended integrating these papers on sustainable operations management in the holistic view of the supply chain in order to achieve the sustainability across operations among entities.

In summary, the strategic decision level has been the most analyzed level of decision, and network design is the focus of the majority of the authors when tackling strategic decisions. Optimization appears to be the most applied OR method.

Table 6 indicates the papers that have been analyzed using the previously identified categories within the SSC decision levels (please refer to Table A1 in Appendix A for the papers reference number). Table 6 includes a category titled "others", which comprises all papers that do not fit completely in the remaining categories: "suppliers", "network design", "resilience", "risk", and "product development". As an example, Garrone et al. (2014) present a model that designs and implements a strategy to reduce food insecurity and limit food waste. In the same way, Gopal & Thakkar (2015) shows a framework to identify relationships among the SSC practices, inhibitors, enablers and SC performance. Additionally, Hussain et al. (2016) evaluate alternatives for sustainable supply chain management through a framework.

6. How have the three pillars of sustainability been modeled in Sustainable Supply Chain?

In the different papers analyzed, sustainability has been addressed in dissimilar ways. It is then critical to understand how sustainability has been addressed in the OR studies. To do so, indicators are considered, related to the different sustainability pillars.

6.2 – Economic Pillar

Figure 13 shows the distribution of the economic indicators used in the papers to assess the economic pillar. It is possible to verify that cost has been the main economic objective function (59% of the papers), while profit

has been considered in 25% of the papers while the Net Present Value (NPV) is considered in only 9% of the studies. In the previous section, (see Figure 11) it was possible to verify that the network design problem has been the most addressed topic at the strategic level and, within this, transportation and location aspects as the top two aspects studied. When the SC network is fixed and only transportation decisions are undertaken, cost appears as a good economic indicator, however, when addressing location problems NPV appears as the most suitable economic indicator since it can better translate investments and other types of costs associated with revenues. Additionally, investment decisions involve risks that should be accounted for. However, this is not generally the case, and only 7% of the papers deal with risk modeling, where an economic risk is considered associated with economic parameters. Furthermore, despite the main finding that the economic pillar focus essentially on financial metrics it is important to state that also some works address non-financial aspects (7%), such as service level, product or process quality, which however are then transformed into financial measures, mainly cost (e.g. Hussain et al. (2016); Jakhar (2015); Kuo et al. (2010); Chardine-Baumann & Botta-Genoulaz (2014)). Concluding, the distribution of the indicators in the economic pillar, presented in Figure 13, shows an uneven distribution. The percentage of papers applying NPV as objective function should rise, especially when considering network design decisions. Researchers should then invest more in selecting the most suitable economic indicator for their analysis.




Figure 13: Economic pillar assessment

Table 6 – Decisions levels: main aspects addressed by the different papers

Decision level	SC type	Suppliers	Network design	Resilience	Risk	Product development	Others
Strategic	Forward	[35]; [85]; [92]; [103]; [106]; [108]; [120]; [122]; [156]; [181]; [187]; [191]; [195]; [197]	[1]; [3]; [7]; [8]; [10]; [11]; [13]; [16]; [17]; [18]; [20]; [21]; [28]; [29]; [31]; [32]; [34]; [37]; [38]; [40]; [41]; [42]; [43]; [45]; [46]; [47]; [48]; [49]; [50]; [52]; [54]; [57]; [58]; [59]; [66]; [67]; [68]; [69]; [70]; [71]; [74]; [73]; [75]; [78]; [80]; [82]; [84]; [86]; [88]; [89]; [90]; [93]; [95]; [97]; [100]; [101]; [104]; [105]; [110]; [111]; [112]; [113]; [114]; [116]; [117]; [118]; [119]; [123]; [124]; [126]; [129]; [130]; [131]; [132]; [133]; [136]; [137]; [139]; [140]; [141]; [142]; [143]; [145]; [147]; [149]; [151]; [153]; [154]; [155]; [157]; [158]; [159]; [161]; [166]; [167]; [171]; [174]; [175]; [176]; [177]; [178]; [179]; [180]; [182]; [185]; [189]; [190]; [192]; [196]; [198]; [200]; [202]; [204]; [205]; [207]; [208]; [209]; [210]; [211]; [212]; [214]; [213]; [215]; [216]; [217]; [218]; [219]	[89]; [138]	[8]; [10]; [17]; [49]; [52]; [69]; [115]; [138]; [150]; [170]; [172]; [218]	[3]; [7]; [9]; [10]; [12]; [15]; [18]; [22]; [27]; [28]; [30]; [33]; [46]; [62]; [76]; [81]; [99]; [102]; [137]; [183]; [184]; [214]	[56]; [65]; [77]; [96]; [152]; [186]; [201]; [206]
	Reverse		[44]; [63]; [79]; [83]; [128]; [165]; [188]; [194]		[87]		
	CLSC	[4]; [146]	[26]; [39]; [51]; [53]; [55]; [60]; [61]; [64]; [72]; [107]; [109]; [121]; [125]; [148]; [160]; [162]; [163]; [168]; [164]; [193]; [199]; [203]		[94]	[23]; [26]; [98]; [127]	[144]
Tactical	Forward	[14]; [36]; [91]; [187]	[2]; [8]; [16]; [18]; [19]; [24]; [28]; [29]; [34]; [37]; [38]; [40]; [41]; [43]; [49]; [50]; [59]; [66]; [68]; [70]; [95]; [100]; [101]; [126]; [129]; [131]; [132]; [134]; [139]; [147]; [149]; [153]; [158]; [159]; [166]; [174]; [179]; [182]; [190]; [198]; [202]; [209]; [211]; [214]; [218]	[89]	[6]; [8]; [49]; [115]; [218]	[9]; [12]; [18]; [22]; [28]; [81]; [99]; [184]; [214]	
	Reverse		[128]				[169]
	CLSC	[4]	[60]; [64]; [107]; [148]; [160]; [162]; [164]; [203]; [220]		[94]		
Operational	Forward	[36]; [91]	[25]; [88]; [131]; [134]; [166]; [173]				[135]
	Reverse						[169]
	CLSC						

6.3 – Environmental Pillar

In terms of environmental assessment, the disparity of indicators applied is considerable, see Figure 14. Most papers only cover aspects related to carbon dioxide (CO₂) emissions, namely: directly assessing the carbon footprint; measuring Green House Gases (GHG); assessing CO₂ emissions through the environmental impact category “Global Warming Potential”; and assessing CO₂ through the environmental impact category “Climate Change” (CC). All these indicators, which correspond to 59,5% of the papers treating environmental aspects, are evaluating the same impact, which is global warming, the only difference being the way it is measured: direct assessment of CO₂ emissions, through flows of life cycle inventory (Figure 14 - CO₂); or through a cause-effect relation, by calculating the values of characterized impact categories (Figure 14 - GHG, GWP and CC). These results highlight that the environmental studies developed have been exploring a narrow perspective, where only the carbon footprint has been measured, leaving behind other important environmental impact categories in the assessment.

Additionally, 14,3% of environmental aspects have been measured in terms of waste reduction, 8,0% alongside the percentage of recycling. Once more, the same aspect is measured in different ways, both aiming to reduce the process’ waste. It is also important to mention that waste is not an environmental impact category but a flow. These authors do try to measure the environmental impact indirectly, through flows quantification, avoiding the application of environmental impacts assessment methods. But waste flows do not represent the elements and compounds existing in the waste stream and therefore the information that can be extracted through this assessment is partial.

Also, still considering a mono impact category, 1,7% of the papers focus on biodiversity, and 0,3% address the renewable energies consumption as an indicator of environmental benefit.

All aforementioned works are solely focused on a single environmental impact perspective, which may lead to misleading results. Thus, the application of a wider perspective is required.




Figure 14: Environmental pillar assessment

Finally, the use of Life Cycle Assessment (LCA) approach, is only verified in 16,1 % of the papers. In such studies different entities of the supply chain are considered where multiple environmental impact categories are employed. Within LCA several methods covering different impact categories can be applied, as shown in Figure 15, where it is possible to verify that EcoIndicator-99 and IPCC (method to assess in LCA the CO₂ emissions) are the most common LCA methods applied (each present in 28% of the papers). EcoIndicator-99 reports several environmental impacts through a multi-echelon perspective, and has been used in the works presented by Chibeles-Martins et al. (2016), Sabio et al. (2012), Sahebi et al. (2014) and Santibañez-Aguilar et al. (2014). Such works appear as pioneers in the assessment of a multi-stage supply chain using a multi-impact categories’ assessment. IPCC, on the other hand, is a single-issue method, which means that a single impact category is measured through a multi-echelon perspective. The works that explore such method (e.g. Su et al.

(2016); Taskhiri et al. (2016); Virtanen et al. (2011)), although including a multi-echelon perspective, miss the use of a broader environmental impact assessment method, as IPCC only measures climate change through CO₂ emissions.

Lastly, the use of the ReCiPe method is presented in 8% of the papers. Such method has originated from the further development of the EcoIndicator-99 and its recent transformation along with the CML method. Therefore, ReCiPe appears nowadays as the most appropriate method to be applied. But only two papers have been identified using this more comprehensive method: Mota et al. (2015b); and Oberhofer & Dieplinger (2014)). LCA being a more complete methodology to assess environmental impacts it should be further applied when studying the environmental pillar within SC, where the extended characteristics of LCA should be explored.




Figure 15: Life cycle assessment methodologies applied to assess the environmental pillar

6.4 – Social Pillar

Regarding the social pillar, it is possible to verify from Figure 16 that job creation has been the most used indicator (38%). Then Safety comes up with 25%, health 16%, number of working hours 7%, discrimination 6% and finally 4% are related to satisfaction and poverty aspects.




Figure 16: Social pillar assessment

These indicators cover different social aspects, which are all required in a holistic analysis of social assessment. The main problem in the social assessment is that only single issues have been applied and so there is no integrated approach. Moreover, the diversity of indicators employed show that authors are still looking for a clear definition of social sustainability. Social LCA has not yet been applied, this being a good approach towards a life cycle assessment perspective and is therefore recommended to be explored in the future.

Looking in more detail at the papers covering optimization and social aspects, it is interesting to analyze how authors have been modeling these aspects. Job creation has been the most applied social criteria, which has been mainly modeled as a mono-criteria objective function (e.g. Martínez-Guido et al., 2016; Miret et al., 2016; Mota et al., 2015; amongst others, see Table 9). Some authors have explored other mono-criteria objective function, namely, Bouchery et al. (2012) and Kim et al. (2011) that applied safety as an objective function, maximizing its value. Bouchery et al. (2012) have applied injury rate as a social objective function

and Kim et al. (2011) applied a safety index to account for safety. Ramos et al. (2014) applied the maximization of working hours as an objective function and finally, Santibañez-Aguilar et al. (2013) considered health as an objective function.

There are several authors who combine multiple social dimensions in their objective functions, which might be incorporated in one single indicator or in multiple. For instance, Boukherroub et al. (2015) consider employee well-being, modeled as the proximity of employees to production sites, minimizing the total traveled distance multiplied by the total flow of employees. These authors also include a second social objective function as employment stability, where layoffs are minimized. Mota et al. (2015) include a single indicator, which promoted the social benefit. The maximization of the social benefit promotes the job creation in areas with higher poverty rates so that their economy might be improved. Hsueh (2015) assesses corporate social responsibility through the maximization of collaboration in SC towards a profit maximization. Employee injuries are used as the formulation applied by Chen & Andresen (2014) to measure health and safety issues, and therefore the social impact assessment. Dayhim et al. (2014) applied a monetization method to transform social aspects into costs, therefore making the objective function the minimization of those costs. Devika et al. (2014) applied traditional job creation as an objective function and also explored another objective function related to the worker's safety. Kravanja & Čuček (2013) propose a sustainability index, which covers the three pillars of sustainability as objective function. The social aspects considered in that index are job creation, working hours, satisfaction and health. Pishvaei et al. (2014) applied an objective function, which includes job creation plus the value for local communities minus the consumer risk, minus the damage to health. This is a multi-criteria objective function. Another work where a social multicriteria objective function has been presented is Ziolkowska (2014). Here the objective function considers job creation and welfare, health and safety and support to local communities.

Some authors have considered social aspects as constraints in their modelling approach, imposing a minimum number of jobs created (Chardine-Baumann & Botta-Genoulaz, 2014; Gonela et al., 2015; Hall et al., 2012), minimum health and safety required (Chardine-Baumann & Botta-Genoulaz, 2014; Hall et al., 2012) and level of satisfaction (Zhou et al., 2000).

There is a single paper exploring simulation methods and social aspects. Sarkis & Dhavale (2015) explore the simulation of social responsibility in supplier's selection.

Additionally, within the academic community, social aspects still require a clear definition of the areas to assess followed by a clear definition of social quantitative indicators that can be included in optimization models. This fact opens up a future research path, where a step backward should be taken in order to define social aspects in a clear and quantitative way. Decision-analysis seems an interesting methodology to address this bottleneck.

6.5 – OR methods and the Sustainability Pillars

By crossing the sustainability pillars measure with the type of OR research methods used by the researchers within SSC, we obtain Figure 17. As previously discussed, optimization has been the most applied OR method when addressing SSC, and consequently, the different measures identified to characterize the sustainability pillars have been considered as an objective function in the optimization models proposed by the different authors. On the one hand, cost has been the most widely applied sustainability metric in all OR methods. This appears as the easiest metric to assess and, in many cases, maybe the most adequate one. However, researchers need to pay attention to whether investments are involved, since in those cases more suitable metrics should be applied. On the other hand, some sustainability measurements have only been applied in very few methods. For instance, renewable energies consumption has been considered as an environmental objective in optimization models; Biodiversity impact has only been considered in optimization and statistic research, and NPV has only been applied as an economic indicator in optimization, simulation and statistics.

Globally a wide diversity of economic, environmental and social measures has been used, demonstrating a lack of consensus among authors. Therefore, new concerns need to be considered. Namely, the adequacy of the economic indicators to the problem at hand should be carefully analyzed. Additionally, a detailed

assessment of the environmental, but above all the social aspects is still missing. The latter appears as the most difficult objectives to quantify (e.g. discrimination, satisfaction) and a greater effort needs to be made regarding this issue. These aspects bring to the table the need of combining optimization methods with other OR methods, like decision analysis, data analysis, and statistics that support the establishment of the right trade-offs among the sustainability measures used.




Figure 17: OR methods applied in the three pillars of sustainability

In Tables 7, 8 and 9 the papers that have been using the previously mentioned categories are indicated, providing an overview of the authors that have been covering the different sustainability assessment measurements.

ACCEPTED MANUSCRIPT

Table 7 – Sustainability aspects assessed in each decisions level - Economic pillar

Decision level	Economic			
	Cost	NPV	Risk	Max. Profit
Strategic	[1]; [3]; [5]; [7]; [8]; [9]; [11]; [12]; [13]; [15]; [16]; [17]; [20]; [22]; [23]; [26]; [28]; [29]; [30]; [31]; [32]; [33]; [34]; [37]; [38]; [39]; [41]; [42]; [43]; [45]; [46]; [48]; [49]; [51]; [52]; [55]; [57]; [58]; [59]; [60]; [61]; [62]; [63]; [64]; [66]; [67]; [68]; [70]; [72]; [74]; [75]; [76]; [77]; [78]; [79]; [80]; [81]; [83]; [84]; [85]; [87]; [90]; [92]; [93]; [94]; [95]; [97]; [98]; [99]; [100]; [101]; [103]; [105]; [106]; [107]; [108]; [111]; [112]; [114]; [115]; [119]; [120]; [121]; [122]; [124]; [125]; [126]; [127]; [130]; [132]; [133]; [136]; [138]; [139]; [140]; [141]; [142]; [143]; [144]; [145]; [146]; [148]; [149]; [150]; [152]; [153]; [155]; [157]; [161]; [162]; [163]; [164]; [165]; [170]; [174]; [178]; [180]; [181]; [182]; [183]; [184]; [185]; [186]; [187]; [188]; [189]; [190]; [191]; [192]; [193]; [194]; [196]; [197]; [198]; [199]; [200]; [202]; [203]; [205]; [206]; [209]; [210]; [211]; [212]; [213]; [214]; [215]; [216]; [217]; [219]	[10]; [17]; [20]; [21]; [28]; [44]; [45]; [47]; [58]; [68]; [70]; [71]; [81]; [82]; [114]; [117]; [118]; [119]; [123]; [141]; [147]; [167]; [172]; [175]; [208]	[8]; [17]; [49]; [52]; [55]; [69]; [87]; [96]; [115]; [136]; [138]; [146]; [150]; [162]; [201]	[4]; [8]; [10]; [11]; [18]; [21]; [30]; [35]; [37]; [38]; [40]; [43]; [46]; [50]; [54]; [55]; [58]; [64]; [66]; [68]; [69]; [70]; [71]; [72]; [72]; [73]; [74]; [75]; [81]; [83]; [85]; [86]; [90]; [94]; [99]; [101]; [106]; [107]; [114]; [119]; [120]; [123]; [125]; [127]; [128]; [132]; [136]; [140]; [141]; [144]; [146]; [158]; [159]; [160]; [163]; [168]; [176]; [177]; [179]; [183]; [188]; [204]; [207]; [218]
Tactical	[2]; [5]; [6]; [8]; [9]; [12]; [14]; [16]; [19]; [22]; [24]; [28]; [29]; [34]; [37]; [38]; [41]; [43]; [49]; [59]; [60]; [64]; [66]; [68]; [70]; [80]; [94]; [95]; [99]; [100]; [101]; [107]; [115]; [126]; [130]; [132]; [134]; [139]; [148]; [149]; [153]; [162]; [164]; [169]; [174]; [182]; [184]; [187]; [190]; [198]; [202]; [203]; [209]; [211]; [214]; [220]	[28]; [68]; [70]; [147]	[6]; [8]; [14]; [19]; [49]; [96]; [115]; [134]; [162]	[4]; [6]; [8]; [18]; [36]; [37]; [38]; [40]; [43]; [50]; [64]; [66]; [68]; [70]; [91]; [94]; [99]; [101]; [107]; [128]; [132]; [134]; [158]; [159]; [160]; [179]; [218]
Operational	[25]; [134]; [135]; [169]		[134]	[36]; [91]; [134]; [173]

Table 8 – Sustainability aspects assessed in each decisions level - Environmental pillar

Decision level	Environmental								
	Waste	Recycling	Renewable energies	Biodiversity	GWP	CO2	Climate change	GHG	LCA
Strategic	[22]; [30]; [44]; [45]; [60]; [61]; [63]; [65]; [66]; [67]; [72]; [77]; [85]; [87]; [90]; [92]; [97]; [100]; [101]; [102]; [106]; [107]; [108]; [109]; [110]; [121]; [122]; [123]; [129]; [133]; [141]; [149]; [150]; [168]; [177]; [179]; [189]; [214]; [218]	[23]; [43]; [44]; [53]; [60]; [61]; [66]; [67]; [92]; [98]; [101]; [105]; [106]; [107]; [109]; [127]; [129]; [133]; [162]; [164]; [197]; [201]	[171]	[42]; [89]; [165]; [219]	[15]; [16]; [21]; [30]; [33]; [34]; [46]; [50]; [52]; [54]; [68]; [69]; [70]; [71]; [75]; [90]; [93]; [97]; [98]; [102]; [103]; [104]; [109]; [110]; [111]; [95]; [110]; [117]; [118]; [119]; [133]; [141]; [167]; [172]	[1]; [12]; [13]; [15]; [31]; [32]; [39]; [42]; [46]; [48]; [49]; [52]; [56]; [58]; [59]; [62]; [69]; [70]; [74]; [75]; [90]; [93]; [97]; [98]; [102]; [103]; [104]; [109]; [110]; [111]; [112]; [113]; [114]; [119]; [123]; [132]; [124]; [130]; [133]; [138]; [140]; [141]; [142]; [143]; [144]; [149]; [155]; [174]; [182]; [184]; [185]; [186]; [193]; [195]; [200]; [202]; [203]; [204]; [205]; [207]; [209]; [212]; [214]	[1]; [5]; [9]; [11]; [16]; [26]; [32]; [41]; [37]; [80]; [83]; [89]; [96]; [116]; [118]; [136]; [140]; [142]; [145]; [152]; [156]; [178]; [206]; [208]; [216]; [217]	[1]; [12]; [21]; [27]; [34]; [47]; [54]; [64]; [68]; [71]; [73]; [77]; [78]; [79]; [83]; [84]; [85]; [89]; [95]; [105]; [108]; [109]; [110]; [111]; [112]; [113]; [116]; [117]; [118]; [122]; [133]; [142]; [151]; [154]; [157]; [158]; [167]; [170]; [181]; [184]; [190]; [195]; [201]; [211]; [213]; [214]; [219]	[3]; [15]; [17]; [18]; [21]; [28]; [33]; [34]; [45]; [46]; [54]; [56]; [57]; [67]; [68]; [71]; [75]; [76]; [80]; [81]; [82]; [83]; [86]; [100]; [116]; [117]; [118]; [119]; [129]; [137]; [141]; [147]; [154]; [168]; [170]; [172]; [175]; [180]; [191]; [192]; [194]; [206]; [215]
Tactical	[14]; [22]; [36]; [60]; [66]; [100]; [101]; [107]; [149]; [179]; [214]; [218]	[36]; [43]; [60]; [66]; [101]; [107]; [162]; [164]		[36]	[14]; [16]; [34]; [50]; [68]; [70]; [95]	[12]; [24]; [49]; [59]; [70]; [130]; [132]; [149]; [169]; [174]; [182]; [184]; [202]; [203]; [209]; [214]; [220]	[5]; [9]; [16]; [37]; [41]; [80]; [96]	[12]; [34]; [64]; [68]; [95]; [158]; [184]; [190]; [211]; [214]	[18]; [19]; [28]; [34]; [68]; [80]; [100]; [147]
Operational	[36]; [135]	[36]		[36]		[25]; [135]; [169]			[173]

Table 9 – Sustainability aspects assessed in each decisions level - Social pillar

Decision level	Social						
	Job creation	Poverty	Safety	Nr. Working hours	Discrimination	Health	Satisfaction
Strategic	[11]; [12]; [13]; [18]; [26]; [49]; [53]; [57]; [62]; [74]; [83]; [85]; [111]; [119]; [140]; [145]; [147]; [148]; [165]; [180]; [186]; [205]; [211]; [213]; [219]	[65]; [119]; [147]	[26]; [30]; [37]; [41]; [49]; [53]; [77]; [85]; [96]; [105]; [115]; [119]; [122]; [144]; [181]	[26]; [122]; [144]	[96]; [105]; [122]	[30]; [37]; [77]; [96]; [119]; [144]; [165]; [178]; [219]	[144]; [201]; [218]
Tactical	[12]; [18]; [36]; [49]; [91]; [147]; [148]; [211]	[147]	[14]; [36]; [37]; [41]; [49]; [96]; [115]	[91]; [169]	[14]; [96]	[14]; [36]; [37]; [96]	[218]
Operational	[36]; [91]		[25]; [36]	[91]; [169]		[36]	

7. Industrial Applications

One important point identified in the 4W's analysis is related to what industrial sectors have been analyzed when applying OR methods to SSC. According to Figure 18, the industrial process sector dominates (60%) the industrial applications as it includes bio-related (45%), food and beverage (8%) and chemical (7%). This is in line with the increasing trend of research that has been observed over the last years in bio-related products and processes. Moreover, the process industry is a sector where sustainability concerns are quite present since regulations on environmental aspects are very strict due to the type of processes and products involved, often associated with hazardous processes. Within this area, when looking at the type of problems addressed, the designing and planning of SSC are dominant, showing the concern of the authors to create SSC, a concern that is in line with industry concerns. As examples, we have the papers by Guillén-Gosálbez & Grossmann (2009); You et al. (2012) and Kostin et al. (2015). The process industry sector is followed by the manufacturing sector, which represents 14% of the contributions and where several types of industries have been contemplated, namely: automotive, electronics and consumer goods. From the comprehensive review by Brandenburg et al. (2014) an impressive increment on these applications has been verified (from the 220 papers analyzed, 165 presented an industrial application), demonstrating that authors working with OR methods trail its usage in real industrial applications.




Figure 18 – Industrial sectors treated in SSC

8. Critical Analysis and Future Research Agenda

8.1. Conceptual Map for Sustainable Supply Chain and Critical Analysis

This paper uses a systematic literature review to comprehend the usage of OR methods in the treatment of SSC. The increment of publications on model-based SSC research is confirmed and a diversification on the type of problems addressed was observed, revealing the authors' awareness to the area. The conceptual map shown in Figure 19 translates graphically the literature focus and the interest devoted to the research community to each one of the SSC dimensions analyzed. The importance given to each dimension is deduced from the size of each circle representing roughly the number of papers published (number within the circles). Having sustainable supply chain in the center (SSC) – being this the focus of this paper – three main research streams emanate from the central point, representing the decision levels: strategic (Strat); tactical (Tact) and operational (Oper), and for each level the sustainability pillars addressed: economic (Ec); environmental (Env) and social (Soc); finally it is represented how the decision problems and sustainability pillars have been treated through OR methods (optimization (Opt); simulation (Sim); queuing theory (QT); data analysis (DtA); neural networks (NN); expert systems (ES); decision analysis (DA); metaheuristics (Mh); statistics (St)) when solving the SSC. The classification for the full set of papers is presented in Table A1 (see Appendix A).

On the decision levels dimension, the strategic level has been the most studied one, where attention was concentrated in forward supply chain addressing mainly network design problems that contemplate not only facilities' location and related capacities' decisions, but also tactical decisions associated with transportation,

technologies' choices and inventory management policies. Moreover, aspects related to product development; facilities production allocation as well as resilience was scarcely treated. Also, supplier's selection and risk were not addressed, findings in line with the review by Brandenburg & Rebs (2015). The tactical level has been essentially addressed in conjunction with strategic decisions, and rarely with operational decisions. Few papers have considered only tactical aspects. The operational decision level has been the one less studied and only three papers have considered all three dimensions of sustainability at the operational level.

On the sustainability pillars, the concept of SSC has been by far the most improperly used, as the different authors have primarily focused their attention on the economic and environmental dimensions, often combined, but few addressed the social dimension simultaneously. These findings reinforce the ones provided by Seuring (2013), Brandenburg et al. (2014) and Brandenburg & Rebs (2015). The economic dimension has been fundamentally modeled through the minimization of costs or maximization of profit, and few authors have considered risk analysis even when investment decisions are involved. The environmental dimension has been largely treated as global warming, mainly through CO₂ based emissions, which is just a part of the big picture when environmental concerns are at stake. The social dimension was rarely approached, but when studied, the focus was on the job creation and safety aspects. Multifunctional activities have been recently explored by the authors when addressing SSC issues, in contrast with the findings of Brandenburg et al. (2014), where the authors were mainly focused on a single activity. Although, an "accurate" treatment of SSC is still missing, as this implies the simultaneous consideration of the three sustainability pillars within a SC perspective, and the works presented are far from achieving this goal.

On the OR methods dimension, optimization approaches stand out from the remaining methods followed, but in a much smaller number, by simulation-based methods, decision analysis and statistics. This trend is common in the different problems addressed. The combination of methods is observed essentially with two main objectives: develop efficient solution techniques to deal with the increased solution complexity of the models derived (i.e. optimization and meta-heuristics); and treat the presence of often conflicting objectives related to the sustainability pillars (i.e. decision analysis and optimization). This conclusion complements the findings of Seuring (2013), Brandenburg et al. (2014) and Brandenburg & Rebs (2015) that generically identified the use of analytical-based models exploring multiple criteria decision making in SSC.

Additionally, regarding the main dimensions studied, our findings also concentrated on the study of: uncertainty; industrial sectors; and type of supply chain.

On uncertainty, and for each one of the decision levels, it was observed that the main problems studied were essentially deterministic. Uncertainty was rarely addressed, and when considered the main approaches were stochastic ones where uncertainty was essentially associated with product demand in strategic to tactical problems. This confirms the conclusion by Brandenburg et al. (2014) and Brandenburg & Rebs (2015) that deterministic approaches are by far employed more often than stochastic ones.

On the industrial sectors, our findings show that the process industry sector has been the most studied, involving the bio-related products; food; and chemical. These findings broaden the conclusions of Brandenburg et al. (2014) that identified the need for considering applications in sectors that they called as "sensitive" sectors, being these the bio, medical, chemical and energy-related sectors. Interestingly enough, our conclusions demonstrate that such sectors now occupy the large amount of applications revealing the interest of the SSC authors to study industrial sectors, where sustainability concerns are present and detail analysis are required. This need is also driving industries to participate in this kind of studies. Research on other sensitivity sectors, such as transportation and apparel, remains unchanged.

Finally, on the type of supply chain, there is a clear gap between the number of works that have treated sustainable forward chain versus sustainable closed loop or reverse supply chain. While closed-loop and reverse supply chain have been the focus of several works (Eskandarpour et al., 2015; Fleischmann et al., 1997; Sasikumar & Govindan, 2008a, 2008b, 2009), such works did not explicitly study the TBL pillars. The main reviews on SSC fail to capture this need, as they focused on forward SSC (Brandenburg et al., 2014; Brandenburg & Rebs, 2015; Seuring, 2013).




Figure 19 – Conceptual Map on Sustainable Supply Chain when OR methods have been used

8.2 Future Research Agenda

Following the rationale of this paper, where the focus is on how the different authors have treated different decision levels in sustainable supply chain and on how the sustainability pillars have been incorporated in such decision levels using OR methods, different aspects were identified far from being entirely studied. Consequently, there is a tremendous opportunity to invest further in the existent research and new research directions can be acknowledged in order to advance the knowledge in the area.

To define a future research agenda on the use of OR methods in SSC, we propose the research model presented in Figure 20. This model identifies the needs and characteristics of OR methods that should be studied so as to foster the development of generic tools to inform decision makers when managing sustainable supply chain.




Figure 20 – Research Framework on Sustainable Supply Chain towards sound decision supporting tools

As a main research line, the development of sound models that will allow the integration of different decision levels should be pursued. This research ought to explore SC multi-functional activities contemplating sustainability issues in a comprehensive manner while fostering a supply chain holistic view. Trade-off versus win-win situations are to be reconnoitered (Brandenburg & Rebs, 2015) accounting for diverse and not yet addressed research challenges while making use of wide-ranging OR approaches. Research challenges should investigate three main research lines: sustainability modeling; uncertainty modeling and risk and resilience.

On the sustainability modeling, a holistic economic assessment, as well as a sound assessment of environmental and social aspects, are yet to be reached. Economic objectives should be carefully selected depending on the type of analysis under consideration. This means that problems involving investments should consider project assessment indicators (e.g. NPV), while problems focused on operational studies should consider costs minimization or profit maximization. Moreover, the economic assessment should be further explored to incorporate a broader view of the advantages of implementing sustainability practices and how these could be economically measured. CO₂ markets are an example of such economic value-added, but companies' image and wellbeing of workers are other forms that should be equally quantified in economic values. Regarding the environmental pillar, the use of LCA based methods presents a research potential not yet adequately explored. A wide-ranging analysis contemplating the different environmental impacts encountered when designing, planning and operating supply chain must be trailed. Irrevocably, the social component needs a huge investment, and it is crucial to understand how this can be adequately modeled.

Social-LCA methods may be a research path open to exploration. Moreover, and corroborating Brandenburg et al. (2014), social aspects require interdisciplinary approaches, combining exact sciences and social sciences, as means to help quantify social impacts

On uncertainty, its treatment is vital as several parameters characterizing SSC are often subject to uncertainty and need to be modeled, ranging from product demand to products or raw materials prices and resources availability. Uncertainty on the available social and environmental data has been a field left unexplored, which represents a large limitation, as this data highly influences the decisions taken.

Furthermore, the presence of uncertainty leads to the need of managing risk and resilience in SSC, problems that have been scarcely studied. There is a need to comprehend what are the right risk and resilience metrics that should be incorporated into SSC based-model so as to guarantee adequate management decisions

Having identified the main problem to solve and the research challenges to account for, it is important to understand the OR approach(es) to use. The integration of different OR methods outlines further research opportunities, as this will support the development of comprehensive models. The presence of different objectives that may even appear conflicting call for the usage of OR methods as game theory approaches, fuzzy approaches and decision analysis in conjunction with multi-objective optimization. Such methods will allow the identification of win-win solutions without being excessively simplistic. Additionally, the presence of uncertainty ought to be explored and accordingly the development of stochastic approaches reflecting the dynamic nature of the problem (e.g. dynamic threes) is to be developed. Additionally, robust optimization approaches where the conservativeness of the solutions should be overcome may also be a research path to explore. The incorporation of all the aspects above into the OR models will result in complex computational problems that, when applied to real cases, may result intractable. Consequently, a new research line emerges, one that should explore the development of hybrid approaches combining meta-heuristics, math-heuristics and/or other types of methods in order to speed up the model solutions.

Another research path is derived from the fact that SSC have been essentially addressed as forward supply chain structures. Closed-loop and reverse chain, although subject to several studies, suffer from the lack of work that explicitly incorporates the TBL pillars into the derived models. Such incorporation may influence the definition and operation of these structures, as it is not always clear that a certain decision on the installation or operation of a reverse operation may result in an environmental or social benefit.

A final research path relates to the need of further expanding the industrial focus of SSC OR approaches. Sectors such as pharmaceutical, apparel, energy and transportation require additional study. Also, studies on the process industry sector are still needed.

9. Conclusions

Sustainable Supply Chain becoming a critical issue to foster companies' activities towards sustainability. This paper reviewed the set of papers published on SSC using OR methods from 1999 onwards and concluded that the work in the area continues to increase when compared to previous reviews (Brandenburg et al., 2014; Brandenburg & Rebs, 2015; Seuring, 2013).

A systematic literature review methodology was followed, aiming at answering to a set of questions that help to understand how have been treated the three main research dimensions: decision levels; sustainability pillar; and OR method used. As main findings, it has been concluded that the authors publishing in the area are still far from having developed comprehensive models on SSC, and the notion of sustainable supply chain is still quite blurred. The authors have mainly been focused on the treatment of the economic and environmental aspects, and few works addressed the social aspect.

A conceptual map, representing the main studied dimensions of SSC (decision levels, sustainability pillars and OR methods), was proposed allowing researchers and practitioners to visualize what has been done in the area. This, coupled with the deep analysis performed, resulted in the definition of a future research agenda framework composed by five main future research avenues: development of integrated decision models; sound treatment of the sustainability pillars; incorporation of uncertainty, risk and resilience management

aspects into the OR models; explore a combination of OR methods so as to develop generic and solution efficient SSC models; study further reverse and closed-loop structures; expand the industrial applications. This agenda opens several opportunities for research and collaboration between academics and industries.

Acknowledgments

The authors gratefully acknowledge financial support from Fundação para a Ciência e Tecnologia (FCT), projects MITP-TB/PFM/0005/2013 and PTDC/AGR-FOR/2178/2014.

References

- Absi, N., Dauzère-Pérès, S., Kedad-Sidhoum, S., Penz, B., & Rapine, C. (2013). Lot sizing with carbon emission constraints. *European Journal of Operational Research*, 227(1), 55–61. <http://doi.org/10.1016/j.ejor.2012.11.044>
- Absi, N., Dauzère-Pérès, S., Kedad-Sidhoum, S., Penz, B., & Rapine, C. (2016). The single-item green lot-sizing problem with fixed carbon emissions. *European Journal of Operational Research*, 248(3), 849–855. <http://doi.org/10.1016/j.ejor.2015.07.052>
- Accorsi, R., Cholette, S., Manzini, R., Pini, C., & Penazzi, S. (2016). The land-network problem: Ecosystem carbon balance in planning sustainable agro-food supply chains. *Journal of Cleaner Production*, 112, 158–171. <http://doi.org/10.1016/j.jclepro.2015.06.082>
- Ahi, P., & Searcy, C. (2015a). An analysis of metrics used to measure performance in green and sustainable supply chains. *Journal of Cleaner Production*, 86, 360–377. <http://doi.org/10.1016/j.jclepro.2014.08.005>
- Ahi, P., & Searcy, C. (2015b). Assessing sustainability in the supply chain: A triple bottom line approach. *Applied Mathematical Modelling*, 39, 2882–2896. <http://doi.org/10.1016/j.apm.2014.10.055>
- Alexander, A., Walker, H., & Naim, M. (2014). Decision theory in sustainable supply chain management: a literature review. *Supply Chain Management: An International Journal*, 19(5/6), 504–522. <http://doi.org/10.1108/SCM-01-2014-0007>
- Alharbi, A., Wang, S., & Davy, P. (2015). Schedule design for sustainable container supply chain networks with port time windows. *Advanced Engineering Informatics*, 29(3), 322–331. <http://doi.org/10.1016/j.aei.2014.12.001>
- Altmann, M. (2015). A supply chain design approach considering environmentally sensitive customers: the case of a German manufacturing SME. *International Journal of Production Research*, 53(21), 6534–6550. <http://doi.org/10.1080/00207543.2014.961203>
- Amin, S. H., & Zhang, G. (2012). An integrated model for closed-loop supply chain configuration and supplier selection: Multi-objective approach. *Expert Systems with Applications*, 39(8), 6782–6791. <http://doi.org/10.1016/j.eswa.2011.12.056>
- Amin, S. H., & Zhang, G. (2013). A multi-objective facility location model for closed-loop supply chain network under uncertain demand and return. *Applied Mathematical Modelling*, 37(6), 4165–4176. <http://doi.org/10.1016/j.apm.2012.09.039>
- Amorim, P., Alem, D., & Almada-Lobo, B. (2013). Risk Management in Production Planning of Perishable Goods. *Industrial & Engineering Chemistry Research*, 52(49), 17538–17553. <http://doi.org/10.1021/ie402514c>
- Apaiah, R. K., & Hendrix, E. M. T. (2005). Design of a supply chain network for pea-based novel protein foods. *Journal of Food Engineering*, 70(3), 383–391. <http://doi.org/10.1016/j.jfoodeng.2004.02.043>
- Aqlan, F., & Lam, S. S. (2016). Supply chain optimization under risk and uncertainty: A case study for high-end server manufacturing. *Computers and Industrial Engineering*, 93, 78–87. <http://doi.org/10.1016/j.cie.2015.12.025>
- Arabatzi, G., Petridis, K., Galatsidas, S., & Ioannou, K. (2013). A demand scenario based fuelwood supply chain: A conceptual model. *Renewable and Sustainable Energy Reviews*, 25, 687–697.

- <http://doi.org/10.1016/j.rser.2013.05.030>
- Ashayeri, J., Ma, N., & Sotirov, R. (2014). Supply chain downsizing under bankruptcy: A robust optimization approach. *International Journal of Production Economics*, *154*, 1–15. <http://doi.org/10.1016/j.ijpe.2014.04.004>
- Ashby, A., Leat, M., & Hudson-Smith, M. (2012). Making connections - a review of supply chain management and sustainability literature. *Supply Chain Management: An International Journal*, *17*(5), 497–516. <http://doi.org/10.1108/13598541211258573>
- Awad-Núñez, S., González-Cancelas, N., Soler-Flores, F., & Camarero-Orive, A. (2015). How should the sustainability of the location of dry ports be measured? A proposed methodology using Bayesian networks and multi-criteria decision analysis. *Transport*, *30*(3), 312–319. <http://doi.org/10.3846/16484142.2015.1081618>
- Ayoub, N., Elmoshi, E., Seki, H., & Naka, Y. (2009). Evolutionary algorithms approach for integrated bioenergy supply chains optimization. *Energy Conversion and Management*, *50*(12), 2944–2955. <http://doi.org/10.1016/j.enconman.2009.07.010>
- Ayoub, N., Martins, R., Wang, K., Seki, H., & Naka, Y. (2007). Two levels decision system for efficient planning and implementation of bioenergy production. *Energy Conversion and Management*, *48*(3), 709–723. <http://doi.org/10.1016/j.enconman.2006.09.012>
- Azadi, M., Jafarian, M., Farzipoor Saen, R., & Mirhedayatian, S. M. (2014). A new fuzzy DEA model for evaluation of efficiency and effectiveness of suppliers in sustainable supply chain management context. *Computers & Operations Research*, *54*, 274–285. <http://doi.org/10.1016/j.cor.2014.03.002>
- Azapagic, a, & Clift, R. (1999). The application of life cycle assessment to process optimisation. *Computers & Chemical Engineering*, *23*(10), 1509–1526. [http://doi.org/10.1016/S0098-1354\(99\)00308-7](http://doi.org/10.1016/S0098-1354(99)00308-7)
- Babazadeh, R., Razmi, J., Rabbani, M., & Pishvae, M. S. (2015). An integrated data envelopment analysis-mathematical programming approach to strategic biodiesel supply chain network design problem. *Journal of Cleaner Production*. <http://doi.org/10.1016/j.jclepro.2015.09.038>
- Babazadeh, R., Razmi, J., Saman, M., & Rabbani, M. (2016). A sustainable second-generation biodiesel supply chain network design problem under risk. *Omega*, 1–20. <http://doi.org/10.1016/j.omega.2015.12.010>
- Bairamzadeh, S., Pishvae, M. S., & Saidi-Mehrabad, M. (2016). Multiobjective Robust Possibilistic Programming Approach to Sustainable Bioethanol Supply Chain Design under Multiple Uncertainties. *Industrial and Engineering Chemistry Research*, *55*(1), 237–256. <http://doi.org/10.1021/acs.iecr.5b02875>
- Banasik, A., Bloemhof-Ruwaard, J. M., Kanellopoulos, A., Claassen, G. D. H., & van der Vorst, J. G. A. J. (2016). Multi-criteria decision making approaches for green supply chains: a review. *Flexible Services and Manufacturing Journal*, 1–31. <http://doi.org/10.1007/s10696-016-9263-5>
- Barbosa-Póvoa, A. P. (2009). Sustainable supply chains: key challenges. *Computer Aided Chemical Engineering*, *27*, 127–132.
- Barbosa-Póvoa, A. P. (2014). Process Supply Chains Management—Where are We? Where to Go Next? *Frontiers in Energy Research*, *2*, 1–13. <http://doi.org/10.3389/fenrg.2014.00023>
- Battini, D., Persona, A., & Sgarbossa, F. (2014). A sustainable EOQ model: Theoretical formulation and applications. *International Journal of Production Economics*, *149*, 145–153. <http://doi.org/10.1016/j.ijpe.2013.06.026>
- Bekkering, J., Broekhuis, A. A., van Gemert, W. J. T., & Hengeveld, E. J. (2013). Balancing gas supply and demand with a sustainable gas supply chain - A study based on field data. *Applied Energy*, *111*, 842–852. <http://doi.org/10.1016/j.apenergy.2013.05.073>
- Bernardi, A., Giarola, S., & Bezzo, F. (2012). Optimizing the economics and the carbon and water footprints of bioethanol supply chains. *Biofuels, Bioproducts and Biorefining*, *6*, 656–672. <http://doi.org/10.1002/bbb>
- Betz, A., Buchli, J., Göbel, C., & Müller, C. (2015). Food waste in the Swiss food service industry -

- Magnitude and potential for reduction. *Waste Management*, 35, 218–226. <http://doi.org/10.1016/j.wasman.2014.09.015>
- Bhattacharjee, S., & Cruz, J. (2015). Economic sustainability of closed loop supply chains: A holistic model for decision and policy analysis. *Decision Support Systems*, 77, 67–86. <http://doi.org/10.1016/j.dss.2015.05.011>
- Bortolini, M., Faccio, M., Ferrari, E., Gamberi, M., & Pilati, F. (2016). Fresh food sustainable distribution: Cost, delivery time and carbon footprint three-objective optimization. *Journal of Food Engineering*, 174, 56–67. <http://doi.org/10.1016/j.jfoodeng.2015.11.014>
- Bouchery, Y., Ghaffari, A., Jemai, Z., & Dallery, Y. (2012). Including sustainability criteria into inventory models. *European Journal of Operational Research*, 222(2), 229–240. <http://doi.org/10.1016/j.ejor.2012.05.004>
- Boukherroub, T., Ruiz, A., Guinet, A., & Fondrevelle, J. (2015). An integrated approach for sustainable supply chain planning. *Computers and Operations Research*, 54, 180–194. <http://doi.org/10.1016/j.cor.2014.09.002>
- Brandenburg, M., Govindan, K., Sarkis, J., & Seuring, S. (2014). Quantitative models for sustainable supply chain management: Developments and directions. *European Journal of Operational Research*, 233, 299–312. <http://doi.org/10.1016/j.ejor.2013.09.032>
- Brandenburg, M., & Rebs, T. (2015). Sustainable supply chain management: a modeling perspective. *Annals of Operations Research*, 229, 213–252. <http://doi.org/10.1007/s10479-015-1853-1>
- Brown, L. H., & Blanchard, I. E. (2015). Sustainable emergency medical service systems: how much energy do we need? *The American Journal of Emergency Medicine*, 33(2), 190–6. <http://doi.org/10.1016/j.ajem.2014.11.011>
- Brunet, R., Guillén-Gosálbez, G., & Jiménez, L. (2012). Cleaner design of single-product biotechnological facilities through the integration of process simulation, multiobjective optimization, life cycle assessment, and principal component analysis. *Industrial and Engineering Chemistry Research*, 51(1), 410–424. <http://doi.org/10.1021/ie2011577>
- Burgholzer, W., Bauer, G., Posset, M., & Jammerneegg, W. (2013). Analysing the impact of disruptions in intermodal transport networks: A micro simulation-based model. *Decision Support Systems*, 54(4), 1580–1586. <http://doi.org/10.1016/j.dss.2012.05.060>
- Büyükoçkan, G., & Berkol, Ç. (2011). Designing a sustainable supply chain using an integrated analytic network process and goal programming approach in quality function deployment. *Expert Systems with Applications*, 38(11), 13731–13748. <http://doi.org/10.1016/j.eswa.2011.04.171>
- Byrne, P. J., Heavey, C., Ryan, P., & Liston, P. (2010). Sustainable supply chain design: capturing dynamic input factors. *Journal of Simulation*, 4(4), 213–221. <http://doi.org/10.1057/jos.2010.18>
- Campana, P. E., Leduc, S., Kim, M., Olsson, A., Zhang, J., Liu, J., ... Yan, J. (2015). Suitable and optimal locations for implementing photovoltaic water pumping systems for grassland irrigation in China. *Applied Energy*, 1–11. <http://doi.org/10.1016/j.apenergy.2016.01.004>
- Cardoso, S. R., Barbosa-Póvoa, A. P., & Relvas, S. (2013). Design and planning of supply chains with integration of reverse logistics activities under demand uncertainty. *European Journal of Operational Research*, 226, 436–451. <http://doi.org/10.1016/j.ejor.2012.11.035>
- Carter, C. R., & Easton, L. (2011). Sustainable Supply Chain Management: Evolution and Future Directions. *International Journal of Physical Distribution & Logistics Management*, 41(1), 46–62. <http://doi.org/10.1108/09600031111101420>
- Carter, C. R., & Rogers, D. S. (2008). A framework of sustainable supply chain management: moving toward new theory. *International Journal of Physical Distribution & Logistics Management*, 38(5), 360–387.
- Cellura, M., Ardente, F., & Longo, S. (2012). From the LCA of food products to the environmental assessment of protected crops districts: A case-study in the south of Italy. *Journal of Environmental Management*, 93(1), 194–208. <http://doi.org/10.1016/j.jenvman.2011.08.019>

- Chaabane, A., Ramudhin, A., & Paquet, M. (2012). Design of sustainable supply chains under the emission trading scheme. *International Journal of Production Economics*, 135(1), 37–49. <http://doi.org/10.1016/j.ijpe.2010.10.025>
- Chai, J., & Ngai, E. W. T. (2015). Multi-perspective strategic supplier selection in uncertain environments. *International Journal of Production Economics*, 166, 215–225. <http://doi.org/10.1016/j.ijpe.2014.09.035>
- Chardine-Baumann, E., & Botta-Genoulaz, V. (2014). A framework for sustainable performance assessment of supply chain management practices. *Computers and Industrial Engineering*, 76(1), 138–147. <http://doi.org/10.1016/j.cie.2014.07.029>
- Chen, C., & Kim, J. K. (2007). Optimization for intelligent operation of supply chains. *Chemical Engineering Research and Design*, 85(12 A), 1611–1629. [http://doi.org/10.1016/S0263-8762\(07\)73206-9](http://doi.org/10.1016/S0263-8762(07)73206-9)
- Chen, Y. W., Wang, L. C., Wang, A., & Chen, T. L. (2015). A particle swarm approach for optimizing a multi-stage closed loop supply chain for the solar cell industry. *Robotics and Computer-Integrated Manufacturing*, 1–13. <http://doi.org/10.1016/j.rcim.2015.10.006>
- Chen, Z., & Andresen, S. (2014). A Multiobjective Optimization Model of Production-Sourcing for Sustainable Supply Chain with Consideration of Social , Environmental , and Economic Factors, 2014.
- Chibeles-Martins, N., Pinto-Varela, T., Barbosa-Póvoa, A. P., & Novais, A. Q. (2016). A multi-objective meta-heuristic approach for the design and planning of green supply chains - MBSA. *Expert Systems with Applications*, 47, 71–84. <http://doi.org/10.1016/j.eswa.2015.10.036>
- Choudhary, D., & Shankar, R. (2012). An STEEP-fuzzy AHP-TOPSIS framework for evaluation and selection of thermal power plant location: A case study from India. *Energy*, 42(1), 510–521. <http://doi.org/10.1016/j.energy.2012.03.010>
- Cobuloglu, H. I., & Büyüktaktakın, İ. E. (2014). A mixed-integer optimization model for the economic and environmental analysis of biomass production. *Biomass and Bioenergy*, 67, 8–23. <http://doi.org/10.1016/j.biombioe.2014.03.025>
- Corsano, G., Vecchietti, A. R., & Montagna, J. M. (2011). Optimal design for sustainable bioethanol supply chain considering detailed plant performance model. *Computers and Chemical Engineering*, 35(8), 1384–1398. <http://doi.org/10.1016/j.compchemeng.2011.01.008>
- Cucchiella, F., D'Adamo, I., & Gastaldi, M. (2013). A multi-objective optimization strategy for energy plants in Italy. *Science of the Total Environment*, 443, 955–964. <http://doi.org/10.1016/j.scitotenv.2012.11.008>
- d'Amore, F., & Bezzo, F. (2016). Strategic optimisation of biomass-based energy supply chains for sustainable mobility. *Computers and Chemical Engineering*, 87, 68–81. <http://doi.org/10.1016/j.compchemeng.2016.01.003>
- Dayhim, M., Jafari, M. A., & Mazurek, M. (2014). Planning sustainable hydrogen supply chain infrastructure with uncertain demand. *International Journal of Hydrogen Energy*, 39(13), 6789–6801. <http://doi.org/10.1016/j.ijhydene.2014.02.132>
- De-León Almaraz, S., Azzaro-Pantel, C., Montastruc, L., & Domenech, S. (2014). Hydrogen supply chain optimization for deployment scenarios in the Midi-Pyrénées region, France. *International Journal of Hydrogen Energy*, 39(23), 11831–11845. <http://doi.org/10.1016/j.ijhydene.2014.05.165>
- De Meyer, A., Cattrysse, D., & Van Orshoven, J. (2015). A generic mathematical model to optimise strategic and tactical decisions in biomass-based supply chains (OPTIMASS). *European Journal of Operational Research*, 245(1), 247–264. <http://doi.org/10.1016/j.ejor.2015.02.045>
- De Rosa, V., Gebhard, M., Hartmann, E., & Wollenweber, J. (2013). Robust sustainable bi-directional logistics network design under uncertainty. *International Journal of Production Economics*, 145(1), 184–198. <http://doi.org/10.1016/j.ijpe.2013.04.033>
- Dekker, R., Bloemhof, J., & Mallidis, I. (2012). Operations Research for green logistics - An overview of aspects, issues, contributions and challenges. *European Journal of Operational Research*,

- 219(3), 671–679. <http://doi.org/10.1016/j.ejor.2011.11.010>
- Devika, K., Jafarian, A., & Nourbakhsh, V. (2014). Designing a sustainable closed-loop supply chain network based on triple bottom line approach: A comparison of metaheuristics hybridization techniques. *European Journal of Operational Research*, 235(3), 594–615. <http://doi.org/10.1016/j.ejor.2013.12.032>
- Duarte, A., Sarache, W., & Costa, Y. (2016). Biofuel supply chain design from Coffee Cut Stem under environmental analysis. *Energy*, 100, 321–331. <http://doi.org/10.1016/j.energy.2016.01.076>
- Dubey, R., Gunasekaran, A., & Childe, S. J. (2015). The design of a responsive sustainable supply chain network under uncertainty. *The International Journal of Advanced Manufacturing Technology*, 80(1–4), 427–445. <http://doi.org/10.1007/s00170-015-6967-8>
- Egilmez, G., Kucukvar, M., Tatari, O., & Bhutta, M. K. S. (2014). Supply chain sustainability assessment of the U.S. food manufacturing sectors: A life cycle-based frontier approach. *Resources, Conservation and Recycling*, 82, 8–20. <http://doi.org/10.1016/j.resconrec.2013.10.008>
- Elghali, L., Clift, R., Sinclair, P., Panoutsou, C., & Bauen, A. (2007). Developing a sustainability framework for the assessment of bioenergy systems. *Energy Policy*, 35(12), 6075–6083. <http://doi.org/10.1016/j.enpol.2007.08.036>
- Elia, J. A., Baliban, R. C., & Floudas, C. A. (2014). Nationwide , Regional , and Statewide Energy Supply Chain Optimization for Natural Gas to Liquid Transportation Fuel (GTL) Systems.
- Elia, J. A., Li, J., & Floudas, C. A. (2015). Strategic planning optimization for natural gas to liquid transportation fuel (GTL) systems. *Computers and Chemical Engineering*, 72, 109–125. <http://doi.org/10.1016/j.compchemeng.2014.04.010>
- Elkington, J. (2004). Enter the Triple Bottom Line. In *The Triple Bottom Line: Does it all Add Up?* London: Earthscan Publications. <http://doi.org/10.1021/nl034968f>
- Eskandarpour, M., Dejax, P., Miemczyk, J., & Péton, O. (2015). Sustainable supply chain network design: An optimization-oriented review. *Omega (United Kingdom)*, 54, 11–32. <http://doi.org/10.1016/j.omega.2015.01.006>
- Eskandarpour, M., Zegordi, S. H., & Nikbakhsh, E. (2013). A parallel variable neighborhood search for the multi-objective sustainable post-sales network design problem. *International Journal of Production Economics*, 145(1), 117–131. <http://doi.org/10.1016/j.ijpe.2012.10.013>
- Faccio, M., Persona, A., Sgarbossa, F., & Zanin, G. (2014). Sustainable SC through the complete reprocessing of end-of-life products by manufacturers: A traditional versus social responsibility company perspective. *European Journal of Operational Research*, 233(2), 359–373. <http://doi.org/10.1016/j.ejor.2013.03.027>
- Fahimnia, B., Sarkis, J., & Davarzani, H. (2015). Green supply chain management: A review and bibliometric analysis. *International Journal of Production Economics*, 162, 101–114. <http://doi.org/10.1016/j.ijpe.2015.01.003>
- Fleischmann, M., Bloemhof-Ruwaard, J. M., Dekker, R., van der Laan, E., van Nunen, J. A. E. E., & Van Wassenhove, L. N. (1997). Quantitative models for reverse logistics: A review. *European Journal of Operational Research*, 103, 1–17. [http://doi.org/10.1016/S0377-2217\(97\)00230-0](http://doi.org/10.1016/S0377-2217(97)00230-0)
- Foran, B., Lenzen, M., Dey, C., & Bilek, M. (2005). Integrating sustainable chain management with triple bottom line accounting. *Ecological Economics*, 52(2), 143–157. <http://doi.org/10.1016/j.ecolecon.2004.06.024>
- Galvez, D., Rakotondranaivo, A., Morel, L., Camargo, M., & Fick, M. (2015). Reverse logistics network design for a biogas plant: An approach based on MILP optimization and Analytical Hierarchical Process (AHP). *Journal of Manufacturing Systems*, 37, 616–623. <http://doi.org/10.1016/j.jmsy.2014.12.005>
- Gao, J., & You, F. (2015a). Optimal Design and Operations of Supply Chain Networks for Water Management in Shale Gas Production: MILFP Model and Algorithms for the Water-Energy Nexus. *Process Systems Engineering*, 61(4), 1184–1208. <http://doi.org/10.1002/aic>
- Gao, J., & You, F. (2015b). Shale Gas Supply Chain Design and Operations toward Better Economic

- and Life Cycle Environmental Performance: MINLP Model and Global Optimization Algorithm. *ACS Sustainable Chemistry & Engineering*, 3(7), 1282–1291. <http://doi.org/10.1021/acssuschemeng.5b00122>
- Garcia, D. J., & You, F. (2015). Multiobjective optimization of product and process networks: General modeling framework, efficient global optimization algorithm, and case studies on bioconversion. *AIChE Journal*, 61(2), 530–551. <http://doi.org/10.1002/aic.14666>
- Garcia, D. J., & You, F. (2015). Network-Based Life Cycle Optimization of the Net Atmospheric CO₂ - eq Ratio (NACR) of Fuels and Chemicals Production from Biomass. *ACS Sustainable Chemistry & Engineering*, 3(8), 1732–1744. <http://doi.org/10.1021/acssuschemeng.5b00262>
- Garcia, D. J., & You, F. Q. (2015). Life Cycle Network Modeling Framework and Solution Algorithms for Systems Analysis and Optimization of the Water-Energy Nexus. *Processes*, 3(3), 514–539. <http://doi.org/10.3390/pr3030514>
- Garg, K., Kannan, D., Diabat, A., & Jha, P. C. (2015). A multi-criteria optimization approach to manage environmental issues in closed loop supply chain network design. *Journal of Cleaner Production*, 100, 297–314. <http://doi.org/10.1016/j.jclepro.2015.02.075>
- Garrone, P., Melacini, M., & Perego, A. (2014). Opening the black box of food waste reduction. *Food Policy*, 46, 129–139. <http://doi.org/10.1016/j.foodpol.2014.03.014>
- Geldermann, J., Treitz, M., & Rentz, O. (2007). Towards sustainable production networks. *International Journal of Production Research*, 45(18–19), 4207–4224. <http://doi.org/10.1080/00207540701440014>
- Gerber, L., Fazlollahi, S., & Maréchal, F. (2013). A systematic methodology for the environomic design and synthesis of energy systems combining process integration, Life Cycle Assessment and industrial ecology. *Computers and Chemical Engineering*, 59, 2–16. <http://doi.org/10.1016/j.compchemeng.2013.05.025>
- Giarola, S., Bezzo, F., & Shah, N. (2013). A risk management approach to the economic and environmental strategic design of ethanol supply chains. *Biomass and Bioenergy*, 58(0), 31–51. <http://doi.org/10.1016/j.biombioe.2013.08.005>
- Giarola, S., Shah, N., & Bezzo, F. (2012). A comprehensive approach to the design of ethanol supply chains including carbon trading effects. *Bioresource Technology*, 107, 175–185. <http://doi.org/10.1016/j.biortech.2011.11.090>
- Giarola, S., Zamboni, A., & Bezzo, F. (2011). Spatially explicit multi-objective optimisation for design and planning of hybrid first and second generation biorefineries. *Computers and Chemical Engineering*, 35(9), 1782–1797. <http://doi.org/10.1016/j.compchemeng.2011.01.020>
- Giarola, S., Zamboni, A., & Bezzo, F. (2012). Environmentally conscious capacity planning and technology selection for bioethanol supply chains. *Renewable Energy*, 43, 61–72. <http://doi.org/10.1016/j.renene.2011.12.011>
- Gold, S., Seuring, S., & Beske, P. (2010). Sustainable supply chain management and inter-organizational resources: A literature review. *Corporate Social Responsibility and Environmental Management*, 17, 230–245. <http://doi.org/10.1002/csr.207>
- Golicic, S. L., & Smith, C. D. (2013). A meta-analysis of environmentally sustainable supply chain management practices and firm performance. *Journal of Supply Chain Management*, 49(2), 78–95. <http://doi.org/10.1111/jscm.12006/full>
- Golroudbary, S. R., & Zahraee, S. M. (2015). System dynamics model for optimizing the recycling and collection of waste material in a closed-loop supply chain. *Simulation Modelling Practice and Theory*, 53, 88–102. <http://doi.org/10.1016/j.simpat.2015.02.001>
- Gonela, V., Zhang, J., & Osmani, A. (2015). Stochastic optimization of sustainable industrial symbiosis based hybrid generation bioethanol supply chains. *Computers and Industrial Engineering*, 87, 40–65. <http://doi.org/10.1016/j.cie.2015.04.025>
- Gonela, V., Zhang, J., Osmani, A., & Onyeaghala, R. (2015). Stochastic optimization of sustainable hybrid generation bioethanol supply chains. *Transportation Research Part E: Logistics and Transportation Review*, 77, 1–28. <http://doi.org/10.1016/j.tre.2015.02.008>

- Gong, J., & You, F. (2014). Optimal Design and Synthesis of Algal Biorefinery Processes for Biological Carbon Sequestration and Utilization with Zero Direct Greenhouse Gas Emissions: MINLP Model and Global Optimization Algorithm. *Industrial & Engineering Chemistry Research*, 53(4), 1563–1579. <http://doi.org/10.1021/ie403459m>
- Gong, J., & You, F. (2015). Value-Added Chemicals from Microalgae: Greener, More Economical, or Both? *ACS Sustainable Chemistry & Engineering*, 3(1), 82–96. <http://doi.org/10.1021/sc500683w>
- Gopal, P. R. C., & Thakkar, J. (2015). Sustainable supply chain practices: an empirical investigation on Indian automobile industry. *Production Planning & Control*, 7287(November 2015), 1–16. <http://doi.org/10.1080/09537287.2015.1060368>
- Govindan, K., Jafarian, A., Khodaverdi, R., & Devika, K. (2014). Two-echelon multiple-vehicle location-routing problem with time windows for optimization of sustainable supply chain network of perishable food. *International Journal of Production Economics*, 152, 9–28. <http://doi.org/10.1016/j.ijpe.2013.12.028>
- Govindan, K., Jafarian, A., & Nourbakhsh, V. (2015). Bi-objective integrating sustainable order allocation and sustainable supply chain network strategic design with stochastic demand using a novel robust hybrid multi-objective metaheuristic. *Computers and Operations Research*, 62, 112–130. <http://doi.org/10.1016/j.cor.2014.12.014>
- Govindan, K., Soleimani, H., & Kannan, D. (2015b). Reverse logistics and closed-loop supply chain: A comprehensive review to explore the future. *European Journal of Operational Research*, 240(3), 603–626.
- Guide, D. R., & Van Wassenhove, L. N. (2002). The Reverse Supply Chain. *Harvard Business Review*, 80(2), 25–26.
- Guillén-Gosálbez, G., & Caballero, J. (2007). Application of life cycle assessment to the structural optimization of process flowsheets. *Computer Aided ...*, 1–6.
- Guillén-Gosálbez, G., & Grossmann, I. (2010). A global optimization strategy for the environmentally conscious design of chemical supply chains under uncertainty in the damage assessment model. *Computers and Chemical Engineering*, 34(1), 42–58. <http://doi.org/10.1016/j.compchemeng.2009.09.003>
- Guillén-Gosálbez, G., & Grossmann, I. E. (2009). Optimal design and planning of sustainable chemical supply chains under uncertainty. *AIChE Journal*, 55(1), 99–121. <http://doi.org/10.1002/aic.11662>
- Günther, H. O., Kannegiesser, M., & Autenrieb, N. (2015). The role of electric vehicles for supply chain sustainability in the automotive industry. *Journal of Cleaner Production*, 90, 220–233. <http://doi.org/10.1016/j.jclepro.2014.11.058>
- Guo, M., Richter, G. M., Holland, R. A., Eigenbrod, F., Taylor, G., & Shah, N. (2015). Implementing land-use and ecosystem service effects into an integrated bioenergy value chain optimisation framework. *Computers and Chemical Engineering*, 91, 392–406. <http://doi.org/10.1016/j.compchemeng.2016.02.011>
- Hall, J., Matos, S., & Silvestre, B. (2012). Understanding why firms should invest in sustainable supply chains: a complexity approach. *International Journal of Production Research*, 50(5), 1332–1348. <http://doi.org/10.1080/00207543.2011.571930>
- Hanes, R. J., & Bakshi, B. R. (2015). Sustainable process design by the process to planet framework. *AIChE Journal*, 61(10), 3320–3331. <http://doi.org/10.1002/aic.14918>
- Harris, I., Naim, M., Palmer, A., Potter, A., & Mumford, C. (2011). Assessing the impact of cost optimization based on infrastructure modelling on CO₂ emissions. *International Journal of Production Economics*, 131(1), 313–321. <http://doi.org/10.1016/j.ijpe.2010.03.005>
- Hassini, E., Surti, C., & Searcy, C. (2012). A literature review and a case study of sustainable supply chains with a focus on metrics. *International Journal of Production Economics*, 140, 69–82. <http://doi.org/10.1016/j.ijpe.2012.01.042>
- Henriques, C., Garnett, K., Weatherhead, E. K., Lickorish, F. A., Forrow, D., & Delgado, J. (2015). The

- future water environment - Using scenarios to explore the significant water management challenges in England and Wales to 2050. *Science of the Total Environment*, 512–513, 381–396. <http://doi.org/10.1016/j.scitotenv.2014.12.047>
- Hernández-Calderón, O. M., Ponce-Ortega, J. M., Ortiz-Del-Castillo, J. R., Cervantes-Gaxiola, M. E., Milán-Carrillo, J., Serna-González, M., & Rubio-Castro, E. (2016). Optimal Design of Distributed Algae-Based Biorefineries Using CO₂ Emissions from Multiple Industrial Plants. *Industrial and Engineering Chemistry Research*, 55(8), 2345–2358. <http://doi.org/10.1021/acs.iecr.5b01684>
- Hoen, K. M. R., Tan, T., Fransoo, J. C., & van Houtum, G. J. (2014). Effect of carbon emission regulations on transport mode selection under stochastic demand. *Flexible Services and Manufacturing Journal*, 26(1–2), 170–195. <http://doi.org/10.1007/s10696-012-9151-6>
- Hsueh, C.-F. (2015). A bilevel programming model for corporate social responsibility collaboration in sustainable supply chain management. *Transportation Research Part E: Logistics and Transportation Review*, 73, 84–95. <http://doi.org/10.1016/j.tre.2014.11.006>
- Hu, Z., Rao, C., Zheng, Y., & Huang, D. (2015). Optimization Decision of Supplier Selection in Green Procurement under the Mode of Low Carbon Economy. *International Journal of Computational Intelligence Systems*, 8(3), 407–421. <http://doi.org/10.1080/18756891.2015.1017375>
- Huang, X. Y., Yan, N. N., & Qiu, R. Z. (2009). Dynamic models of closed-loop supply chain and robust H control strategies. *International Journal of Production Research*, 47(9), 2279–2300. <http://doi.org/10.1080/00207540701636355>
- Huang, Y., & Xie, F. (2015). Multistage Optimization of Sustainable Supply Chain of Biofuels. *Transportation Research Record: Journal of the Transportation Research Board*, 2502, 89–98. <http://doi.org/10.3141/2502-11>
- Hugo, A., Rutter, P., Pistikopoulos, S., Amorelli, A., & Zoia, G. (2005). Hydrogen infrastructure strategic planning using multi-objective optimization. *International Journal of Hydrogen Energy*, 30(15), 1523–1534. <http://doi.org/10.1016/j.ijhydene.2005.04.017>
- Hussain, M., Awasthi, A., & Tiwari, M. K. (2016). Interpretive structural modeling-analytic network process integrated framework for evaluating sustainable supply chain management alternatives. *Applied Mathematical Modelling*, 40, 3671–3687. <http://doi.org/10.1016/j.apm.2015.09.018>
- Iakovou, E., Vlachos, D., & Toka, A. (2012). Integrating waste biomass into thermal energy production systems: a strategic methodological framework. *Civil Engineering and Environmental Systems*, 29(4), 255–272. <http://doi.org/10.1080/10286608.2012.710610>
- Igarashi, K., Yamada, T., Gupta, S. M., Inoue, M., & Itsubo, N. (2016). Disassembly system modeling and design with parts selection for cost, recycling and CO₂ saving rates using multi criteria optimization. *Journal of Manufacturing Systems*, 38, 151–164. <http://doi.org/10.1016/j.jmsy.2015.11.002>
- Ilgin, M. A., & Gupta, S. M. (2010). Environmentally conscious manufacturing and product recovery (ECMPRO): A review of the state of the art. *Journal of Environmental Management*, 91(3), 563–591. <http://doi.org/10.1016/j.jenvman.2009.09.037>
- Ilgin, M. A., Gupta, S. M., & Battaïa, O. (2015). Use of MCDM techniques in environmentally conscious manufacturing and product recovery: State of the art. *Journal of Manufacturing Systems*, 37, 746–758. <http://doi.org/10.1016/j.jmsy.2015.04.010>
- Ivanov, B. B., & Mintchev, K. I. (2007). Supply chain optimization of batch chemical plants comprising continuous flexible process networks. *Bulgarian Chemical Communications*, 39(2), 106–118.
- Jabbour, C. J. C., Jugend, D., Jabbour, A. B. L. S., Gunasekaran, A., & Latan, H. (2015). Green product development and performance of Brazilian firms: Measuring the role of human and technical aspects. *Journal of Cleaner Production*, 87(1), 442–451. <http://doi.org/10.1016/j.jclepro.2014.09.036>
- Jaegler, A., & Burlat, P. (2012). Carbon friendly supply chains: A simulation study of different scenarios. *Production Planning & Control: The Management of Operations*, 23(4), 269–278. <http://doi.org/10.1080/09537287.2011.627656>

- Jaegler, A., & Burlat, P. (2014). What is the impact of sustainable development on the re-localisation of manufacturing enterprises? *Production Planning and Control*, 25(11), 902–911. <http://doi.org/10.1080/09537287.2013.776126>
- Jakhar, S. K. (2015). Performance evaluation and a flow allocation decision model for a sustainable supply chain of an apparel industry. *Journal of Cleaner Production*, 87(1), 391–413. <http://doi.org/10.1016/j.jclepro.2014.09.089>
- Ji, P., Ma, X., & Li, G. (2015). Developing green purchasing relationships for the manufacturing industry: An evolutionary game theory perspective. *International Journal of Production Economics*, 166, 155–162. <http://doi.org/10.1016/j.ijpe.2014.10.009>
- Jindal, A., & Sangwan, K. S. (2013). Closed loop supply chain network design and optimisation using fuzzy mixed integer linear programming model. *International Journal of Production Research*, 7543(February 2015), 1–18. <http://doi.org/10.1080/00207543.2013.861948>
- Joa, B., Hottenroth, H., Jungmichel, N., & Schmidt, M. (2014). Introduction of a feasible performance indicator for corporate water accounting - A case study on the cotton textile Chain. *Journal of Cleaner Production*, 82, 143–153. <http://doi.org/10.1016/j.jclepro.2014.06.075>
- Kannegiesser, M., & Günther, H.-O. (2013). Sustainable development of global supply chains—part 1: sustainability optimization framework. *Flexible Services and Manufacturing Journal*, 26(1–2), 24–47. <http://doi.org/10.1007/s10696-013-9176-5>
- Kannegiesser, M., Günther, H.-O., & Autenrieb, N. (2015). The time-to-sustainability optimization strategy for sustainable supply network design. *Journal of Cleaner Production*, 108, 1–13. <http://doi.org/10.1016/j.jclepro.2015.06.030>
- Kannegiesser, M., Günther, H.-O., & Gylfason, Ó. (2013). Sustainable development of global supply chains—part 2: investigation of the European automotive industry. *Flexible Services and Manufacturing Journal*, 26(1–2), 48–68. <http://doi.org/10.1007/s10696-013-9177-4>
- Kantas, A. B., Cobuloglu, H. I., & Büyüktaktak, I. E. (2015). Multi-source capacitated lot-sizing for economically viable and clean biofuel production. *Journal of Cleaner Production*, 94, 116–129. <http://doi.org/10.1016/j.jclepro.2015.02.001>
- Kellner, F., & Igl, J. (2015). Greenhouse gas reduction in transport: Analyzing the carbon dioxide performance of different freight forwarder networks. *Journal of Cleaner Production*, 99, 177–191. <http://doi.org/10.1016/j.jclepro.2015.03.026>
- Kempener, R., Beck, J., & Petrie, J. (2009). Design and analysis of bioenergy networks a complex adaptive systems approach. *Journal of Industrial Ecology*, 13(2), 284–305. <http://doi.org/10.1111/j.1530-9290.2009.00120.x>
- Kim, J., Lee, Y., & Moon, I. (2011). An index-based risk assessment model for hydrogen infrastructure. *International Journal of Hydrogen Energy*, 36(11), 6387–6398. <http://doi.org/10.1016/j.ijhydene.2011.02.127>
- Klein, D., Wolf, C., Schulz, C., & Weber-Blaschke, G. (2016). Environmental impacts of various biomass supply chains for the provision of raw wood in Bavaria, Germany, with focus on climate change. *Science of the Total Environment*, 539, 45–60. <http://doi.org/10.1016/j.scitotenv.2015.08.087>
- Kostin, A., Guillén-Gosálbez, G., & Jiménez, L. (2015). Dimensionality reduction applied to the simultaneous optimization of the economic and life cycle environmental performance of supply chains. *International Journal of Production Economics*, 159, 223–232. <http://doi.org/10.1016/j.ijpe.2014.09.018>
- Kostin, A., Guillén-Gosálbez, G., Mele, F. D., & Jiménez, L. (2012). Identifying Key Life Cycle Assessment Metrics in the Multiobjective Design of Bioethanol Supply Chains Using a Rigorous Mixed-Integer Linear Programming Approach. *Ind. Eng. Chem. Res.*, 51(14), 5282–5291. <http://doi.org/10.1021/ie2027074>
- Kravanja, Z., & Čuček, L. (2013). Multi-objective optimisation for generating sustainable solutions considering total effects on the environment. *Applied Energy*, 101, 67–80. <http://doi.org/10.1016/j.apenergy.2012.04.025>

- Krejci, C., & Beamon, B. (2015). Impacts of farmer coordination decisions on food supply chain structure. *Jasss*, 18(2), 1–20. <http://doi.org/10.18564/jasss.2727>
- Kumar, A., & Rahman, S. (2014). RFID-enabled process reengineering of closed-loop supply chains in the healthcare industry of Singapore. *Journal of Cleaner Production*, 85, 382–394. <http://doi.org/10.1016/j.jclepro.2014.04.037>
- Kuo, R. J., Wang, Y. C., & Tien, F. C. (2010). Integration of artificial neural network and MADA methods for green supplier selection. *Journal of Cleaner Production*, 18(12), 1161–1170. <http://doi.org/10.1016/j.jclepro.2010.03.020>
- Lam, H. L., Ng, W. P. Q., Ng, R. T. L., Ng, E. H., Aziz, M. K. A., & Ng, D. K. S. (2013). Green strategy for sustainable waste-to-energy supply chain. *Energy*, 57, 4–16. <http://doi.org/10.1016/j.energy.2013.01.032>
- Lee, A. H. I., Chen, H. H., & Chen, S. (2015). Suitable organization forms for knowledge management to attain sustainable competitive advantage in the renewable energy industry. *Energy*, 89, 1057–1064. <http://doi.org/10.1016/j.energy.2015.06.047>
- Lee, C., Realf, M., & Ammons, J. (2011). Integration of channel decisions in a decentralized reverse production system with retailer collection under deterministic non-stationary demands. *Advanced Engineering Informatics*, 25(1), 88–102. <http://doi.org/10.1016/j.aei.2010.04.001>
- Lee, K. H., & Wu, Y. (2014). Integrating sustainability performance measurement into logistics and supply networks: A multi-methodological approach. *British Accounting Review*, 46(4), 361–378. <http://doi.org/10.1016/j.bar.2014.10.005>
- Lejeune, M. A. (2006). A variable neighborhood decomposition search method for supply chain management planning problems. *European Journal of Operational Research*, 175(2), 959–976. <http://doi.org/10.1016/j.ejor.2005.05.021>
- Li, C. (2013). An integrated approach to evaluating the production system in closed-loop supply chains. *International Journal of Production Research*, 51(13), 4045–4069. <http://doi.org/10.1080/00207543.2013.774467>
- Lieckens, K. T., Colen, P. J., & Lambrecht, M. R. (2015). Network and contract optimization for maintenance services with remanufacturing. *Computers and Operations Research*, 54, 232–244. <http://doi.org/10.1016/j.cor.2014.10.003>
- Lim, C. H., & Lam, H. L. (2016). Biomass supply chain optimisation via novel Biomass Element Life Cycle Analysis (BELCA). *Applied Energy*, 161, 733–745. <http://doi.org/10.1016/j.apenergy.2015.07.030>
- Liotta, G., Kaihara, T., & Stecca, G. (2016). Optimization and Simulation of Collaborative Networks for Sustainable Production and Transportation. *IEEE Transactions on Industrial Informatics*, 12(1), 417–424. <http://doi.org/10.1109/TII.2014.2369351>
- Liotta, G., Stecca, G., & Kaihara, T. (2015). Optimisation of freight flows and sourcing in sustainable production and transportation networks. *International Journal of Production Economics*, 164, 351–365. <http://doi.org/10.1016/j.ijpe.2014.12.016>
- Longo, F. (2012). Sustainable supply chain design: an application example in local business retail. *SIMULATION*, 88(12), 1484–1498. <http://doi.org/10.1177/0037549712458983>
- Manfredi, M., & Vignali, G. (2014). Life cycle assessment of a packaged tomato puree: A comparison of environmental impacts produced by different life cycle phases. *Journal of Cleaner Production*, 73, 275–284. <http://doi.org/10.1016/j.jclepro.2013.10.010>
- Mansoornejad, B., Pistikopoulos, E. N., & Stuart, P. (2013). Metrics for evaluating the forest biorefinery supply chain performance. *Computers and Chemical Engineering*, 54, 125–139. <http://doi.org/10.1016/j.compchemeng.2013.03.031>
- Mansouri, S. A., Aktas, E., & Besikci, U. (2016). Green scheduling of a two-machine flowshop: Trade-off between makespan and energy consumption. *European Journal of Operational Research*, 248(3), 772–788. <http://doi.org/10.1016/j.ejor.2015.08.064>
- Mansuy, N., Thiffault, E., Lemieux, S., Manka, F., Paré, D., & Lebel, L. (2015). Sustainable biomass supply chains from salvage logging of fire-killed stands: A case study for wood pellet production

- in eastern Canada. *Applied Energy*, 154, 62–73. <http://doi.org/10.1016/j.apenergy.2015.04.048>
- Manzini, R., Accorsi, R., Ayyad, Z., Bendini, A., Bortolini, M., Gamberi, M., ... Gallina Toschi, T. (2014). Sustainability and quality in the food supply chain. A case study of shipment of edible oils. *British Food Journal*, 116(12), 2069–2090. <http://doi.org/10.1108/BFJ-11-2013-0338>
- Mari, S. I., Lee, Y. H., & Memon, M. S. (2014). Sustainable and resilient supply chain network design under disruption risks. *Sustainability (Switzerland)*, 6(10), 6666–6686. <http://doi.org/10.3390/su6106666>
- Martínez-Guido, S. I., González-Campos, J. B., del Río, R. E., Ponce-Ortega, J. M., Nápoles-Rivera, F., Serna-González, M., & El-Halwagi, M. M. (2014). A Multiobjective Optimization Approach for the Development of a Sustainable Supply Chain of a New Fixative in the Perfume Industry. *ACS Sustainable Chemistry & Engineering*, 2(10), 2380–2390. <http://doi.org/10.1021/sc500409g>
- Martínez-Guido, S. I., González-Campos, J., Ponce-Ortega, J. M., Nápoles-Rivera, F., & El-Halwagi, M. M. (2016). Optimal reconfiguration of a sugar cane industry to yield an integrated biorefinery. *Clean Technologies and Environmental Policy*, 18(2), 553–562. <http://doi.org/10.1007/s10098-015-1039-1>
- Mele, F. D., Kostin, A., Guillén-Gosálbez, G., & Jiménez, L. (2011). Multiobjective Model for More Sustainable Fuel Supply Chains. A Case Study of the Sugar Cane Industry in Argentina. *Industrial & Engineering Chemistry Research*, 50(9), 4939–4958. <http://doi.org/10.1021/ie101400g>
- Meneghetti, A., Borgo, E. D., & Monti, L. (2015). Decision support optimisation models for design of sustainable automated warehouses. *International Journal of Shipping and Transport Logistics*, 7(3), 266. <http://doi.org/10.1504/IJSTL.2015.069127>
- Meneghetti, A., & Monti, L. (2014). Greening The Food Supply Chain: An optimisation model for sustainable design of refrigerated automated warehouses. *International Journal of Production Research*, 7543(June 2015), 1–21. <http://doi.org/10.1080/00207543.2014.985449>
- Metta, H., & Badurdeen, F. (2013). Integrating Sustainable Product and Supply Chain Design: Modeling Issues and Challenges. *IEEE Transactions on Engineering Management*, 60(2), 438–446. <http://doi.org/10.1109/TEM.2012.2206392>
- Min, H., & Kim, I. (2012). Green supply chain research: Past, present, and future. *Logistics Research*, 4, 39–47. <http://doi.org/10.1007/s12159-012-0071-3>
- Miret, C., Chazara, P., Montastruc, L., Negny, S., & Domenech, S. (2016). Design of bioethanol green supply chain: Comparison between first and second generation biomass concerning economic, environmental and social criteria. *Computers and Chemical Engineering*, 85, 16–35. <http://doi.org/10.1016/j.compchemeng.2015.10.008>
- Moghaddam, K. S. (2015). Fuzzy multi-objective model for supplier selection and order allocation in reverse logistics systems under supply and demand uncertainty. *Expert Systems with Applications*, 42(15–16), 6237–6254. <http://doi.org/10.1016/j.eswa.2015.02.010>
- Mota, B., Carvalho, A., Gomes, M. I., & Barbosa-Póvoa, A. P. (2015). Design and planning of sustainable supply chains. In F. You (Ed.), *Sustainability of Products, Processes and Supply Chains: Theory and Applications* (pp. 333–353). Amsterdam: Elsevier.
- Mota, B., Gomes, M. I., Carvalho, A., & Barbosa-Póvoa, A. P. (2015b). Towards supply chain sustainability: Economic, environmental and social design and planning. *Journal of Cleaner Production*, 105, 14–27. <http://doi.org/10.1016/j.jclepro.2014.07.052>
- Nagurney, A. (2015). Design of Sustainable Supply Chains for Sustainable Cities. *Environment & Planning*, 42(1), 1–33.
- Nagurney, A., Nagurney, L. S., & Li, D. (2015). Securing the Sustainability of Global Medical Nuclear Supply Chains Through Economic Cost Recovery, Risk Management, and Optimization. *International Journal of Sustainable Transportation*, 9(6), 405–418. <http://doi.org/10.1017/CBO9781107415324.004>
- Nguyen, L., Cafferty, K. G., Searcy, E. M., & Spatari, S. (2014). Uncertainties in life cycle greenhouse gas emissions from advanced biomass feedstock logistics supply chains in Kansas. *Energies*, 7(11), 7125–7146. <http://doi.org/10.3390/en7117125>

- Nunes, B., Bennett, D., & Marques, S. (2014). Sustainable agricultural production: An investigation in Brazilian semi-arid livestock farms. *Journal of Cleaner Production*, *64*, 414–425. <http://doi.org/10.1016/j.jclepro.2013.07.023>
- Nunes, P., Oliveira, F., Hamacher, S., & Almansoori, A. (2015). Design of a hydrogen supply chain with uncertainty. *International Journal of Hydrogen Energy*, *40*(46), 16408–16418. <http://doi.org/10.1016/j.ijhydene.2015.10.015>
- O'Connor, M., Garnier, G., & Batchelor, W. (2013). Life cycle assessment of advanced industrial wastewater treatment within an urban environment. *Journal of Industrial Ecology*, *17*(5), 712–721. <http://doi.org/10.1111/jiec.12029>
- Oberhofer, P., & Dieplinger, M. (2014). Sustainability in the transport and logistics sector: Lacking environmental measures. *Business Strategy and the Environment*, *23*(4), 236–253. <http://doi.org/10.1002/bse.1769>
- Oliver, R. K., & Webber, M. D. (1982). *Supply chain management: logistics catches up with strategy*. Outlook.
- Orji, I. J., & Wei, S. (2015). An innovative integration of fuzzy-logic and systems dynamics in sustainable supplier selection: A case on manufacturing industry. *Computers & Industrial Engineering*, *88*, 1–12. <http://doi.org/10.1016/j.cie.2015.06.019>
- Osmani, A., & Zhang, J. (2014a). Economic and environmental optimization of a large scale sustainable dual feedstock lignocellulosic-based bioethanol supply chain in a stochastic environment. *Applied Energy*, *114*, 572–587. <http://doi.org/10.1016/j.apenergy.2013.10.024>
- Osmani, A., & Zhang, J. (2014b). Optimal grid design and logistic planning for wind and biomass based renewable electricity supply chains under uncertainties. *Energy*, *70*, 514–528. <http://doi.org/10.1016/j.energy.2014.04.043>
- Özkır, V., & Başlıgil, H. (2013). Multi-objective optimization of closed-loop supply chains in uncertain environment. *Journal of Cleaner Production*, *41*, 114–125. <http://doi.org/10.1016/j.jclepro.2012.10.013>
- Palander, T., & Voutilainen, J. (2013). A decision support system for optimal storing and supply of wood in a Finnish CHP plant. *Renewable Energy*, *52*(2013), 88–94. <http://doi.org/10.1016/j.renene.2012.10.016>
- Pishvae, M. S., Jolai, F., & Razmi, J. (2009). A stochastic optimization model for integrated forward/reverse logistics network design. *Journal of Manufacturing Systems*, *28*(4), 107–114. <http://doi.org/10.1016/j.jmsy.2010.05.001>
- Pishvae, M. S., Rabbani, M., & Torabi, S. A. (2011). A robust optimization approach to closed-loop supply chain network design under uncertainty. *Applied Mathematical Modelling*, *35*(2), 637–649. <http://doi.org/10.1016/j.apm.2010.07.013>
- Pishvae, M. S., Razmi, J., & Torabi, S. A. (2014). An accelerated Benders decomposition algorithm for sustainable supply chain network design under uncertainty: A case study of medical needle and syringe supply chain. *Transportation Research Part E: Logistics and Transportation Review*, *67*, 14–38. <http://doi.org/10.1016/j.tre.2014.04.001>
- Pishvae, M. S., & Torabi, S. A. (2010). A possibilistic programming approach for closed-loop supply chain network design under uncertainty. *Fuzzy Sets and Systems*, *161*(20), 2668–2683. <http://doi.org/10.1016/j.fss.2010.04.010>
- Quariguasi Frota Neto, J., Walther, G., Bloemhof, J., van Nunen, J. A. E. E., & Spengler, T. (2009). A methodology for assessing eco-efficiency in logistics networks. *European Journal of Operational Research*, *193*(3), 670–682. <http://doi.org/10.1016/j.ejor.2007.06.056>
- Ramos, T. R. P., Gomes, M. I., & Barbosa-Póvoa, A. P. (2014). Planning a sustainable reverse logistics system: Balancing costs with environmental and social concerns. *Omega (United Kingdom)*, *48*, 60–74. <http://doi.org/10.1016/j.omega.2013.11.006>
- Reich-Weiser, C., & Dornfeld, D. A. (2009). A discussion of greenhouse gas emission tradeoffs and water scarcity within the supply chain. *Journal of Manufacturing Systems*, *28*(1), 23–27. <http://doi.org/10.1016/j.jmsy.2009.04.002>

- Ren, J., Tan, S., Yang, L., Goodsite, M. E., Pang, C., & Dong, L. (2015). Optimization of emergy sustainability index for biodiesel supply network design. *Energy Conversion and Management*, *92*, 312–321. <http://doi.org/10.1016/j.enconman.2014.12.066>
- Retel Helmrich, M. J., Jans, R., van den Heuvel, W., & Wagelmans, A. P. M. (2015). The economic lot-sizing problem with an emission capacity constraint. *European Journal of Operational Research*, *241*(1), 50–62. <http://doi.org/10.1016/j.ejor.2014.06.030>
- Ruiz-Femenia, R., Guillén-Gosálbez, G., Jiménez, L., & Caballero, J. A. (2013). Multi-objective optimization of environmentally conscious chemical supply chains under demand uncertainty. *Chemical Engineering Science*, *95*, 1–11. <http://doi.org/10.1016/j.ces.2013.02.054>
- Sabio, N., Kostin, A., Guillén-Gosálbez, G., & Jiménez, L. (2012). Holistic minimization of the life cycle environmental impact of hydrogen infrastructures using multi-objective optimization and principal component analysis. *International Journal of Hydrogen Energy*, *37*(6), 5385–5405. <http://doi.org/10.1016/j.ijhydene.2011.09.039>
- Sahay, N., & Ierapetritou, M. (2013). Supply Chain Management Using an Optimization Driven Simulation Approach. *AIChE Journal*, *59*(12), 4612–4626. <http://doi.org/10.1002/aic>
- Sahebi, H., Nickel, S., & Ashayeri, J. (2014). Environmentally Conscious Design of Upstream Crude Oil Supply Chain. *Industrial & Engineering Chemistry Research*, *53*(28), 11501–11511. <http://doi.org/10.1021/ie403492c>
- Salema, M. I. G., Barbosa-Póvoa, A. P., & Novais, A. Q. (2010). Simultaneous design and planning of supply chains with reverse flows: A generic modelling framework. *European Journal of Operational Research*, *203*, 336–349. <http://doi.org/10.1016/j.ejor.2009.08.002>
- Sammons, N. E., Yuan, W., Eden, M. R., Aksoy, B., & Cullinan, H. T. (2008). Optimal biorefinery product allocation by combining process and economic modeling. *Chemical Engineering Research and Design*, *86*(7), 800–808. <http://doi.org/10.1016/j.cherd.2008.03.004>
- Sammons, N., Eden, M., Yuan, W., Cullinan, H., & Aksoy, B. (2007). A flexible framework for optimal biorefinery product allocation. *Environmental Progress*, *26*(4), 349–354. <http://doi.org/10.1002/ep.10227>
- Santibañez-Aguilar, J. E., González-Campos, J. B., Ponce-Ortega, J. M., Serna-González, M., & El-Halwagi, M. M. (2014). Optimal planning and site selection for distributed multiproduct biorefineries involving economic, environmental and social objectives. *Journal of Cleaner Production*, *65*, 270–294. <http://doi.org/10.1016/j.jclepro.2013.08.004>
- Santibañez-Aguilar, J. E., Ponce-Ortega, J. M., González-Campos, J. B., Serna-González, M., & El-Halwagi, M. M. (2013). Synthesis of Distributed Biorefining Networks for the Value-Added Processing of Water Hyacinth. *ACS Sustainable Chemistry & Engineering*, *1*(2), 284–305. <http://doi.org/10.1021/sc300137a>
- Sarkis, J. (2012). A boundaries and flows perspective of green supply chain management. *Supply Chain Management: An International Journal*, *17*(2), 202–216. <http://doi.org/10.1108/13598541211212924>
- Sarkis, J., & Dhavale, D. G. (2015). Supplier selection for sustainable operations: A triple-bottom-line approach using a Bayesian framework. *International Journal of Production Economics*, *166*, 177–191. <http://doi.org/10.1016/j.ijpe.2014.11.007>
- Sarkis, J., Zhu, Q., & Lai, K. H. (2011). An organizational theoretic review of green supply chain management literature. *International Journal of Production Economics*, *130*(1), 1–15. <http://doi.org/10.1016/j.ijpe.2010.11.010>
- Sarraj, R. ., Ballot, E. ., Pan, S. ., Hakimi, D. ., & Montreuil, B. . (2014). Interconnected logistic networks and protocols: Simulation-based efficiency assessment. *International Journal of Production Research*, *52*(11), 3185–3208. <http://doi.org/10.1080/00207543.2013.865853>
- Sasikumar, P., & Govindan, K. (2008a). Issues in reverse supply chains, part I: end-of-life product recovery and inventory management – an overview. *International Journal of Sustainable Engineering*, *1*(3), 154–172. <http://doi.org/10.1080/19397030802433860>
- Sasikumar, P., & Govindan, K. (2008b). Issues in reverse supply chains, part II: reverse distribution

- issues – an overview. *International Journal of Sustainable Engineering*, 1(4), 234–249. <http://doi.org/10.1080/19397030802509974>
- Sasikumar, P., & Govindan, K. (2009). Issues in reverse supply chain, part III: classification and simple analysis. *International Journal of Sustainable Engineering*, 2(1), 2–27. <http://doi.org/10.1080/19397030802673374>
- Savaskan, R. C., & Van Wassenhove, L. N. (2006). Reverse channel design: the case of competing retailers. *Management Science*, 52, 1–14.
- Seuring, S. (2013). A review of modeling approaches for sustainable supply chain management. *Decision Support Systems*, 54(4), 1513–1520. <http://doi.org/10.1016/j.dss.2012.05.053>
- Seuring, S., & Müller, M. (2008). From a literature review to a conceptual framework for sustainable supply chain management. *Journal of Cleaner Production*, 16(15), 1699–1710. <http://doi.org/10.1016/j.jclepro.2008.04.020>
- Shahzad, K. M., & Hadj-Hamou, K. (2013). Integrated supply chain and product family architecture under highly customized demand. *Journal of Intelligent Manufacturing*, 24(5), 1005–1018. <http://doi.org/10.1007/s10845-012-0630-0>
- Sharma, P., Sarker, B. R., & Romagnoli, J. A. (2011). A decision support tool for strategic planning of sustainable biorefineries. *Computers and Chemical Engineering*, 35(9), 1767–1781. <http://doi.org/10.1016/j.compchemeng.2011.05.011>
- Shaw, K., Shankar, R., Yadav, S. S., & Thakur, L. S. (2012). Modeling a low-carbon garment supply chain. *Production Planning & Control*, 22(1), 1–15. <http://doi.org/10.1080/09537287.2012.666878>
- Simchi-Levi, D., Kaminsky, P., & Simchi-Levi, E. (2007). *Designing and managing the supply chain: concepts, strategies and case studies* (3rd ed.). McGraw Hill.
- Sinclair, P., Cohen, B., Hansen, Y., Basson, L., & Clift, R. (2015). Stakeholder engagement within the sustainability assessment of bioenergy: Case studies in heat, power and perennial and annual crops from the UK. *Biomass and Bioenergy*, 73, 11–22. <http://doi.org/10.1016/j.biombioe.2014.11.017>
- Singh, A. (2014). Supplier evaluation and demand allocation among suppliers in a supply chain. *Journal of Purchasing and Supply Management*, 20(3), 167–176. <http://doi.org/10.1016/j.pursup.2014.02.001>
- Sitek, P., & Wikarek, J. (2015). A hybrid framework for the modelling and optimisation of decision problems in sustainable supply chain management. *International Journal of Production Research*, 53(5), 1–18. <http://doi.org/10.1080/00207543.2015.1005762>
- Šomplák, R., Pavlas, M., Kropáč, J., Putna, O., & Procházka, V. (2014). Logistic model-based tool for policy-making towards sustainable waste management. *Clean Technologies and Environmental Policy*, 16(7), 1275–1286. <http://doi.org/10.1007/s10098-014-0744-5>
- Soysal, M., Bloemhof-Ruwaard, J. M., & Van Der Vorst, J. G. A. J. (2014). Modelling food logistics networks with emission considerations: The case of an international beef supply chain. *International Journal of Production Economics*, 152, 57–70. <http://doi.org/10.1016/j.ijpe.2013.12.012>
- Srivastava, S. K. (2007). Green supply-chain management: A state-of-the-art literature review. *International Journal of Management Reviews*, 9(1), 53–80. <http://doi.org/10.1111/j.1468-2370.2007.00202.x>
- Su, C.-M., Horng, D.-J., Tseng, M.-L., Chiu, A. S. F., Wu, K.-J., & Chen, H.-P. (2015). Improving sustainable supply chain management using a novel hierarchical grey-DEMATEL approach. *Journal of Cleaner Production*, 134, 469–481. <http://doi.org/10.1016/j.jclepro.2015.05.080>
- Su, M., Chen, C., & Yang, Z. (2016). Urban energy structure optimization at the sector scale: Considering environmental impact based on life cycle assessment. *Journal of Cleaner Production*, 112, 1464–1474. <http://doi.org/10.1016/j.jclepro.2015.01.059>
- Talaei, M., Farhang Moghaddam, B., Pishvaei, M. S., Bozorgi-Amiri, A., & Gholamnejad, S. (2016). A robust fuzzy optimization model for carbon-efficient closed-loop supply chain network design

- problem: A numerical illustration in electronics industry. *Journal of Cleaner Production*, 113, 662–673. <http://doi.org/10.1016/j.jclepro.2015.10.074>
- Tang, C. S., & Zhou, S. (2012). Research advances in environmentally and socially sustainable operations. *European Journal of Operational Research*, 223(3), 585–594. <http://doi.org/10.1016/j.ejor.2012.07.030>
- Taskhiri, M. S., Garbs, M., & Geldermann, J. (2016). Sustainable logistics network for wood flow considering cascade utilisation. *Journal of Cleaner Production*, 110, 25–39. <http://doi.org/10.1016/j.jclepro.2015.09.098>
- Taticchi, P., Garengo, P., Nudurupati, S. S., Tonelli, F., & Pasqualino, R. (2015). A review of decision-support tools and performance measurement and sustainable supply chain management. *International Journal of Production Research*, 53(21), 6473–6494. <http://doi.org/10.1080/00207543.2014.939239>
- Tidy, M., Wang, X., & Hall, M. (2016). The role of Supplier Relationship Management in reducing Greenhouse Gas emissions from food supply chains: Supplier engagement in the UK supermarket sector. *Journal of Cleaner Production*, 112, 3294–3305. <http://doi.org/10.1016/j.jclepro.2015.10.065>
- Tong, K., Joseph, M., Rong, G., & You, F. (2014). Optimal design of advanced drop-in hydrocarbon biofuel supply chain integrating with existing petroleum refineries under uncertainty. *Biomass and Bioenergy*, 60, 108–120. <http://doi.org/10.1016/j.biombioe.2013.10.023>
- Touboulic, A., & Walker, H. (2015). Theories in sustainable supply chain management: a structured literature review. *International Journal of Physical Distribution & Logistics Management*, 45(1/2), 16–42.
- Tranfield, D., Denyer, D., & Smart, P. (2003). Towards a methodology for developing evidence-informed management knowledge by means of systematic review *. *British Journal of Management*, 14, 207–222. <http://doi.org/10.1111/1467-8551.00375>
- Trapp, A. C., & Sarkis, J. (2016). Identifying Robust portfolios of suppliers: A sustainability selection and development perspective. *Journal of Cleaner Production*, 112, 2088–2100. <http://doi.org/10.1016/j.jclepro.2014.09.062>
- Tsai, W.-H. H., & Hung, S.-J. J. (2009). A fuzzy goal programming approach for green supply chain optimisation under activity-based costing and performance evaluation with a value-chain structure. *International Journal of Production Research*, 47(18), 4991–5017. <http://doi.org/10.1080/00207540801932498>
- Turrisi, M., Bruccoleri, M., & Canella, S. (2013). Impact of reverse logistics on supply chain performance. *International Journal of Physical Distribution & Logistics Management*, 43(7), 564–585. <http://doi.org/10.1108/09574090910954864>
- Ülkü, M. A. (2012). Dare to care: Shipment consolidation reduces not only costs, but also environmental damage. *International Journal of Production Economics*, 139(2), 438–446. <http://doi.org/10.1016/j.ijpe.2011.09.015>
- United Nations. (2013). *Global corporate sustainability report 2013*.
- Vachon, S., & Mao, Z. (2008). Linking supply chain strength to sustainable development: a country-level analysis. *Journal of Cleaner Production*, 16(15), 1552–1560. <http://doi.org/10.1016/j.jclepro.2008.04.012>
- Validi, S., Bhattacharya, A., & Byrne, P. J. (2014a). A case analysis of a sustainable food supply chain distribution system - A multi-objective approach. *International Journal of Production Economics*, 152, 71–87. <http://doi.org/10.1016/j.ijpe.2014.02.003>
- Validi, S., Bhattacharya, A., & Byrne, P. J. (2014b). A solution method for A two-layer sustainable supply chain distribution model. *Computers & Operations Research*, 54(0). <http://doi.org/http://dx.doi.org/10.1016/j.cor.2014.06.015>
- Vance, L., Cabezas, H., Heckl, I., Bertok, B., & Friedler, F. (2013). Synthesis of sustainable energy supply chain by the P-graph framework. *Industrial and Engineering Chemistry Research*, 52(1), 266–274. <http://doi.org/10.1021/ie3013264>

- Varsei, M., & Polyakovskiy, S. (2016). Sustainable supply chain network design : A case of the wine industry in Australia. *Omega*, (January), 1–12. <http://doi.org/10.1016/j.omega.2015.11.009>
- Virtanen, Y., Kurppa, S., Saarinen, M., Katajajuuri, J. M., Usva, K., Mäenpää, I., ... Nissinen, A. (2011). Carbon footprint of food - Approaches from national input-output statistics and a LCA of a food portion. *Journal of Cleaner Production*, 19(16), 1849–1856. <http://doi.org/10.1016/j.jclepro.2011.07.001>
- Vujanović, A., Čuček, L., Novak Pintarič, Z., Pahor, B., & Kravanja, Z. (2015). Synthesis of environmentally-benign energy self-sufficient processes under uncertainty. *Journal of Cleaner Production*, 88, 90–104. <http://doi.org/10.1016/j.jclepro.2014.04.015>
- Walther, G., Schatka, A., & Spengler, T. S. (2012). Design of regional production networks for second generation synthetic bio-fuel - A case study in Northern Germany. *European Journal of Operational Research*, 218(1), 280–292. <http://doi.org/10.1016/j.ejor.2011.09.050>
- Wanke, P., Correa, H., Jacob, J., & Santos, T. (2015). Including carbon emissions in the planning of logistic networks: A Brazilian case. *International Journal of Shipping and Transport Logistics*, 7(6), 655–675. <http://doi.org/10.1504/IJSTL.2015.072681>
- WCED - World Commission on Environment and Development. (1987). *Our common future, Environment: Science and Policy for Sustainable Development*.
- Wu, B., Sarker, B. R., & Paudel, K. P. (2015). Sustainable energy from biomass: Biomethane manufacturing plant location and distribution problem. *Applied Energy*, 158, 597–608. <http://doi.org/10.1016/j.apenergy.2015.08.080>
- You, F., Tao, L., Graziano, D. J., & Snyder, S. W. (2012). Optimal design of sustainable cellulosic biofuel supply chains: Multiobjective optimization coupled with life cycle assessment and input-output analysis. *AIChE Journal*, 58(4), 1157–1180.
- Yu, H., Solvang, W. D., Yuan, S., & Yang, Y. (2014). A decision aided system for sustainable waste management. *Intelligent Decision Technologies*, 9(1), 29–40. <http://doi.org/10.3233/IDT-140203>
- Yue, D., Gong, J., & You, F. (2015). Synergies between Geological Sequestration and Microalgae Biofixation for Greenhouse Gas Abatement: Life Cycle Design of Carbon Capture, Utilization, and Storage Supply Chains. *ACS Sustainable Chemistry & Engineering*, 3(5), 841–861. <http://doi.org/10.1021/sc5008253>
- Yue, D. J., Pandya, S., & You, F. Q. (2016). Integrating Hybrid Life Cycle Assessment with Multiobjective Optimization: A Modeling Framework. *Environmental Science & Technology*, 50(3), 1501–1509. <http://doi.org/10.1021/acs.est.5b04279>
- Yue, D., Kim, M. A., & You, F. (2013). Design of Sustainable Product Systems and Supply Chains with Life Cycle Optimization Based on Functional Unit: General Modeling Framework, Mixed-Integer Nonlinear Programming Algorithms and Case Study on Hydrocarbon Biofuels. *ACS Sustainable Chemistry & Engineering*, 1(8), 1003–1014. <http://doi.org/10.1021/sc400080x>
- Yue, D., Slivinsky, M., Sumpter, J., & You, F. (2014). Sustainable Design and Operation of Cellulosic Bioelectricity Supply Chain Networks with Life Cycle Economic, Environmental, and Social Optimization. *Industrial & Engineering Chemistry Research*, 53, 4008–4029. <http://doi.org/10.1021/ie403882v>
- Zanoni, S., & Zavanella, L. (2012). Chilled or frozen? Decision strategies for sustainable food supply chains. *International Journal of Production Economics*, 140(2), 731–736. <http://doi.org/10.1016/j.ijpe.2011.04.028>
- Zeballos, L. J., Méndez, C. A., Barbosa-Póvoa, A. P., & Novais, A. Q. (2014). Multi-period design and planning of closed-loop supply chains with uncertain supply and demand. *Computers and Chemical Engineering*, 66, 151–164. <http://doi.org/10.1016/j.compchemeng.2014.02.027>
- Zhang, J., Osmani, A., Awudu, I., & Gonela, V. (2013). An integrated optimization model for switchgrass-based bioethanol supply chain. *Applied Energy*, 102, 1205–1217. <http://doi.org/10.1016/j.apenergy.2012.06.054>
- Zhang, Q., Gong, J., Skwarczek, M., Yue, D., & You, F. (2014). Sustainable process design and

synthesis of hydrocarbon biorefinery through fast pyrolysis and hydroprocessing. *AIChE Journal*, 60(3), 980–994. <http://doi.org/10.1002/aic.14344>

Zhang, Q., Shah, N., Wassick, J., Helling, R., & Van Egerschot, P. (2014). Sustainable Supply Chain Optimisation: An Industrial Case Study. *Computers & Industrial Engineering*, 74(2014), 68–83. <http://doi.org/10.1016/j.cie.2014.05.002>

Zhou, Z., Cheng, S., & Hua, B. (2000). Supply chain optimization of continuous process industries with sustainability considerations. *Computers and Chemical Engineering*, 24(2–7), 1151–1158. [http://doi.org/10.1016/S0098-1354\(00\)00496-8](http://doi.org/10.1016/S0098-1354(00)00496-8)

Ziolkowska, J. R. (2014). Optimizing biofuels production in an uncertain decision environment: Conventional vs. advanced technologies. *Applied Energy*, 114, 366–376. <http://doi.org/10.1016/j.apenergy.2013.09.060>

Appendix A

Table A1 – Papers classification within the main categories: decision levels; sustainability pillars; and OR method used

Author	Strategic	Tactical	Operational	Economic	Environmental	Social	Simulation	Optimization	Queuing Theory	Markov decision Processes	Data Analysis	Neural Networks	Expert Systems	Decision Analysis	Metaheuristics	Statistics
[1] (Accorsi, Cholette, Manzini, Pini, & Penazzi, 2016)	1			1	1	0	0	1	0	0	0	0	0	0	0	0
[2] (Alharbi et al., 2015)		1		1	0	0	0	1	0	0	0	0	0	0	0	0
[3] (Altmann, 2015)	1			1	1	0	0	1	0	0	0	0	0	0	0	0
[4] (Amin & Zhang, 2012)	1	1		1	0	0	0	1	0	0	0	0	0	0	0	0
[5] (Amin & Zhang, 2013)	1	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[6] (Amorim et al., 2013)		1		1	0	0	0	1	0	0	0	0	0	0	0	0
[7] (Apaiah & Hendrix, 2005)	1			1	0	0	0	1	0	0	0	0	0	0	0	0
[8] (Aqlan & Lam, 2016)	1	1		1	0	0	1	1	0	0	0	0	0	0	0	0
[9] (Arabatzis, Petridis, Galatsidas, & Ioannou, 2013)	1	1		1	1	0	0	0	0	0	0	1	0	0	0	0
[10] (Ashayeri et al., 2014)	1			1	0	0	0	1	0	0	0	0	0	0	0	0
[11] (Awad-Núñez, González-Cancelas, Soler-Flores, & Camarero-Orive, 2015)	1			1	1	1	0	0	0	0	0	0	0	1	0	0
[12] (Ayoub et al., 2007)	1	1		1	1	1	1	1	0	0	0	0	0	0	0	0
[13] (Ayoub et al., 2009)	1			1	1	1	0	1	0	0	0	0	0	0	1	0
[14] (Azadi et al., 2014)		1		0	1	1	0	0	0	0	1	0	0	0	0	0
[15] (Azapagic & Clift, 1999)	1			1	1	0	0	1	0	0	0	0	0	1	0	0
[16] (Babazadeh, Razmi, Rabbani, & Pishvaei, 2015)	1	1		1	1	1	0	1	0	0	0	0	0	0	0	0
[17] (Babazadeh et al., 2016)	1			1	1	0	0	1	0	0	0	0	0	0	0	0
[18] (Bairamzadeh et al., 2016)	1	1		1	1	1	0	1	0	0	0	0	0	0	0	0
[19] (Battini et al., 2014)		1		1	1	0	0	1	0	0	0	0	0	0	0	0
[20] (Bekkering, Broekhuis, van Gemert, & Hengeveld, 2013)	1			1	0	0	0	1	0	0	0	0	0	0	0	0
[21] (Bernardi, Giarola, & Bezzo, 2012)	1			1	1	0	0	1	0	0	0	0	0	0	0	0

[22] (Betz, Buchli, Göbel, & Müller, 2015)	1	1	1	1	0	0	0	0	0	0	0	0	0	0	1
[23] (Bhattacharjee & Cruz, 2015)	1		1	1	0	1	0	0	0	0	0	0	0	0	0
[24] (Bortolini et al., 2016)		1	1	1	0	0	1	0	0	0	0	1	0	0	0
[25] (Bouchery et al., 2012)			1	1	1	0	1	0	0	0	0	0	1	0	0
[26] (Boukherroub et al., 2015)	1		1	1	1	0	1	0	0	0	0	0	0	0	0
[27] (Brown & Blanchard, 2015)	1		0	1	0	0	0	0	0	0	0	0	0	0	1
[28] (Brunet, Guillén-Gosálbez, & Jiménez, 2012)	1	1	1	1	0	1	1	0	0	0	0	0	0	0	1
[29] (Burgholzer, Bauer, Posset, & Jammernegg, 2013)	1	1	1	0	0	1	0	0	0	0	0	0	0	0	0
[30] (Büyükoçkan & Berkol, 2011)	1		1	1	1	0	1	0	0	0	0	0	1	0	0
[31] (Byrne, Heavey, Ryan, & Liston, 2010)	1		1	1	0	1	0	0	0	0	0	0	0	0	0
[32] (Campana et al., 2015)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[33] (Cellura, Ardente, & Longo, 2012)	1		1	1	0	0	0	0	0	0	0	0	0	0	1
[34] (Chaabane et al., 2012)	1	1	1	1	0	0	1	0	0	0	0	0	0	0	0
[35] (Chai & Ngai, 2015)	1		1	0	0	0	0	0	0	0	0	0	1	0	0
[36] (Chardine-Baumann & Botta-Genoulaz, 2014)		1	1	1	1	0	1	0	0	0	0	0	0	0	0
[37] (Chen & Andresen, 2014)	1	1	1	1	1	0	1	0	0	0	0	0	1	0	0
[38] (Chen & Kim, 2007)	1	1	1	0	0	0	1	0	0	0	0	0	0	0	0
[39] (Chen, Wang, Wang, & Chen, 2015)	1		1	1	1	0	1	0	0	0	0	0	0	0	0
[40] (Chibeles-Martins, Pinto-Varela, Barbosa-Póvoa, & Novais, 2016)	1	1	1	1	0	0	1	0	0	0	0	0	0	1	0
[41] (Choudhary & Shankar, 2012)	1	1	1	1	1	0	0	0	0	0	0	0	1	0	0
[42] (Cobuloglu & Büyüktaktakın, 2014)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[43] (Corsano, Vecchietti, & Montagna, 2011)	1	1	1	1	0	0	1	0	0	0	0	0	0	0	0
[44] (Cucchiella, D'Adamo, & Gastaldi, 2013)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[45] (Garcia & You, 2015)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[46] (Garcia & You, 2015)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[47] (d'Amore & Bezzo, 2016)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[48] (Daniel J. Garcia & You, 2015)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[49] (Dayhim et al., 2014)	1	1	1	1	1	0	1	0	0	0	0	0	0	0	0
[50] (De Meyer, Cattrysse, & Van Orshoven, 2015)	1	1	1	1	0	0	1	0	0	0	0	0	0	0	0
[51] (De Rosa, Gebhard, Hartmann, & Wollenweber, 2013)	1		1	0	0	0	1	0	0	0	0	0	0	0	0
[52] (De-León Almaraz et al., 2014)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[53] (Devika et al., 2014)	1		0	1	1	0	1	0	0	0	0	0	0	1	0
[54] (Duarte et al., 2016)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[55] (Dubey, Gunasekaran, & Childe, 2015)	1		1	0	0	0	1	0	0	0	0	0	0	0	0
[56] (Egilmez, Kucukvar, Tatari, & Bhutta, 2014)	1		1	1	0	0	0	0	0	1	0	0	0	0	0
[57] (Elghali, Clift, Sinclair, Panoutsou, & Bauen, 2007)	1		1	1	1	0	0	0	0	0	0	0	1	0	0
[58] (Elia, Baliban, & Floudas, 2014)	1		1	1	0	0	1	0	0	0	0	0	0	0	0

[59] (Elia, Li, & Floudas, 2015)	1	1	1	1	0	0	1	0	0	0	0	0	0	0	0
[60] (Eskandarpour et al., 2013)	1	1	1	1	0	0	1	0	0	0	0	0	0	1	0
[61] (Faccio, Persona, Sgarbossa, & Zanin, 2014)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[62] (Foran, Lenzen, Dey, & Bilek, 2005)	1		1	1	1	0	0	0	0	0	0	0	0	0	1
[63] (Galvez, Rakotondranaivo, Morel, Camargo, & Fick, 2015)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[64] (Garg, Kannan, Diabat, & Jha, 2015)	1	1	1	1	0	0	1	0	0	0	0	0	0	0	0
[65] (Garrone et al., 2014)	1		1	1	1	0	0	0	0	1	0	0	0	0	0
[66] (Geldermann, Treitz, & Rentz, 2007)	1	1	1	1	0	0	1	0	0	0	0	0	0	0	0
[67] (Gerber, Fazlollahi, & Maréchal, 2013)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[68] (Giarola, Zamboni, & Bezzo, 2011)	1	1	1	1	0	0	1	0	0	0	0	0	0	0	0
[69] (Giarola et al., 2013)	1		1	1	0	1	1	0	0	0	0	0	0	0	0
[70] (Giarola, Shah, et al., 2012)	1	1	1	1	0	0	1	0	0	0	0	0	0	0	0
[71] (Giarola, Zamboni, & Bezzo, 2012)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[72] (Golroudbary & Zahraee, 2015)	1		1	1	0	1	1	0	0	0	0	0	0	0	0
[73] (Gonela, Zhang, & Osmani, 2015)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[74] (Gonela, Zhang, Osmani, et al., 2015)	1		1	1	1	0	1	0	0	0	0	0	0	0	0
[75] (Gong & You, 2014)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[76] (Gong & You, 2015)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[77] (Gopal & Thakkar, 2015)	1		1	1	1	0	0	0	0	1	0	0	0	0	1
[78] (Govindan, Jafarian, Khodaverdi, & Devika, 2014)	1		1	1	0	0	1	0	0	0	0	0	0	1	0
[79] (Govindan et al., 2015a)	1		1	1	0	0	1	0	0	0	0	0	0	1	0
[80] (Guillén-Gosálbez & Caballero, 2008)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[81] (Guillén-Gosálbez & Grossmann, 2009)	1	1	1	1	0	0	1	0	0	0	0	0	0	0	0
[82] (Guillén-Gosálbez & Grossmann, 2010)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[83] (Günther et al., 2015)	1		1	1	1	0	1	0	0	0	0	0	0	0	0
[84] (Guo et al., 2015)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[85] (Hall et al., 2012)	1		1	1	1	0	1	0	0	0	0	0	0	0	0
[86] (Hanes & Bakshi, 2015)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[87] (Yu et al., 2014)	1		1	1	0	0	1	0	0	0	0	0	1	0	0
[88] (Harris et al., 2011)	1		1	1	0	1	1	0	0	0	0	0	0	0	0
[89] (Henriques et al., 2015)	1		0	1	0	0	0	0	0	0	0	0	0	0	1
[90] (Hernández-Calderón et al., 2016)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[91] (Hsueh, 2015)		1	1	1	0	1	0	1	0	0	0	0	0	0	0
[92] (Hu, Rao, Zheng, & Huang, 2015)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[93] (Huang & Xie, 2015)	1		1	1	0	0	1	0	0	0	0	0	0	0	0
[94] (Huang, Yan, & Qiu, 2009)	1	1	1	0	0	1	0	0	0	0	0	0	0	0	0
[95] (Hugo, Rutter, Pistikopoulos, Amorelli, & Zoia, 2005)	1	1	1	1	0	0	1	0	0	0	0	0	0	0	0

[96](Hussain, Awasthi, & Tiwari, 2016)	1		1	1	1	0	0	0	0	0	0	0	0	1	0	0
[97](Iakovou, Vlachos, & Toka, 2012)	1		1	1	0	0	1	0	0	0	0	0	0	0	0	0
[98](Igarashi, Yamada, Gupta, Inoue, & Itsubo, 2016)	1		1	1	0	0	1	0	0	0	0	0	0	0	0	0
[99](Ivanov & Mintchev, 2007)	1	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0
[100](Gao & You, 2015b)	1	1	1	1	0	0	1	0	0	0	0	0	0	0	0	0
[101](Gao & You, 2015a)	1	1	1	1	0	0	1	0	0	0	0	0	0	0	0	0
[102](Jabbour, Jugend, Jabbour, Gunasekaran, & Latan, 2015)	1		0	1	0	0	0	0	0	0	0	0	0	0	0	1
[103](Anicia Jaegler & Burlat, 2012)	1		1	1	0	1	0	0	0	0	0	0	0	0	0	0
[104](Jaegler & Burlat, 2014)	1		0	1	0	1	0	0	0	0	0	0	0	0	0	0
[105](Jakhar, 2015)	1		1	1	1	0	1	0	0	0	0	0	0	0	0	1
[106](Ji, Ma, & Li, 2015)	1		1	1	0	1	0	0	0	0	0	0	0	0	0	0
[107](Jindal & Sangwan, 2013)	1	1	1	1	0	0	1	0	0	0	0	0	0	0	0	0
[108](Joa, Hottenroth, Jungmichel, & Schmidt, 2014)	1		1	1	0	0	1	0	0	0	0	0	0	0	0	0
[109](Kannegiesser & Günther, 2013)	1		0	1	0	0	1	0	0	0	0	0	0	0	0	0
[110](Kannegiesser, Günther, & Gylfason, 2013)	1		0	1	0	0	1	0	0	0	0	0	0	0	0	0
[111](Kannegiesser, Günther, & Autenrieb, 2015)	1		1	1	1	0	1	0	0	0	0	0	0	0	0	0
[112](Kantas, Cobuloglu, & Büyüktaktakn, 2015)	1		1	1	0	0	1	0	0	0	0	0	0	0	0	0
[113](Kellner & Igl, 2015)	1		0	1	0	0	1	0	0	0	0	0	0	0	0	0
[114](Kempener, Beck, & Petrie, 2009)	1		1	1	1	1	1	0	0	0	0	0	0	0	0	0
[115](Kim et al., 2011)	1	1	1	0	1	0	1	0	0	0	0	0	0	0	0	0
[116](Klein, Wolf, Schulz, & Weber-Blaschke, 2016)	1		0	1	0	0	0	0	0	0	0	0	0	0	0	1
[117](Kostin, Guillén-Gosálbez, Mele, & Jiménez, 2012)	1		1	1	0	0	1	0	0	0	0	0	0	0	0	0
[118](Kostin et al., 2015)	1		1	1	0	0	1	0	0	0	0	0	0	0	0	0
[119](Kravanja & Čuček, 2013)	1		1	1	1	0	1	0	0	0	0	0	0	0	0	0
[120](Krejci & Beamon, 2015)	1		1	0	0	1	0	0	0	0	0	0	0	0	0	0
[121](Kumar & Rahman, 2014)	1		1	1	0	1	0	0	0	0	0	0	0	0	0	0
[122](Kuo, Wang, & Tien, 2010)	1		1	1	1	0	0	0	0	0	1	0	1	0	0	0
[123](Lam et al., 2013)	1		1	1	0	0	1	0	0	0	0	0	0	0	0	0
[124](Lee & Wu, 2014)	1		1	1	0	1	1	0	0	0	0	0	0	0	0	0
[125](Lee, Realff, & Ammons, 2011)	1		1	0	0	0	1	0	0	0	0	0	0	0	0	0
[126](Lejeune, 2006)	1	1	1	0	0	0	1	0	0	0	0	0	0	0	1	0
[127](Li, 2013)	1		1	1	0	1	1	0	0	0	0	0	0	0	0	0
[128](Lieckens, Colen, & Lambrecht, 2015)	1	1	1	0	0	0	1	1	0	0	0	0	0	0	1	0
[129](Lim & Lam, 2016)	1		0	1	0	0	0	0	0	1	0	0	0	0	0	0
[130](Liotta et al., 2015)	1	1	1	1	0	0	1	0	0	0	0	0	0	0	0	0
[131](Liotta et al., 2016)	1	1	1	1	0	1	1	0	0	0	0	0	0	0	0	0
[132](Longo, 2012)	1	1	1	1	0	1	1	0	0	0	0	0	0	0	0	0
[133](Manfredi & Vignali, 2014)	1		1	1	0	0	1	0	0	0	0	0	0	0	0	0
[134](Mansoornejad et al., 2013)		1	1	0	0	0	1	0	0	0	0	0	0	0	0	0
[135](Mansouri et al., 2016)			1	1	0	0	1	0	0	0	0	0	0	0	0	1
[136](Mansuy et al., 2015)	1		1	1	0	0	1	0	0	0	0	0	0	0	0	0

[137](Manzini et al., 2014)	1			0	1	0	1	0	0	0	0	0	0	0	0	0	0
[138](Mari et al., 2014)	1			1	1	0	0	1	0	0	0	0	0	0	0	0	0
[139](Martínez-Guido et al., 2014)	1	1		1	1	1	0	1	0	0	0	0	0	0	0	0	0
[140](Martínez-Guido et al., 2016)	1			1	1	1	0	1	0	0	0	0	0	0	0	0	0
[141](Mele, Kostin, Guillén-Gosálbez, & Jiménez, 2011)	1			1	1	0	0	1	0	0	0	0	0	0	0	0	0
[142](Meneghetti & Monti, 2014)	1			1	1	0	0	1	0	0	0	0	0	0	0	0	0
[143](Meneghetti, Borgo, & Monti, 2015)	1			1	1	0	0	1	0	0	0	0	0	0	0	0	0
[144](Metta & Badurdeen, 2013)	1			1	1	1	0	1	0	0	0	0	0	0	0	0	0
[145](Miret et al., 2016)	1			1	1	1	0	1	0	0	0	0	0	0	0	0	0
[146](Moghaddam, 2015)	1			1	0	0	1	1	0	0	1	0	0	0	0	0	0
[147](Mota, Carvalho, et al., 2015)	1	1		1	1	1	0	1	0	0	0	0	0	0	0	0	0
[148](Mota, Gomes, et al., 2015)	1	1		1	1	1	0	1	0	0	0	0	0	0	0	0	0
[149](Nagurney, 2015)	1	1		1	1	0	0	1	0	0	0	0	0	1	0	0	0
[150](Nagurney et al., 2015)	1			1	1	0	0	1	0	0	0	0	0	0	0	0	0
[151](Nguyen, Cafferty, Searcy, & Spatari, 2014)	1			0	1	0	1	0	0	0	1	0	0	0	0	0	0
[152](Nunes, Bennett, & Marques, 2014)	1			1	1	1	0	0	0	0	1	0	0	0	0	0	1
[153](Nunes, Oliveira, Hamacher, & Almansoori, 2015)	1	1		1	0	0	0	1	0	0	0	0	0	0	0	0	0
[154](O'Connor, Garnier, & Batchelor, 2013)	1			0	1	0	0	1	0	0	0	0	0	0	0	0	0
[155](Oberhofer & Dieplinger, 2014)	1			1	1	0	0	0	0	0	1	0	0	0	0	0	0
[156](Orji & Wei, 2015)	1			0	1	0	1	0	0	0	0	0	0	0	0	0	0
[157](Orji & Wei, 2015)	1			1	1	0	0	1	0	0	0	0	0	0	0	0	0
[158](Osmani & Zhang, 2014a)	1	1		1	1	0	0	1	0	0	0	0	0	0	0	0	0
[159](Osmani & Zhang, 2014b)	1	1		1	0	0	0	1	0	0	0	0	0	0	0	0	0
[160](Özkır & Başlıgil, 2013)	1	1		1	0	0	0	1	0	0	0	0	0	0	0	0	0
[161](Palander & Voutilainen, 2013)	1			1	0	0	0	1	0	0	0	0	0	0	0	0	0
[162](Pishvae & Torabi, 2010)	1	1		1	1	0	0	1	0	0	0	0	0	0	0	0	0
[163](Pishvae, Jolai, & Razmi, 2009)	1			1	0	0	0	1	0	0	0	0	0	0	0	0	0
[164](Pishvae, Rabbani, & Torabi, 2011)	1	1		1	1	0	0	1	0	0	0	0	0	0	0	0	0
[165](Pishvae, Razmi, & Torabi, 2014)	1			1	1	1	0	1	0	0	0	0	0	0	0	0	0
[166](Zhang et al., 2014)	1	1	1	1	1	0	0	1	0	0	0	0	0	0	0	0	0
[167](Zhang, Gong, Skwarczek, Yue, & You, 2014)	1			1	1	0	0	1	0	0	0	0	0	0	0	0	0
[168](Neto, Walthner, Bloemhof, van Nunen, & Spengler, 2009)	1			1	1	0	0	1	0	0	0	0	0	0	0	0	0
[169](Ramos et al., 2014)		1	1	1	1	1	0	1	0	0	0	0	0	0	0	0	0
[170](Reich-Weiser & Dornfeld, 2009)	1			1	1	0	0	1	0	0	0	0	0	0	0	0	0
[171](Ren et al., 2015)	1			0	1	0	0	1	0	0	0	0	0	0	0	0	0
[172](Ruiz-Femenia et al., 2013)	1			1	1	0	1	1	0	0	0	0	0	0	0	0	0
[173](Sabio et al., 2012)			1	1	1	0	0	1	0	0	1	0	0	0	0	0	1
[174](Sahay & Ierapetritou, 2013)	1	1		1	1	0	1	1	0	0	0	0	0	0	0	0	0
[175](Sahebi, Nickel, & Ashayeri, 2014)	1			1	1	0	0	1	0	0	0	0	0	0	0	0	0
[176](Sammons, Eden, Yuan, Cullinan, & Aksoy, 2007)	1			1	0	0	1	0	0	0	0	0	0	0	0	0	0
[177](Sammons, Yuan, Eden, Aksoy,	1			1	1	0	1	1	0	0	0	0	0	0	0	0	0

& Cullinan, 2008)													
[178](Santibañez-Aguilar et al., 2013)	1	1	1	1	0	1	0	0	0	0	0	0	0
[179](Santibañez-Aguilar et al., 2014)	1	1	1	1	0	1	0	0	0	0	0	0	0
[180](Santibañez-Aguilar et al., 2014)	1	1	1	1	0	1	0	0	0	0	0	0	0
[181](Sarkis & Dhavale, 2015)	1	1	1	1	1	0	0	0	0	0	0	0	0
[182](Sarraj, Ballot, Pan, Hakimi, & Montreuil, 2014)	1	1	1	1	0	1	0	0	0	0	0	0	0
[183](Shahzad & Hadj-Hamou, 2013)	1	1	0	0	1	1	0	0	0	0	0	0	0
[184](Sharma, Sarker, & Romagnoli, 2011)	1	1	1	1	0	1	0	0	0	0	0	0	0
[185](Shaw, Shankar, Yadav, & Thakur, 2012)	1	1	1	0	0	1	0	0	0	0	0	0	0
[186](Sinclair, Cohen, Hansen, Basson, & Clift, 2015)	1	1	1	1	0	0	0	0	0	0	0	1	0
[187](Singh, 2014)	1	1	1	1	0	0	1	0	0	0	0	0	0
[188](Sitek & Wikarek, 2015)	1	1	0	0	0	1	0	0	0	0	0	0	1
[189](Šomplák, Pavlas, Kropáč, Putna, & Procházka, 2014)	1	1	1	0	1	1	0	0	0	0	0	0	0
[190](Soysal, Bloemhof-Ruwaard, & Van Der Vorst, 2014)	1	1	1	1	0	0	1	0	0	0	0	0	0
[191](Su et al., 2015)	1	1	1	0	0	0	0	0	0	0	0	1	0
[192](Su, Chen, & Yang, 2016)	1	1	1	0	0	1	0	0	0	0	0	0	0
[193](Talaie, Farhang Moghaddam, Pishvaei, Bozorgi-Amiri, & Gholamnejad, 2016)	1	1	1	0	0	1	0	0	0	0	0	0	0
[194](Taskhiri, Garbs, & Geldermann, 2016)	1	1	1	0	0	1	0	0	0	0	0	0	0
[195](Tidy, Wang, & Hall, 2016)	1	0	1	0	0	0	0	0	1	0	0	0	0
[196](Tong, Joseph, Rong, & You, 2014)	1	1	0	0	0	1	0	0	0	0	0	0	0
[197](Trapp & Sarkis, 2016)	1	1	1	0	0	1	0	0	0	0	0	0	0
[198](Tsai & Hung, 2009)	1	1	1	0	0	1	0	0	0	0	0	0	0
[199](Turrisi, Bruccoleri, & Canella, 2013)	1	1	0	0	0	0	0	0	0	0	0	0	1
[200](Ülkü, 2012)	1	1	1	0	0	1	0	0	0	0	0	0	0
[201](Vachon & Mao, 2008)	1	1	1	1	0	0	0	0	0	0	0	0	1
[202](Validi, Bhattacharya, & Byrne, 2014b)	1	1	1	0	0	1	0	0	0	0	0	0	0
[203](Validi, Bhattacharya, & Byrne, 2014a)	1	1	1	0	0	1	0	0	0	0	0	0	0
[204](Vance, Cabezas, Heckl, Bertok, & Friedler, 2013)	1	1	1	0	0	1	0	0	0	0	0	0	0
[205](Varsei & Polyakovskiy, 2016)	1	1	1	1	0	1	0	0	0	0	0	0	0
[206](Virtanen et al., 2011)	1	1	1	0	0	0	0	0	0	0	0	0	1
[207](Vujanović, Čuček, Novak Pintarič, Pahor, & Kravanja, 2015)	1	1	1	0	0	1	0	0	0	0	0	0	0
[208](Walther, Schatka, & Spengler, 2012)	1	1	1	0	0	1	0	0	0	0	0	0	0
[209](Wanke, Correa, Jacob, & Santos, 2015)	1	1	1	0	0	1	0	0	0	0	0	0	0
[210](Wu, Sarker, & Paudel, 2015)	1	1	0	0	0	1	0	0	0	0	0	0	0
[211](You, Tao, Graziano, & Snyder, 2012)	1	1	1	1	0	1	0	0	0	0	0	0	0

[212](Yue, Kim, & You, 2013)	1	1	1	0	0	1	0	0	0	0	0	0	0	0
[213](Yue, Slivinsky, Sumpster, & You, 2014)	1	1	1	1	0	1	0	0	0	0	0	0	0	0
[214](Yue, Gong, & You, 2015)	1	1	1	0	0	1	0	0	0	0	0	0	0	0
[215](Yue, Pandya, & You, 2016)	1	1	1	0	0	1	0	0	0	0	0	0	0	0
[216](Zanoni & Zavanella, 2012)	1	1	1	0	1	1	0	0	0	0	0	0	0	0
[217](Zhang, Osmani, Awudu, & Gonela, 2013)	1	1	1	0	0	1	0	0	0	0	0	0	0	0
[218](Zhou et al., 2000)	1	1	1	1	0	1	0	0	0	0	0	1	0	0
[219](Ziolkowska, 2014)	1	1	1	1	0	1	0	0	0	0	0	0	0	0
[220](Hoen et al., 2014)	1	1	1	0	0	1	0	0	0	0	0	0	0	0

ACCEPTED MANUSCRIPT