Accepted Manuscript

The global impact of science gateways, virtual research environments and virtual laboratories

Michelle Barker, Silvia Delgado Olabarriaga, Nancy Wilkins-Diehr, Sandra Gesing, Daniel S. Katz, Shayan Shahand, Scott Henwood, Tristan Glatard, Keith Jeffery, Brian Corrie, Andrew Treloar, Helen Glaves, Lesley Wyborn, Neil P. Chue Hong, Alessandro Costa



PII: S0167-739X(18)31401-8

DOI: https://doi.org/10.1016/j.future.2018.12.026

Reference: FUTURE 4647

To appear in: Future Generation Computer Systems

Received date: 12 June 2018
Revised date: 8 November 2018
Accepted date: 12 December 2018

Please cite this article as: M. Barker, S.D. Olabarriaga, N. Wilkins-Diehr et al., The global impact of science gateways, virtual research environments and virtual laboratories, *Future Generation Computer Systems* (2019), https://doi.org/10.1016/j.future.2018.12.026

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

The Global Impact of Science Gateways, Vi turn Research Environments and Virtual Laboratories.

Michelle Barker^{a,*}, Silvia Delgado Olabarriaga^b, Nancy ^V ilki s-Diehr^c, Sandra Gesing^d, Daniel S. Katz^e, Shayan Shahand^f, Scott Heng od^g, Tristan Glatard^h, Keith Jefferyⁱ, Brian Corrie^j, Andrew Trelo x^k, Helen Glaves^l, Lesley Wyborn^m, Neil P. Chue Hongⁿ, Alessa dro Cos a^o

```
<sup>a</sup> National eResearch Collaboration Tools and Resources o a James Cook University,
Australia
```

Abstract

Science gateways, retual laboratories and virtual research environments are all terms used to refer to community-developed digital environments that are designed to meet a set of needs for a research community. Specifically, they refer to integrated a cross to research community resources including software, data, collaboration tools, workflows, instrumentation and high-performance computing, usually had well and mobile applications. Science gateways, virtual laboratories and virtual research environments are enabling significant contributions to many remarch quantities, facilitating more efficient, open, reproducible research in bold

b Amsterdam Medical Centers – Location AMC, University of Constant In, The Netherlands
c San Diego Supercomputer Center, University of Constant In Diego, USA

^d Department of Computer Science and Engineering/Cente. or Research Computing, University of Notre Damo. USA

^eNational Center for Supercomputing Applications, Department of Computer Science, Department of Electrical and Computer Engineering School of Information Sciences, University of Illinois at Urbana-Chan, rign, USA

 $[^]fServiceNow$ and Academic Medical Center – U. versusy of Amsterdam, The Netherlands $^gCANARIE,\ Can.$ 4a

 $[^]hDepartment$ of Computer Science and Softwork Engineering, Concordia University, Canada iVRE4EIC and ER(11...,UK)

jSimon Fraser University, Canada and New Zec. id eScience Infrastructure, New Zealand

**Australian Nation Data Tervice, Australia

British Geolevice, Survey, UK

^mNational Computational Infrastructure 1 cility and The Research School of Earth Sciences, Australia 1 University, Australia 1 University f Edinburgh, UK 1 India 1

sponding author

mail address: michelle.barker@nectar.org.au (Michelle Barker)

new ways. This paper explores the global impact achieved by the sum effects of these programs in increasing research impact, demonstrates then salue. the broader digital landscape and discusses future opportunities. This is evidenced through examination of national and international programs in this field.

Keywords: science gateways, virtual research environme ats, virtual laboratories, open science, e-infrastructure, cyberinfrastructure

1. Introduction

Science gateways, virtual laboratories and virtual esearch environments (hereafter science gateways) refer to various kind of community-developed digital interfaces to advanced technologies that support research. They are used in a wide variety of scientific domains, from high-energy physics and astrophysics to humanities and the social sciences. By moring digital environments to community needs, science gateways perform high role in integrating elements of the e-infrastructure landscape, p. with a nline access to software, data, collaboration tools, instrumentation and high-performance computing, to facilitate increased research impacts.

Science gateways are enchling significant contributions in many research domains, with nations, an international initiatives to develop gateways further demonstrating their montance and value. This paper explores the global impact of these rios ams, highlighting their successes, value in the broader landscape and fill refocus. The paper begins with a discussion on the definition of terms, ther documents national and international programs in this field to illustrate the global impact achieved by the sum effects of these initiatives. This investination then highlights the role and value of science gateways in the digital research environment, and examines the impact of science gateways, to evide the how science gateways facilitate more efficient, open, reproducible research in bold new ways. A discussion of challenges and opportunities ahead conclude the study.

2. Definition of terms

A number of terms are often used in this field, including science gateways, virtual laboratories and virtual research environments (VREs). Discrete terms exist in large part for historical reasons; science gateways evolved in the USA, virtual laboratories in Australia, and VREs in Europe.

Shahand's analysis of science gateways research definite the control of science gateways as "web-based enterprise information systems that provide scientists with customized and easy access to community-specific data collections, computational tools and collaborative services on e-Infrastructures." [1] This definition is similar to that used by the Science Gateways Community Institute, the USA's National Science Foundation-funded coor mation project in this area, which also differentiates between science gateways and the generic cyberinfrastructure on which they build [2]. Australia's virtual laboratory community uses similar definitions, with an emphasis on passes to integrated data, computational environments and tools [3].

Between 2004–2011, Jisc funded the development of a number of VREs in the UK, and defined VREs more roadly than science gateways and virtual laboratories: "The term VRE is now best thought of as shorthand for the tools and technologies needed by rese richers to do their research, interact with other researchers ... and to make use of resources and technical infrastructures available both locally and rescanding." [4] Horizon 2020, the European Commission's research and innovation framework programme, suggests that VREs "should integrate resource across all layers of the e-infrastructure (networking, computing, data, software, user interfaces), should foster cross-disciplinary data interoperability and structure functions allowing data citation and promoting data sharine, and trust." [5]

C_{\(\epsilon\)} usi an Reimer's work notes the relevance of alternative terms including collaborative e-research community, collaboratory and virtual research community ['] and identifies convergence on a set of characteristic features: "an legtronic web-based environment for a) access to data, tools, resources; b) co-

operation or collaboration with other researchers; c) cooperation of the intraand inter-institutional levels; or d) preserving or taking care of da, and ther outputs." Candela, Castelli and Pagano's analysis of VREs a so Jentifies five distinguishing features that are similar, however focussed on a mmunities of practice [7]. A community of practice is a group of prople who share some expertise in a specific field or common interest, and who parn from each other through information sharing [8]. The distinguishing features are: "(i) it is a web-based working environment; (ii) it is tailored to se ve the needs of a community of practice; (iii) it is expected to provide a community of practice with the whole array of commodities needed to \capacor plish the community's goal(s); (iv) it is open and flexible with respect to the overall service offering and lifetime; and (v) it promotes fine-grained controlled sharing of both intermediate and final research results by garanting ownership, provenance and attribution." Shahand also sugges' that science gateways usually have five functional properties: usability, scalability, antegration, automation and sharing and reuse [1].

It should be noted that science gateways can vary in scope depending on the problems they aim to address and he domains they support. In this paper, an inclusive definition of science go 'r' ways is used, covering all the aspects raised above.

3. Science gateways rtivities around the globe

Activities 'nvo' ving science gateways are growing around the globe, with the establicament of programs, organizations, conferences and special issues in scientific your als. These are collectively facilitating more efficient, open, and reproducible research worldwide.

3. 1 Programs and Organizations

Whils science gateways have historically been enabled through a wide variety or mechanisms, they are now increasingly facilitated through national and

international programs that specifically facilitate their development and sustainability. National and international programs focusing on the Covelopment of science gateways include:

- CANARIE, a non-profit corporation, with the major investment in its programs and activities provided by the Government of Canada funds the development of research software that enables Canada funds the development of research software that enables Canada funds the development of research software that enables Canada funds the development of research software that enables Canada funds the development of research software that enables Canada funds the development of canada
- Science Gateways Community Institute (SGCI), funded in 2016 for USD\$15 million by USA's National Science and under the development of a sustainable software ecosystem for science gateways [10]. The institute has funding for 2016-2021, with an opportunity to gain renew if funding for an additional 5 years. SGCI's programs include a busing simular or, extended developer support, scientific software collaborative, co. munity engagement and exchange and workforce development. It is one of the two initial Scientific Software Innovation Institute furiled under NSF's Software Infrastructure for Sustained Innovation (Coll) program [11]. SI2 funds software projects of varying scales, from small research software groups to the large software institutes, including the affic science gateways themselves as well as projects developing general oftware that can be used to build gateways.

100

105

• European Comission (EC) funding programs for research and innovation include the Seventh Programme Framework (FP7) and Horizon 2020. FP7 supported VRE projects from 2007-2013. For example, SCI-BUS

110

115

120

125

130

135

explored new possibilities for European user communities to rease custom science gateways through a generic-purpose gateway technolog, [12]. The project created a toolset to provide seamless access to major computing, data and networking infrastructures and services in Lype, including clusters, supercomputers, grids, desktop grids, academic and commercial clouds. Similarly, the Catania Science Gateway Fr mework [13] and its successor FutureGateways [14] provide application of relopers with tools to develop science gateways quickly and easily. Since 114, Horizon 2020 has supported a number of European VRE project including BlueBridge, EVER-EST, VRE4EIC, WEST-Life, VI-S. TM and MUG [15]. Most VREs are domain-specific, however there are also now initiatives creating toolsets for the creation of science g. 'eways. For example, VRE4EIC, a Horizon 2020 research project trange \$\infty\$4.37 million over 3 years, will provide a VRE reference mocil as t of VRE components and a pro-search communities [16]. On a Horizon 2020 projects include Sci-GalA (Energizing Scientific Endeavour through Science Gateways and meta-Infrastructures in Afr.ca), $a \in 1.4$ million project that promotes the uptake of science gateways and some 5thens and expands supporting e-infrastructures in Africa and be von^{c} [17]

• National eR secret Collaboration Tools and Resources (Nectar), funded by the Australian Government (2011-2017), has distributed over AUD\$20 million once .011 specifically to facilitate software infrastructure programs that included the development of fourteen virtual laboratories. These virtual laboratories have received an additional AUD\$20 million in coivestment [3]. By 2018, the virtual laboratories recorded over 23,000 vsers, at d on average each virtual laboratory included users from over 20 international and 30 Australian organizations.

that these programs are very diverse in organization and level of fundin ,. This hampers their comparison, so the examples above should be taken

as illustrations rather than a complete and systematic overview. In addition to these coordinated programs, there are also many gateways being accoloped and sustained with direct funding through their own research grants. Although it is difficult at the moment to estimate the actual budgets of the distribution in the SGCI gateway catalog [10] can serve as an indication of the impressive amount of investments taking place in this way.

3.2. Collaborative Initiatives

A common observation in these national and in "national programs is that the development of science gateways is increasingly complex, therefore communities of practice have formed across international mitiatives through global consortia. The very impetus for this paper ones from the *International Coalition on Science Gateways*, an international forum that brings together national, regional and international initiatives to provide leadership on future directions for science gateways, facilitate aware real and identify and share best practice in the field [18].

The Virtual Research Environmen. Interest Group (VRE-IG) within the Research Data Alliance (R) and important to interest of common infrastructure services and the researchers that so k to make use of these technologies. This group realized an effort to ideal in the necessary technical aspects, governance issues, and best practices are initial to support more coordinated approaches [19]. The VRE-IG has been meeting at the twice-yearly RDA plenaries since March 2016 to discuss common alities between science gateways, virtual research environments and virtual 12 s on intercontinental level. The goal of the interest group is to prove for more discussions and support for a common understanding of essential architectures, as well as to promote a wider uptake of technologies via the gateways catalog of SGCI.

. 3. Con erences and Journal Special Issues

Conferences have been established by the science gateway community of practice to report on their advances, challenges, insights, and solutions.




Figure 1: Number of talks and papers presented at G.: Gateway events in the USA, Europe and Australia increases through time.

170

The first International Workshop on the Gateway Computing Environments (GCE) took place in the USA within the Supercomputing conference in 2005. The GCE series successfully ran a naid day or full-day workshops hosted at Supercomputing and IEEE Cluster conferences. In addition to GCE, XSEDE (a high performance computing infrastructure project funded by the US National Science Foundation [20]), and more recently PEARC [21], also included significant greewest content. From 2016 the Gateway conference series has been organized youry by the Science Gateways Community Institute as a two-day event that also includes tutorials and demonstrations.

The Intermational Workshop on Science Gateways (IWSG) series has been running in Eures since 2009 [22] as a three-day event with oral presentations and discussion, and that more recently has also included co-located satellite events. IWE -A, the International Workshop on Science Gateways - Australia, occur ed annually between 2015-17, in a one- to two-day format.

As mm² y of the events since 2005 is presented in table 1. Figure 1 illustrates the increasing number of publications and presentations in these conferences six set their inception.

....tiated through the annual conferences, associated special issues on sci-

ence gateways have been published by journals including the Journal of Grid Computing (JGC) [23, 24] and the Journal of Concurrency and Computation: Practice and Experience (CCPE) [25, 26, 27, 28, 29, 30, 31]. Contractly the conference series in the USA, Europe, and Australia partner to Compute a yearly special issue comprising some of the papers from all three events.

4. The value of science gateways in the e-infr structures landscape

Science gateways are a key component of the energing digital research environment. Researchers collaborate by using global network of interacting digital platforms to access and share the lead. The data and tools that are critical to their work. Gateways both facilities, and are supported by, broader movements such as open research, open science, then source software and open data. Consequently, science gateways are valuable to a range of stakeholders: students and educators, individual references, research communities, research organizations and institutions, in his reverse reverse providers and funding agencies.

Defining science gateways in terms of common characteristics and functionality assists in identifying their value to their stakeholders. We comment below on the value of galeways regarding lowering barriers to e-infrastructures, enabling collaboration between (remote) researchers and across multiple disciplines, sharing and the wind infrastructure resources, driving standards and open science, and supporting teaching and new career developments.

Lowering bar iers. Science gateways lower barriers by hiding the complexity of the underlying digital research infrastructure and simplifying access to best-particle tools, data and resources, thereby democratizing their usage. An example is CBRAIN, a web-based collaborative research platform that offers transparent a cess to remote data sources, distributed computing sites, and an array of processing and visualization tools for neuroimaging research [32].

Some gateways provide access to modelling and other software and hardware courses through a single portal. Researchers do not need to spend time down-

loading, installing and updating software on hardware that they all \ ms intain. Instead, they can use the latest optimized software on powerful \ mote \ ardware completely through the web, of which nanoHUB provides a magnetic example [33].

Enabling collaboration. Science gateways can encode collaboration and build communities through facilitated sharing of data and analysis among geographically dispersed research groups, leading to increased prenness. REMEDI illustrates well how successful collaboration was established through a science gateway: it is a collaborative community of pharmac. 's, nurses, researchers, vendors and others working to improve patient and healthcare quality through the development and exchange of infusion, pump medication administration knowledge and best practices [34].

Researchers no longer need to be physically co-located because resources can be globally distributed, with on' an internet connection needed for participation. This also enables inclusion of the sadvantaged researchers/institutions. The Sci-GaIA project has demonsicated unis through its tremendous success in deploying a vast array of applications available through the African Grid Science Gateway. Building on information and communication technology investments over many years, Sci-GaIA curvally supports a virtual collaborative community through the African Financiacology Science Gateway and the Community Health Portal for health professionals and patients [17].

Sharing and link. Tresources. By sharing resources across multiple institution, the costs of setting up and supporting research infrastructures is lowered, as each institution is no longer required to support a replica of data, compute and tools at their site. For gateways that are open source, their very building and evolution can be democratized with community members contributing in the development. Many frameworks used to build science gateways are available on GitHub, for example Apache Airavata [35], HUBzero [36] and Calaxy [47], Drupal [38] and Django [39].

in megrating e-infrastructure layers, in particular by linking together elements

that can include data storage, tools, authentication, networks, clour and high-performance computing, and access to data resources for reuse (some importance computing). This integration tailors digital environments to community needs without the need for expertise in navigating the cooling information technology infrastructure that supports their work. They simplify linkage to other infrastructures, such as synchrotrons, ground-based telescopes, satellites, DNA sequencers, distributed archives and performance art studios. In some cases, the science gateway architecture supports the vinole research process from hypothesis generation to results analysis, and luding provenance information. One example is the VRE under construction in the EVER-EST project [40], which will support handling of research objects along the complete information lifecycle in Earth science research.

Driving standards and open sc. no. Science gateways interact with the e-infrastructures landscape in model that have a science gateways play a key role in driving standards and policy compliance, supporting initiatives including open research, open science, open source software, and open data. Zooniverse, for instance, is a science gateway that promotes citizen science, where anyone can be in the seat of a researcher (and define a project) or a volunteer (and perform so, weak in the project) [41].

260

Science gateways on a so both drive standards and act as testbeds, as the increased user expectations accouraged by science gateways can drive requirements for harmonization. These standards often arise from sharing of best practice, with omnunities of practice addressing issues including reproducibility, sustainability, interfaces to cloud computing, workflows, integration of scientific ins rum into success metrics, usability studies, scaling, mobile applications and security. An increasing number of international organizations address some on these issues. These include the Software Sustainability Institute; the US Paccarch Software Sustainability Institute (URSSI) conceptualization project. Working toward Sustainable Software for Science: Practice and Experimens. (WSSSPE [42]), the FORCE11 Software Citation Implementation Working Group [43] and COS, the Center for Open Science [44]. A one-week

bootcamp offered by the Science Gateways Community Institute he as divelopers articulate the value of their work to key stakeholders and to create as long development, operations, and sustainability plan. Working in the ms, participants have the opportunity to network and establish relationally in similar activities. An abridged version will be offered internationally for the first time in 2018. With diverse and constantly changing technologies available, collaboration among practitioners contained to be essential to share best practice and to avoid reinventing the wheel helping developers to easily tailor science gateways for specific user communities.

Enabling cross-disciplinary research one gateways also provide valuable resources for cross-disciplinary research, and increased interoperability across science gateways will enable more multidisciplinary research. The adoption of common interfaces and forn ats . . ' : ild a global network of science gateways will further promote open and re, roducible science, and will increase the availability and usage of existing a rientific tools and data. This will lead to the emergence of a new class or rienting services such as application stores, search engines and continuous integration services. Science gateways are beginning to access the serv'es of o her gateways, allowing gateway developers to design interfaces and impleated functionalities specific to their communities, yet use already 'vilt infrastructure as it exists elsewhere. For example, the Characterisatic I Virtual Laboratory produces and supports software that is used internationally [15], and their MyTardis software is being deployed by Euro-Bioimagi ag ir partnership with ELIXIR Finland at the Global Bioimaging head node in 'L. 'u, Finland. Another example is the CIPRES science gateway [46], vhic' provides an API interface to its software-as-a-service offerings, allowing othe. d veloping gateways to use those services from within their own frame works.

White are gateways already cross a number of disciplines to answer research questions, a global, decentralized network of science gateways may emerge. In the letwork, platforms would expose a consistent front through open specifications offering common interfaces, formats and protocols, allowing for the

exchange of data, processing tools and experiments. In such a ne worl, common web APIs such as Agave [47] or CARMIN [48] could expose methor's to query and manipulate data, to run data processing tools and to have experiments. Description formats such as the Common Workflow and to have experiments. Description formats such as the Common Workflow and to have experiments. Description formats such as the now-mature virtual container ation systems, will represent and install processing tools consistently in multiple science gateways from a single description. At the data level, comain recific description formats such as the Neuroimaging Data Model [51], one B ain Imaging Data Structure [52], the Minimal Standard for Adaptive In mune Receptor Repertoires [53, 54], or the data models provided by the Informational Virtual Observatory Alliance (IVOA) [55], will facilitate the analysis of datasets and the improvement of existing data models for new attentions of scientific experiments.

An important requirement for intero, eran in is a common vision about how to provide the research communitie with ederated access to a VRE. Significant effort has been put in this direction by the EC-funded project AARC [56] (and the recently approved AARC towards an interoperable architectural design, policy harmonization and community-driven piloting activity. Some examples of AARC-compliant e-infra tructures are the EGI CheckIn Service [57], the INDIGO-Datacloud [58] A *1 entication and Authorization Infrastructure (AAI) and the INAF the enker Telescope Array (CTA) AAI, which includes the INAF-CTA Science Gate by [59]. The H2020 VRE4EIC project is also dedicated to definition of a interoperability framework that will enable exchange of resources arong science gateways more easily [16].

Related to the need for science gateway interoperability is a need for an effective discovery mechanism to assist researchers in identifying existing software that might make neir needs. Registries of science gateways and other software for research and exist, but there is no single authority for these resources at an internal example evel. The current ecosystem is a combination of registries for individual results gateways [60, 36] that do not necessarily inter-operate, general software registries that include scientific components [61, 62], funder-specific registries [63], and registries that are limited to one, or a handful of related dis-

ciplines [64, 65]. Since there is already a proliferation of registries of described above, a federated approach is more appropriate than the creation of retain the registry. Such a federation would not only support search and his overy, but in the longer term it opens the door for dynamic creation of wo. Let ows based on publicly available components.

Education and career development. Science ateways also have a role in education, training researchers of the future and providing access to methods formerly only accessible to experts. Examples are CLEERhub [66] for Science, Technology, Engineering, and Mathematics (STM) and STEM-related disciplines, and Vortex Shedding, which provides a free on-line educational environment for high school and college level stude as to learn about physical phenomena [67].

The majority of analyses of both pectal cience gateways and large einfrastructure programs emphasize he in portance of appropriate skills and training. Web technologies such as hTML5, WebGL, and JavaScript frameworks have never been so agile and fast developing as in the last five years, leveraging possibilities to utilize applications more efficiently and more effectively with increased posit've user xperience. Many of the organizations mentioned here include a fe cus on 'P is crucial need of developing skills in a fast changing technology 'and cape' For example the Science Gateways Community Institute features a W. kforce Development component that includes a coding institute, works. In and summer internships where students are paired with gateway eve pers working on real world problems. Also, Indiana University offers a g. duate level course on Science Gateway Architectures [68]. A key question is what skills do all researchers need, versus what will remain as specialist knowle ge, particularly with regard to informatics. Where specialist skills are needed, career paths, recognition mechanisms and training opportunities are it al, as common issues emerge in integrating tools, applications, and cata coluctions through a tailored web-based environment. It is also essential that are intists, researchers and students are able to learn and adopt a new set of somware-related skills and methodologies, as well as learning to collaborate

virtually amongst teams that are widely distributed. Many resea the communities or science gateways also provide their own programs. The is the case of the Biodiversity and Climate Change Virtual Laboratory's $2\cos 2d$ program, which provides training in the use of virtual laboratories and in a repositories available to ecosystem scientists and lecturers [69].

5. The impact of science gateways

Science gateways have diverse goals, diverse us communities and diverse measures of success, but in all cases measurer and haracterization of impact is of fundamental importance. Each some gateway measures impact differently, making it difficult to collate the various measures being used into global indicators. However, a range of ways exist to quantitatively provide evidence for the impact of individual science gateways:

- number of users and individual researchers,
- number of laboratories and grouns served,
 - number of organizations,
 - computing infrast ucture a tivity (number of jobs, computing time and storage),
 - number of c caures (to Science Gateways),
- number f (e abled) publications,
 - value of access to software,
 - value or cress to data,
 - ontingent valuation,
 - efficiency savings, and
- return on investment.

Different science gateways (programs) utilize different combinations of measures. Traditional metrics such as user numbers are still active, used, and some groups also use more impact-focused studies to demondrate contingent valuation. These are often used alongside emerging measures are not as software citation [70]. It would also be useful to be able to analyst the systamability of science gateways (beyond initial grant funding) as another measure of success.

It is difficult to make comparisons across science gater by programs due to their different structures and ways of measuring impact. For example, Nectarfunded virtual laboratories identify over 23,000 users, however, the methods used by each virtual laboratory to measure users on vary widely. In contrast, CANARIE defines users as referring to research to ms or groups, rather than individual researchers. While the US-based VSEDE program does not fund gateways, dozens of gateways use its comparation sources. In an Interim Project Report from 2018 [71], Table 12-1 stown gateway users varying between 10,000 and 12,000 in 2017, about four times higher than active users at the command line. There are also many succession gateways that do not need high-end computing, for example, the vast majority of the more than a million nanoHUB users [33], for which such retrices vould not be appropriate.

Part of the evidence for the of a of science gateways comes from work high-lighting the important of sinf astructures, such as Mayernik, Hart, Maull and Weber's work [72]. They have the increasing recognition that "traditional assessments of research management and preservation of digital records, such as data and software, and the provision of research facilities and a revices, such as computational facilities and observational platforms". Mean're now beginning to emerge, and can contribute to the valuation of science accesses and European Houghton's work on the European Molectura Bion gy Laboratory and European Bioinformatics Institute (EMBL-EBI) assection of the value and impact of the EMBL-EBI by identifying four valuation levels: access (use) value, contingent valuation, efficiency savings, and return on

investment [73]. This was applied to a range of EMBL-EBI service in ruding both data access and analytical services over the data - one of very few tudies examining the latter. In 2017, Nectar commissioned Victoria University to apply Beagrie and Houghton's methodology to evaluate the remaining impact of virtual laboratories. The report measures the economic benefits created in five different ways. For all three of the virtual laboratories each reasure shows that the economic benefit is greater than the investment required. Taking a long term perspective, the research enabled by the virtual raboratories generates substantial returns compared to their costs [74].

The need for science gateways is also being den. "strated through increasing acknowledgment of the critical role of software in "search. A 2009 survey by Hannay, MacLeod, Singer, Langtangen, Pfah." and Wilson with 2,000 responses showed that 84% of researchers view the new of ment of software as "important or very important for their own remarch" [75]. The USA's National Science Foundation's research software vision is anticles software as "directly responsible for increased scientific productivity and significant enhancement of researchers' capabilities" [11]. Further, in 2014 a survey funded by the National Science Foundation sent to NSF-f nded p. ncipal investigators and Chief Information Officers and Chief Technology "F cers at US academic institutions resulted in 5,000 respondents. It total 88% indicated a reliance on science gateway-like interfaces to conduct their ork and 57% were themselves involved in some capacity in the creation of these [76].

A recent stricky pplied a similar methodology to the Industrial Ecology Virtual Laboratory (ELab), a high-performance computing lab used for compiling large-scale, high-resolution, enviro-socio-economic accounts for the purpose of conducting in regreted sustainability assessment project [77]. Wiedmann's analysis c 30 IEL b publications that were published in either peer-reviewed journal papers c. in the form of conference proceedings, concluded that two-thirds of the studies would not have been possible without IELab, and a further 16% would have required considerable extra resources to complete. This type of contingent valuation could also be inferred from other metrics, such as the emerging em-

phasis on software citations, an area where organisations such as the FO aCE11 Software Citation Implementation Working Group [43] is undertaken, significant work. For example, the CIPRES Science Gateway (for phylogenesic research) has enabled 3,000 publications since 2010. Without this science rateway, many users would not have undertaken this type of research, instead needing to set up their own clusters, and install, maintain and optimize the rany pieces of software offered via CIPRES [46].

6. Conclusion: opportunities for science gateways

475

Science gateways have been a valuable add. on to the digital infrastructure landscape, facilitating more efficient, operative landscape, facilitating more efficient, operative landscape. The many science gateway initiatives available provide about dant opportunities for reflection, identification of best practice and analy is of beneficial ways forward. Some of the key areas in which continued control of the key areas in which control of the key areas in the key are

- Technical solutions for the 'evel, ment of science gateways, including interoperability, standards, software registries, and data management.
- Best practices and pricies for the valuation of science gateways, including incentives for oper science, reproducibility, data and software citation.
- Sustainability node of the maintenance, development, and exploitation of science grew vs, including development of skills, training, career paths and funding

For example, 'eveloping interoperability across science gateways is key to a successful conduct of collaborative data- and compute-intensive research, to enable open interfaces and reuse of methods across domains and applications. The adoption of common interfaces and formats to build a global network of science gateway. ""' create a new class of scientific services that will increase accessibility to hols and data, further promoting open and reproducible science.

ass to evolve, increasing interoperability to enable more multidisciplinary research,

increasing collaboration and sharing mechanisms, to facilitate more efficient, open, and reproducible research. Appropriately skilled users and developers also need to be trained in tandem with this software infrastricture to ensure the maximum value of the infrastructure is realized and to funder facilitate increased research impacts. The ongoing investment in national and international programs, in tandem with community and disciplinary in diatives are facilitating the development of many communities of practice to didress these issues, including ways to demonstrate the value of contributions of individuals, science gateways, and national and international programs to the field. Increasing coordination across these varied initiatives will continue to improve identification of best practice and development of policies and standards, enhancing the ability of science gateways to increase the impact on research.

References

- [1] S. Shahand, Science gatewa. Car by medical big data analysis, University of Amsterdam, Amsterdam, 2015. TRL: http://hdl.handle.net/11245/1.490613.
- [2] Wikipedia, Science gate. v 2018. URL: https://en.wikipedia.org/ wiki/Science_g tew.y, [/.ccessed: 20 May 2018].
- [3] Nectar, Ne r impact, 2016. URL: https://nectar.org.au/nectar-impact/, [Accessed: 20 May 2018].
 - [4] Jisc, Vir. o research environment programme, 2014. URL: http://webarchive.nationalarchives.gov.uk/20140702163345/http://www.j.sc.ac.uk/whatwedo/programmes/vre.aspx, [Accessed: 20 May 5 J18].
- European Comission, EINFRA-9-2015 e-Infrastructures for virtual research environments (VRE), 2015. URL: https://cordis.europa.eu/programme/rcn/664625_en.html, [Accessed: 20 May 2018].

[6] A. Carusi, T. Reimer, Virtual research environment collaboration lar uscape study, 2010. URL: https://spiral.imperial.ac.uk/bitst. am/10344/1/18568/2/vrelandscapereport.pdf.

515

- [7] L. Candela, D. Castelli, P. Pagano, Virtual research environments: An overview and a research agenda, Data Science Journ d 12 (2c 13) GRDI75—GRDI81.
- [8] J. Lave, E. Wenger, Situated Learning: Legitin....e Pe apheral Participation, Cambridge University Press, 1991.
 - [9] CANARIE, Research Platforms, 2017. UPL: n. ps://www.canarie.ca/software/platforms/, [Accessed: 20 M J 2015].
 - [10] SGCI, Science Gateway Comm ... Institute, 2015. URL: http://sciencegateways.org/about/ [Acc. sed: 20 May 2018].
- [11] National Science Foundation. So, ware Infrastructure for Sustained Innovation, 2016. URL: https://www.nsf.gov/publications/pub_summ.jsp?ods_key=nsf17526 [^ccessed: 20 May 2018].
 - [12] P. Kacsuk (Ed.), Science Gate ways for Distributed Computing Infrastructures: Developme at fir mework and exploitation by scientific user communities, Springer Ameurod am, 2014. doi:10.1007/978-3-319-11268-8.
 - [13] V. Ardizzone, R. B. bera, A. Calanducci, M. Fargetta, E. Ingr, I. Porro,
 G. La Pocca S. Monforte, R. Ricceri, R. Rotondo, D. Scardaci,
 A. Schenne, The DECIDE Science Gateway, J Grid Computing 10 (2017) 687 707
- FitureCateway Application Programming Interfore, n.d. URL: https://www.indigo-datacloud.eu/ future-gateways-programmable-scientific-portal, [Accessed: 7 Juny 2018].

- [15] European projects Comission, Six new on e-Inf astr .ctures 2015.for virtual research environments, Ukl h. ps: 540 //ec.europa.eu/programmes/horizon2020/en/news/ six-new-projects-e-infrastructures-virtual-rese. ~n-environments, [Accessed: 20 May 2018].
- [16] VRE4EIC, Press release, 2016. TRI http://
 www.vre4eic.eu/publications/press-relea es/
 69-a-4-37m-european-investment-toward. next-jeneration-virtual-research-environments-fe
 [Accessed: 20 May 2018].

 - [18] ICSG, International Coalition and Schoole Gateways, n.d. URL: http://www.icsciencegateways.org/, [Angeled: 20 May 2018].
 - [19] Research Data Alliance, Virtua. Research Environment Interest Group, n.d. URL: https://rd u_riance.org/groups/vre-ig.html, [Accessed: 20 May 2018].

- [20] Extreme Science and Engineering Discovery Environment, n.d. URL: https://www.rjede.rg , [Accessed: 28 Oct 2018].
- [21] PEARC: Practice . Experience in Advanced Research Computing Conference Serie, n. . URL: https://www.pearc.org/, [Accessed: 4 Nov 2018].
- [22] International Workshop on Science Gateways, About IWSG, n.d. URL: http://www.iife.org/site/iwsglife/, [Accessed: 20 May 2018].
 - [23] Jurnal of Grid Computing, Special Issue: Science Gateways, volume 10, 2, 12. doi: 10.1007/s10723-012-9245-0.
- [4] S. Cesing, N. Wilkins-Diehr, M. Barker, G. Pierantoni, Science gateway
 565 Ashops 2015 special issue conference publications, Journal of Grid Computing 14 (2016) 495–498.

- [25] Concurrency and Computation: Practice and Experience, Special Issue on Workshop on Grid Computing Portals (GCE 2005), volu. 2 19, 2007. doi:10.1002/cpe.1258.
- Science Gateways-Common Community Interfaces t i Grid i esources, volume 19, 2007. doi:10.1002/cpe.1098.
 - [27] S. Gesing, J. van Hemert, P. Kacsuk, O. Kohlbach, Sp. cial issue: portals for life sciences providing intuitive access to be informatic tools, Concurrency and Computation: Practice and Experience 53 (2011).

575

- [28] Concurrency and Computation: Practice and Experience, Special Issue: Science Gateway Workshop 2013 (SGW 2013), volume 27, 2015. URL: https://onlinelibrary.wiley.com/t/c/15320634/2015/27/2.
- [29] N. Wilkins-Diehr, S. Gesing, T. Yus. Science gateway workshops 2013 special issue conference publication. Concurrency and Computation: Practice and Experience 27 (2014) 253–25.
 - [30] N. Wilkins-Diehr, S. Cesing, A. Kiss, Science gateway workshops 2014 special issue conference publications, Concurrency and Computation: Practice and Experience 2 (2015) /247–4251.
- [31] Concurrency and Computation: Practice and Experience, GCE'15 Special Issue Conference Publications, volume 28, 2015. doi:10.1002/cpe.3743.
 - [32] T. Sherif, P. Floux, M.-E. Rousseau, N. Kassis, N. Beck, R. Adalat, S. Das, T. Gletard, A. C. Evans, CBRAIN: a web-based, distributed computing platte. "for collaborative neuroimaging research, Frontiers in Neuroinforratics 8 (2014) 54.
 - [33] K. Yadhavan, L. Zentner, V. Farnsworth, S. Shivarajapura, M. Zentner, N. Lenny, G. Klimeck, nanoHUB.org: Cloud-based Services for Nanoscale alling, Simulation, and Education, Nanotechnology Reviews 2 (2013) 107–117.

- [34] M. Zentner, R. Zink, HUBzero and CatalyzeCare: A commenty driven platform for data sharing and collaboration in medical informations research, PeerJ Preprints 5:e2819v1 (2017).
 - [35] Apache Airavata, n.d. URL: https://airavata.apache.org/ [Accessed: 7 June 2018].
- [36] HUBzero website, n.d. URL: http://hubzerc.org [Accessed: 1 June 2018].
 - [37] Galaxy Project website, n.d. URL: https://gala:yproject.org/, [Accessed: 7 June 2018].
 - [38] Drupal website, n.d. URL: https://www.drupal.org/, [Accessed: 7 June 2018].
 - [39] Django Project website, n.d. T: h tps://www.djangoproject.com/, [Accessed: 7 June 2018].
 - [40] The EVER-EST project, n.d. UnL: https://ever-est.eu/about, [Accessed: 5 June 2018].
- [41] Zooniverse webiste n.d. U. https://www.zooniverse.org, [Accessed: 5 June 2018].
 - [42] Working toward Sustainable Software for Science: Practice and Experiences, n. URL: http://wssspe.researchcomputing.org.uk/, [Accessed: 7 Jun 2018].
- Group, 2017. URL: https://www.force11.org/group/
 oftwar.-citation-implementation-working-group, [Accessed:
- [· 4] Center for Open Science website, n.d. URL: https://cos.io/, [Accessed:
 7 June 2018].

- [45] Characterisation Virtual Lab research software portal, n.d. U'L: '.ttps://github.com/CVL-dev, [Accessed: 7 June 2018].
- [46] M. A. Miller, W. Pfeiffer, T. Schwartz, The CIPRES ocier ce Cateway: Enabling High-impact Science for Phylogenetics Researchers with Limited Resources, in: Proceedings of the 1st Conference of the Extreme Science and Engineering Discovery Environment: Bridging the Cate and Extreme to the Campus and Beyond, XSEDE'12, ACM, New York NY, USA, 2012, pp. 39:1–39:8. doi:10.1145/2335755.2335836.

- [47] Texas Advanced Computing Centre, Agave Platfe m, 2016. URL: http://agaveapi.co/, [Accessed: 20 May 2018].
 - [48] CARMIN, Common API for Research Mean of Imaging Network, n.d. URL: https://github.com/CARMIN-org, 'Accessed: 20 May 2018].
 - [49] CWL, Common Workflow Language, n.d. URL: http://www.commonwl.org/, [Accessed: 20 May 2017]
- [50] T. Glatard, G. Kiar, Aumentado-Armstrong, N. Beck, P. Bellec, R. Bernard, A. Bonn + S. Canarasu-Pop, F. Cervenansky, S. Das, R. F. da Silva, G. Fland A, P. G. Ard, K. J. Gorgolewski, C. R. G. Guttmann, V. Hayot-Sasson, Quirin, P. Rioux, M. Rousseau, A. C. Evans, Boutiques: a flet ble framework for automated application integration in computing platforn. 2017. URL: http://arxiv.org/abs/1711.09713.
 - [51] NIDM Working Group, Neuroimaging Data Model, n.d. URL: http://nidm..; ash org/, [Accessed: 20 May 2018].
- [52] I. J. Go. golewski, T. Auer, V. D. Calhoun, R. C. Craddock, S. Das, E. P.
 Dun, C. Flandin, S. S. Ghosh, T. Glatard, Y. O. Halchenko, D. A. Handwerke, M. Hanke, D. Keator, X. Li, Z. Michael, C. Maumet, B. N. Nichols,
 T. Z. Nichols, J. Pellman, J.-B. Poline, A. Rokem, G. Schaefer, V. Sochat,

W. Triplett, J. A. Turner, G. Varoquaux, R. A. Poldrack, The vair imaging data structure, a format for organizing and describing out, uts of neuroimaging experiments, Scientific Data 3 (2016) 175–191

- [53] F. Rubelt, C. E. Busse, S. A. C. Bukhari, J.-P. Brekert, F. Mariotti-Ferrandiz, L. G. Cowell, N. M. Corey T Watson, V. J. Fa son, U. Hershberg, U. Laserson, B. D. Corrie, M. M. Davis, P. Peterson, K. S. Marie-Paule Lefranc, F. Breden, The AIRR Commutity E. T. L. Prak, S. H. Kleinstein, Adaptive immune receptor repertoire of atta, Nat Immunol 18 (2017) 1274–1278.
- [54] F. Breden, E. T. Luning Prak, B. Peter, F. Rubelt, C. A. Schramm, C. E. Busse, J. A. Vander Heiden, S. Ch. Schram, C. A. C. Bukhari, A. Thorogood,
 F. A. Matsen IV, Y. Wine, U. Loserson, D. Klatzmann, D. C. Douek, M.-P. Lefranc, A. M. Collins, T. Bubel, S. H. Kleinstein, C. T. Watson, L. G. Cowell, J. K. Scott, T. B. Kopler, Deproducibility and reuse of adaptive immune receptor repertoire data, Frontiers in Immunology 8 (2017) 1418.
- [55] IVOA, International Virtual O servatory Alliance, n.d. URL: http://www.ivoa.net/, [Acces ed: 20 May 2018].
 - [56] AARC, Author ication and Authorisation for Research and Collaboration project website, i. 4. URL: https://aarc-project.eu/about/, [Accessed: 1 June 2012].
 - [57] EGI, FGI A. [†] Check-in Service, n.d. URL: https://wiki.egi.eu/wiki/

 AAI, Acc ssed 1 June 2018].
 - [58] Γ.DIGC-DataCloud project website (INtegrating Distributed data Information for Global ExplOitation), n.d. URL: https://www.indigo-datacloud.eu/the_project, [Accessed: 1 June 2018].
- [59] ^ Costa, P. Massimino, M. Bandieramonte, U. Becciani, M. Krokos, O. Pistagna, S. Riggi, E. Sciacca, F. Vitello, An innovative science gateway

- for the cherenkov telescope array, Journal of Grid Computin 13 (2015) 547–559.
- [60] Alces Flight Compute website, n.d. URL: https://alces-fig.t.com/, [Accessed: 1 June 2018].
- 680 [61] GitHub website, n.d. URL: http://github.com, [Accessed: 5 June 2018].
 - [62] OpenHatch website, n.d. URL: http://open'atc'..o.g/, [Accessed: 5 June 2018].
 - [63] CANARIE research software portal, n.d. Unthit //science.canarie.ca, [Accessed: 5 June 2018].
- [64] iPlant Collaborative, n.d. URL: http://en.wikipedia.org/wiki/ IPlant_Collaborative, [Accessed. 5 June 2018].
 - [65] CYVERSE website, n.d. URL: Ltt. //www.cyverse.org/, [Accessed: 5 June 2018].
 - [66] CLEERhub, n.d. URL: https://stemedhub.org/groups/cleerhub, [Accessed: 5 June 2018].
 - [67] Vortex-Induced Vibration Simulation Website, n.d. URL: http://js-156-75.jetstrc m-cloud.org/vortexshedding/, [Accessed: 5 June 2018].
- [68] Indiana J niv rsity School of Informatics, Computing, and Engineering Corse: Science Gateway Architectures, Fall 2017. URL: http://www.sice.indiana.edu/graduate/courses/index.html?number-.34'&department=CSCI, [Accessed: 5 June 2018].
- [69] (H ijbers, EcoEd training for first-rate science education, n.d. URL: http://www.bccvl.org.au/
 ecofi-training-for-first-rate-science-education/, [Accessed: 5 June 2018].

- [70] A. M. Smith, D. K. Katz, K. E. Niemeyer, FORCE11 Software C.tation Working Group, Software Citation Principles, PeerJ Comp. ter Science 2:e86 (2016).
- [71] XSEDE: The Extreme Science and Engineering Discovery Engraphics, Interim project report 5, 2018. URL: http://hdl.hanile.net/2142/99773.
 - [72] M. S. Mayernik, D. L. Hart, K. Maull, N. M. Weber Assessing and tracing the outcomes and impact of research infrascacturs, Journal of the Association for Information Science and Technology 68 (2016) 1341–1359.
- [73] N. Beagrie, J. Houghton, The value and . Dack . the European Bioinformatics Institute, 2016. URL: https://www.es.com/static/resource/EBI-impact-report.pdf.
 - [74] Nectar, Nectar virtual labs have huge apact, n.d. URL: https://nectar.org.au/vls-have-huge-econom.>-_:\search-impact/, [Accessed: 5 June 2018].

715

- [75] J. Hannay, C. MacLeod, *Singer, H. Langtangen, D. Pfahl, G. Wilson, How do scientists de plop and use scientific software, in: Proceedings of 2009 ICSE Workshop on Schware Engineering for Computational Science and Engineering, *CM Computer Science, 2009, pp. 1–8. doi:10.1109/SECSE.2009.F 69155.
- [76] K. A. Law J., e, M. Zentner, N. Wilkins-Diehr, J. A. Wernert, M. Pierce, S. M. Ma, n. Science gateways today and tomorrow: Positive perspectives of negaly 5,000 members of the research community, Concurrency and Comp., tion Practice and Experience 27 (2015) 4252–5268.
- [77] '. Wied ann, An input-output virtual laboratory in practice survey of uptall, usage and applications of the first operational IELab, Economic Syst ms Research 29 (2017) 296–312.

Author contributions

All authors participated in the conception and writing of the paper and also approved the manuscript.

Funding sources

SG is funded via SGCI, NSF Award Number ACI 1547° 1, via US Research Software Sustainability Institute (URSSI) conceptualization. NSF Award Number ACI-1743188 and via the Center for Research Computing at the University of Notre Dame as well as HUBzero. BC is a member of the iReceptor Project, which is supported by funding from CANARIE, the Canada Foundation for Innovation, and the BC Knowledge Development Fund. NCH is supported by EPSRC, BBSRC and ESRC Grant Elegan 19/1 for the UK Software Sustainability Institute and has received funding from the European Unions Horizon 2020 research and innovation programme under grant agreement No 676247.

Declaration of interest

MB is employed by `ectɛ:, and co-convenor of the ICSG and IWSG-A. BC is a member of the CANARIE Software Technology Advisory Committee. HG is a member of the project team for the H2020-funded EVER-EST VRE initiative, co-main of the RDA VRE interest group and also a member of the RDA Technical Advisory Board (TAB). SDO is part of SGCI, was part of the SCI-BUS reject funded by the FP7 e-infrastructures program, and currently acts are curopean Liaison for HUBzero. NCH is PI of the Software Sustainability Institute (**RSSI**) Advisory Committee. DSK and NCH are co-chairs of the FORCE11 Software Citation Implementation Working Group. DSK and SG are co-PIs of the US Research Software Sustainability Institute (URSSI**) conceptualization.

SG is part of SGCI, co-chair of the RDA VRE interest group, chair f the IEEE Technical Area on Science Gateways and PI of Evaluation of h Bzero as a Platform to Service a Diverse Set of Scientific Communities. We is a co-chair of the RDA VRE interest group and has received funding from Nectar and the Australian National Data Service to develop the Virtual Coophysics Laboratory.

	Year	#	Event	Loc. ti. "	Proceedings and Agendas
•	2005	15	ScienceGgateways ¹	US-IL	https://onlinelibrary.wiley.com/doi/pdf/10.1002/cpe.1098
	2005	16	GCE	Seatule, US-WA	http://onlinelibrary.wiley.com/doi/10.1002/cpe.1258/full
	2006	21	GCE	Tampa, US-FL	http://www.cogkit.org/GCE06
	2007	20	GCE	Feno, US-NV	https://www.researchgate.net/publication/
					259366865_International_Workshop_on_Grid_Computing_Environments_2007_in_Conjunction_wi
30	2008	13	GCE	Austin, US-TX	https://ieeexplore.ieee.org/xpl/mostRecentIssue.jsp?punumber=4729055
	2009	14	GCE	Portland, US-OR	http://dblp.uni-trier.de/db/conf/sc/gce2009.html
	2009	18	IWP_{-}^{r} $^{\circ}$ 2	Edinburg, UK	http://ceur-ws.org/Vol-513/
	2010	13	C E	New Orleans, US-LA	http://www.proceedings.com/10226.html
	2010	19	fWSG	Catania, IT	http://agenda.ct.infn.it/event/347/
	2011	10	$C \mathcal{I}E$	Seattle, US-WA	https://dl.acm.org/citation.cfm?id=2110486
	2011	5	IWSG-Life	London, UK	https://sites.google.com/a/staff.westminster.ac.uk/iwsg-life2011
					http://ceur-ws.org/Vol-819/

¹w +h Glob i Grid Forum

²International Workshop on Portals for Life Sciences

Table 1	- continued	from	previous	nage
Table 1	- commueu	110111	previous	page

			*	1 0	
	2012	23	IWSG-Life	Amst 1 m NL	https://sites.google.com/site/iwsglife2012
					http://ebooks.iospress.nl/volume/healthgrid-applications-and-technologies-meet-science applications and the control of the c
	2012	n.a.	GCE		not held this year
	2013	11	SGCI Workshop ³	olis, US-IN	https://ieeexplore.ieee.org/xpl/mostRecentIssue.jsp?punumber=6689497
	2013	42	IWSG	Zurich, CH	https://en.xing-events.com/iwsg2013.html
					http://ceur-ws.org/Vol-993/
	2014	13	GCE	Yew Orleans, US-LA	https://dl.acm.org/citation.cfm?id=2690887
	2014	26	IWSG	Dublin, IE	https://sites.google.com/a/my.westminster.ac.uk/iwsg2014/home/dates
31					https://ieeexplore.ieee.org/xpl/mostRecentIssue.jsp?punumber=6881322
	2015	16	GCE	Boulder, US-CO	https://onlinelibrary.wiley.com/doi/epdf/10.1002/cpe.3743
	2015	26	IW°	Budapest, HU	https://ieeexplore.ieee.org/xpl/mostRecentIssue.jsp?punumber=7217893
	2015	14	IV-GC A	Brisbane, AU	https://sites.google.com/site/iwsglife/about-iwsg-a/iwsg-a-2015
	2016	34	Ga [†] eways	San Diego, US-CA	https://sciencegateways.org/gateways2016/program
					https://gateways2016.figshare.com
	2016	0	ΓVSG	Rome, IT	https://sites.google.com/a/nd.edu/iwsg2016/homehttp://ceur-ws.org/Vol-1871
	2016	7 7	IV/SG-A	Melbourne, AU	https://sites.google.com/site/iwsglife/about-iwsg-a/iwsg-a-2016

 $^{^3}$ Whue ... conceptualization phase

CC 11 4				
Table 1 –	continued	trom	previous	page

2017	41	Gateways	Ann Lar US-MI	https://sciencegateways.org/web/gateways2017/program
				https://gateways2017.figshare.com
2017	24	IWSG	Pozi. III, DO	http://iwsg2017.psnc.pl/programme
2017	21	IWSG-A	Subar , AU	http://iwsg-life.org/site/iwsglife/about-iwsg-a
2018	39	IWSG	Edinburgh, UK	https://sites.google.com/a/nd.edu/iwsg2018

Silvia is Assistant Professor of the Department of Clinical Epidemiology, Biostatistics and Bioinformatics of the Academic Medical Center of the University of Amsterdam. She leads the e-science research line, supervises PhD students, and teaches courses at the AMC Graduate School and Medical Informatics Bachelor and Master Programs. Silvia actively participated in European and Dutch projects to research science gateways that created and operated science gateways for analysis and management of biomedical data.



Highlights

Science gateways, virtual laboratories and virtual research environments are digital facilities designed to meet a set of needs for a research community.

Many initiatives (programs, conferences, community of practice) around the globe for erand sustain Science gateways, virtual laboratories and virtual research environments.

Science gateways, virtual laboratories and virtual research environments are enabling significant contributions to many research domains, generating new knowledge and facilitating more efficient, or en, camble and reproducible research in bold new ways.

Millions of people (and the majority of some communities) use science gat ways at their primary access mechanism to e-infrastructures.