

## Short-term integration costs of variable renewable energy: Wind curtailment and balancing in Britain and Germany



Michael Joos<sup>a</sup>, Iain Staffell<sup>b,\*</sup>

<sup>a</sup> Element Energy, 78 Margaret Street, London W1W 8SZ, UK

<sup>b</sup> Centre for Environmental Policy, Imperial College London, London SW7 1NE, UK

### ARTICLE INFO

#### Keywords:

Electricity  
Renewable energy  
Wind power  
Reserve  
Balancing  
Curtailment

### ABSTRACT

Britain and Germany saw unprecedented growth of variable renewable energy (VRE) in the last decade. Many studies suggest this will significantly raise short-term power system operation costs for balancing and congestion management. We review the actual development of these costs, their allocation and policy implications in both countries.

Since 2010, system operation costs have increased by 62% in Britain (with a five-fold increase in VRE capacity) and remained comparable in Germany (with capacity doubling). Within this, balancing costs stayed level in Britain (−4%) and decreased substantially in Germany (−72%), whilst congestion management costs have grown 74% in Britain and 14-fold in Germany. Curtailment costs vary widely from year to year, and should fall strongly when ongoing and planned grid upgrades are completed. Curtailment rates for wind farms have risen to 4–5% in Germany and 5–6% in Britain (0–1% for offshore and 15–16% for onshore Scottish farms).

Policy debates regarding the balancing system are similar in both countries, focussing on strengthening imbalance price signals and the extent that VRE generators bear the integration costs they cause. Both countries can learn from each other's balancing market and imbalance settlement designs. Britain should reform its balancing markets to be more transparent, competitive and open to new providers (especially VRE generators). Shorter trading intervals and gate closure would both require and enable market participants (including VRE) to take more responsibility for balancing. Germany should consider a reserve energy market and move to marginal imbalance pricing.

### 1. Introduction

Both the UK and Germany have the declared goal to cut carbon emissions by 80% by 2050 compared to 1990 levels, which requires near-total decarbonisation of the electricity sector. While nuclear and carbon capture and storage (CCS) are plausible low carbon alternatives in the UK, public and political opinion limit Germany's options to renewable energy sources (RES).

Renewable generation has grown dramatically in both countries. Since 2015 29% of Germany's electricity was renewable, as was 24.5% of Britain's [1,2]. The German government aims to source at least 50% of electricity from RES by 2030 [3], and similarly a 45–55% share is needed to meet the UK's Carbon Budget for 2030 [4]. The EU targets at

least 27% RES share in total final energy consumption by 2030 [5], which studies suggest would correspond to an electricity share of around 45–55% depending on modelling assumptions [6–8].

The majority of new RES will come from wind and solar [9], since alternatives like hydro and bioenergy are constrained by limited resource and higher cost. Wind and solar are variable renewable energy (VRE) sources: their output depends on weather conditions and so can be forecasted but not fully controlled as can thermal plant. To offset deviations between forecast and actual wind and solar output reserves must be held and operated [10].

VRE capacity has grown significantly in recent years. Combined wind (onshore and offshore) and solar capacity in the UK<sup>1</sup> grew from 5.46 GW in 2010 to 27.25 GW at the end of 2016 [1], while capacity in

*Acronyms:* BM, Balancing Mechanism; BRP, Balance Responsible Party; BSC, Balance and Settlement Code; BSP, Balancing Service Provider; BSUoS, Balancing Services Use of System; CMA, Competition & Markets Authority; DSM, Demand Side Management; EBSCR, Electricity Balancing Significant Code Review; EEG, Erneuerbare-Energien-Gesetz; EnWG, Energie-Wirtschafts-Gesetz; LoLP, Loss Of Load Probability; PC, Primary Control; RES, Renewable Energy Sources; RMSE, Root Mean Square Error; ROC, Renewable Obligation Certificate; RoCoF, Rate of Change of Frequency; SC, Secondary Control; STOR, Short Term Operating Reserve; TC, Tertiary Control; VOLL, Value of Lost Load; VRE, Variable Renewable Energy

\* Corresponding author.

E-mail address: [i.staffell@imperial.ac.uk](mailto:i.staffell@imperial.ac.uk) (I. Staffell).

<sup>1</sup> Note that throughout this paper, grid related values (e.g. from National Grid) are for Britain, while generation and capacity values (e.g. from BEIS) are for the UK – which includes Northern Ireland. Northern Ireland hosts 3.2% of UK renewable installed capacity, and so the differences are not large.




Fig. 1. Development of wind and solar capacity (left) and energy penetration (right), measured as the share of gross inland power consumption; data: [1,11].

Germany increased from 44.84 GW to 90.81 GW [11]. Fig. 1 shows the rise in capacity and penetration.

The cost of wind and solar has declined substantially in the last decade, such that the levelised cost of electricity (LCOE) for onshore wind and large solar is now lower than gas and nuclear [12–14]. However, LCOE does not tell the whole story: To accommodate VRE output while enforcing high standards for security of supply, costs are incurred in other parts of the system, mainly for holding and operating reserve and back up plants to manage variability and uncertainty of VRE output. These are so-called *system integration costs*.

Several studies conclude that electricity systems with high shares of renewable energy (up to 100%) are feasible in industrialised economies without a reduction of security of supply standards [15–17]. Grids have maintained or even increased their reliability during significant increase of VRE penetration (the ‘System Average Interruption Duration Index’ in Germany went from 18.67 min in 2006 to 10.45 min in 2015) [18,19]. However, decarbonising the electricity sector must be conducted cost-efficiently and would lose public acceptance if it led to a substantial increase of power prices for industry, businesses and residents.

Numerous studies exist on integration costs, mostly based on modelling (e.g. [20–23]). These concur that increasing VRE penetration will lead to increased system operation costs, which could hinder the political feasibility of highly or completely renewable electricity systems. However, the already significant penetration of VRE in Britain and Germany offer an opportunity to study the impacts that VRE integration is actually having on two major industrialised economies based on real market data.

We choose to focus on Britain and Germany for five reasons:

- they are two advanced industrial countries of similar economy and population, climatic conditions, and ambitious climate policies;
- they have comparable conventional power mixes and natural resources, notably limited opportunities for hydro storage and domestic biomass, and a recent increase in renewable generation capacity;
- they currently have a large installed wind capacity, both in terms of % penetration, and especially in terms of GW capacity;
- they are widely anticipated to have the largest installed wind capacities in Europe: for example, the ENTSO-E 2030 Visions see between 30 and 58 GW installed in Britain and 61–101 GW in Germany (together 40–50% of Europe's total wind capacity) [24];
- the transparency of their systems operators and regulators means that substantial quantitative data is available, necessary to perform such a study.

While higher system operation cost due to VRE integration might not yet be observable in retail electricity prices (cp. Appendix D), detailed data on system operation costs are made publicly available by

system operators and regulators which we use as evidence on cost impacts of system integration of VRE sources in the UK and Germany. For this reason, we focus on short-term integration costs of VRE sources. In contrast, quantifying long-term integration costs (such as for lower average utilisation of generation capacity) requires scarce data, involves controversy about methodologies and must be based on tentative assumptions about future electricity systems.

Short-term integration costs of VRE broadly consist of two components: grid congestion management and balancing. This paper explores the impacts that VRE is having in the British and German power systems, how related costs are allocated in both systems, how these costs have developed in the last 7 years and the ongoing policy debates in both countries regarding their reduction and cost reflective allocation. We focus mainly on wind over solar, as it is the major VRE technology in both Britain and Germany in terms of electricity generation and has higher impacts on grid congestion and system balancing.

The cost of grid congestion, especially compensating curtailed wind output, has gained media attention and fuelled the debate about curtailment management, how risk of curtailment should be shared and how it relates to a changing role of distribution grid network operators [25,26]. However, these costs are a temporary phenomenon that can be reduced by sufficient reinforcement of grid capacities, which is ongoing in both countries. The cost allocation of grid *infrastructure investments*, while being related is another question of great complexity, which is handled very differently in the UK and Germany, and is widely debated in policy, research and industry [27–29]. As this involves long-term considerations and assumptions, it is not discussed here.

We investigate reforms of the balancing system in both countries. This policy debate centres on three topics:

1. setting the right incentives for market participants to contribute to the balance of the system;
2. giving them sufficient possibilities and opportunities to act on these incentives; and
3. reducing balancing costs through improved system operation, including opening balancing markets to new providers, including VRE generators.

Another question is whether integration costs constitute system externalities [22]: Do VRE generators bear the costs that they cause elsewhere in the system to a sufficient extent in current market arrangements? If not, how could market arrangements be changed to internalise these costs?

The next section explores grid constraint costs, their cost allocation and recent development in Germany and Britain. Section 3 compares how system balance is managed in Britain and Germany and investigates cost developments in both countries. Policy options for balancing systems reform are discussed in Section 4. Section 5 then summarises and concludes. The data presented in this paper is available

open-access via Zenodo to help facilitate future research in this area: <http://doi.org/10.5281/zenodo.848028>.

## 2. Constraint costs

This section explores the costs of grid congestion management and their allocation in Britain and in Germany. Redispatch measures are used to manage congestion by ramping down plant before the congestion and ramping up plant behind it, maintaining the energy balance of the overall system.

In both Britain and Germany wind generators are located mainly in the North due to better land and wind resource availability, while demand is centred in the South. This has put pressure on transmission grids, and several projects to reinforce or extend North-South network capacities are ongoing or planned in Germany [30] and Britain [31].

### 2.1. Congestion management and its cost allocation in Germany

German TSOs contractually assure themselves the right to intervene with generation profiles in case of network congestion. In addition, they contract committed reserve capacities for congestion management, called *Netzreserve* (grid reserve) [32]. TSOs assess the demand for such reserve capacities which must be approved by the *Bundesnetzagentur* to be procured [33]. Grid reserve is seen only as a temporary measure which should be made obsolete by sufficient grid reinforcements and extensions. The government plans to extend the grid reserve until 2023 (it was planned to be implemented until 2017) [34].

Costs for congestion management in Germany are broadly divided into two categories: redispatch and curtailment of renewable feed-in, which are regulated by the *Energiewirtschaftsgesetz* (EnWG, Energy Act) §13. Redispatch measures constitute utilisations of contracted services from conventional generators or committed reserve plants although a court has ruled in 2015 that generators might have to be reimbursed to a higher extent than currently [32,35]. Curtailment of renewable feed-in is not contracted but must be compensated and due to priority dispatch of RES should only be used as a last resort to manage grid constraints [35,36]. Unlike redispatch measures, RES curtailment is not paired with measures in the opposite direction and thus affects system balance and must be compensated for, e.g. by utilising balancing power [37].

RES generators are compensated with 95% of their foregone revenues (Renewable Energy Act, EEG §15) by the grid operator they are connected to. Irrespective of compensation payments made to RES generators for curtailment, grid operators are legally obliged to invest in grid reinforcements sufficient to transport their output [32].<sup>2</sup> [38] The government allows TSOs to tolerate a maximum of 3% curtailed wind output in their network development plans to avoid disproportionately high grid investments [34].

It is suggested that due to the foreseen compensation, TSOs tend to curtail RES preferably since this avoids conflicts with generators that do not get compensated [39]. Costs for the grid reserve and RES curtailment are socialised via grid fees [37], which in Germany are paid for only by consumers [27].

The government argues that compensation of curtailed renewable output is necessary, otherwise the risk of curtailment would be priced into all new renewable plants – even those which will experience only minimal curtailment – and thus increase the cost of renewable energy in general [34].

<sup>2</sup> Forced curtailment of VRE feed-in can be caused by grid constraints or negative residual load. While the latter is not yet an issue in Germany or the UK, it has already been observed in Denmark [38].




Fig. 2. Congestion management costs in Germany; data: [41,42].

### 2.2. Recent congestion management costs in Germany

After a modest increase in 2010–2013, costs of congestion management<sup>3</sup> increased significantly in 2014 and 2015 then decreased slightly in 2016 (Fig. 2). RES curtailment costs were €478 m in 2015, with 4722 GWh or 2.8% of RES output lost [40]. Costs for redispatch were €435 m [40], those for reserve plants were €228 m [41]. Reasons for this increase include [32]: 2 new conventional power plants going online in the North, a nuclear plant in the South being shut early, the large addition of wind capacity, stronger winds in 2015 (feed-in increased by 38% compared to 2014), delays to grid reinforcements, temporary outage of grid elements due to upgrades, and high exports to Austria.

In 2016 costs for compensation of RES curtailment and redispatch decreased. Preliminary estimates are €230.4 m for redispatch (11,475 GWh of feed-in reductions and increases), €372.7 m for curtailment of 3,743 GWh of RES output, and €256 m for reserve plants [41]. The sum of feed-in increases for redispatch was 5219 GWh, corresponding to 0.88% of gross inland consumption. A main reason for the fall in curtailment and redispatch costs is the cost-optimised dispatch of plants by the TSOs [41]. 96% of curtailed feed-in was from distribution connected plant, however 89% of all curtailment was caused by transmission grid congestion. 86% of curtailed feed-in was onshore wind, 11.3% solar PV, 1.2% biomass [41]. Wind curtailment has increased 27-fold between 2010 and 2016 (Table 1).<sup>4</sup>

The Bundesnetzagentur expects costs of congestion management to remain high in the coming years since grid expansion trails behind the expansion of renewable energy. It has warned the costs for redispatch alone could exceed €1bn by 2020. Relief is expected in 2024 when major North-South grid infrastructure projects are scheduled to be finished [43]. The government also plans to slow down the expansion of renewable capacity significantly due to the increased costs of congestion management and delayed grid expansion [44].

To better assess the meaning of absolute numbers it is important to put them in relation to the size of the power market. Total turnover of the power sector without taxes was €484bn in 2014 in Germany [45].

### 2.3. Congestion management and its cost allocation in Britain

Britain's short-term balancing and grid congestion management is mainly conducted via the Balancing Mechanism. This is in principle a short-term energy market which takes place in the hour after gate

<sup>3</sup> We use the terms constraint costs and congestion management costs interchangeably.

<sup>4</sup> Curtailment of RES and CHP output is compensated; redispatch costs include costs of redispatch and countertrading.

**Table 1**  
Development of congestion management and wind curtailment in Germany; data: [11,32,41,42,46].

	2010	2011	2012	2013	2014	2015	2016
curtailed wind [TWh]	0.13	0.41	0.36	0.48	1.22	4.12	3.53
share of total compensated curtailed energy	98.7%	97.4%	93.2%	86.6%	77.3%	87.3%	94.4%
wind feed-in (net generation) [TWh]	37.79	48.88	50.68	51.71	57.38	79.20	77.42
curtailment rate	0.33%	0.83%	0.70%	0.92%	2.08%	4.95%	4.36%
total curtailment compensation payments [€m]	10.2	33.5	33.1	43.7	183.0	478.0	372.7
Net costs of redispatch [€m]	48.4	129.4	164.9	114.9	186.7	435.4	230.4
Costs of reserve plants [€m]	–	17.0	26.0	56.0	66.0	227.8	256.3
total congestion management [€m]	58.6	179.9	224.0	214.6	435.7	1141.2	859.4

closure and before real time with the system operator as the single buyer. Generators and suppliers can submit bids and offers that state what they expect to be paid to increase or decrease production or consumption by an incremental amount. National Grid also contracts various reserve capacities to deal with energy imbalances and grid congestion.


Thermal generators usually offer to pay National Grid to decrease their output as they save on fuel costs. Wind and solar farms have no fuel cost but lose Renewables Obligation Certificates (ROCs) when they curtail their output, since they receive certificates (each worth ~£40) per MWh delivered to the grid. They expect to be compensated for lost revenue and thus are paid to reduce their output.

The costs for congestion management are socialised via the Balancing Services Use of System (BSUoS) charge, which is paid for by all suppliers and generators on a pro rata basis [47]. There is no locational element to the charging methodology [48]: Constraint management costs are shared proportionally to the energy consumed or produced during the corresponding settlement period.

Only generators which can participate in the balancing mechanism, mainly large transmission connected plants, get compensated for curtailment. However most of VRE capacity is connected to the distribution grid. These generators receive no compensation for curtailment, and must accept the risk of curtailment while benefitting from a lower cost non-firm connection [49].

#### 2.4. Recent costs of congestion management in Britain

Britain's constraint costs have increased in recent years from £86 m p.a. during 2005–08 to £303 m during 2014–17 (Fig. 3). Constraint costs have risen on average by £22.7 m per year over this period, or by £5.8 m for each TWh generated by wind (although, of course, other factors influence this). The biggest source of bottlenecks is insufficient



**Fig. 3.** Constraint costs in Britain; dates refers to non-calendar years, so 2016 corresponds to Apr-16 to Mar-17; data: [1,50–52].

network capacity between Scotland and England. Ongoing grid reinforcements are supposed to relieve these constraints [31,48], for example the Western link, a 2.2 GW subsea HVDC connection between Scotland and Wales, expected to be finished in 2017.

The government introduced a new policy called Connect and Manage regarding grid connections of new generation, which offers generators grid access before the completion of wider grid reinforcements necessary to accommodate additional electricity flows [51]. The policy was introduced to incentivise investment into new plant, in particular renewables, which would have been deterred by long grid connection delays. The long-term benefits of new generation capacity available to the power system are considered to outweigh the short-term costs of constraint management [53]. Constraint costs due to Connect and Manage made up only 3% of overall constraint costs in 2013, the main part caused by unavailability of transmission assets during the major programme of grid upgrades in Scotland and elsewhere [51]. However, constraints due to this regime increased as more and larger generators joined, from £69.4 m in 2014 to £121.7 m in 2015. Notably, National Grid expects these costs to drop to nearly zero in 2017/2018 [54].

##### 2.4.1. Curtailment rates of wind farms

Due to the lack of public information on British wind farm curtailment, we collate original data on the quantity and cost of curtailment to explore the scale of this issue. Curtailment data on the level of individual onshore and offshore wind farms is available from the settlement company Elexon [55]. This covers farms which participate in the Balancing Mechanism, most of which are connected to the transmission grid – i.e. offshore farms, and larger onshore farms in Scotland only. Most of Britain's wind farms are connected at distribution-level: 258 farms above 10 MW, compared with 38 connected to the transmission system [56].

We calculated the level of curtailment for 44 Scottish onshore farms and 18 offshore farms in England and Wales for the period 2012–16 using the method in [57], detailed in Appendix E. The onshore farms we observe represent around 30% of total onshore feed-in, and the offshore farms represent around 80% of offshore feed-in [1,56]. Of the 44 onshore Scottish farms we observe, 10 operate under Connect & Manage [58], 20 are embedded in the distribution grid, 24 are connected to the transmission grid.

Offshore wind farms show very little curtailment, with annual rates of 0.00–0.63%. These are unaffected by congestion on lines from Scotland, and would require higher compensation than onshore farms to be curtailed (due to forgone subsidies, see below), and so would be used as a last resort. Figs. 4 and 5.

In contrast, Scottish onshore farms have shown high curtailment rates over the last five years. Individual farms ranged from 0% to 32% of their annual output curtailed, depending on their location and operator preferences.<sup>5</sup> The volume-weighted average during 2012–16 is 10.61%, more than three times Germany's average (2.98%). Maximum,

<sup>5</sup> Farms which bid lower prices to be curtailed see higher rates (cp. Appendix E.).




Fig. 4. Curtailment of BM participating wind farms during 2015–16; data: [55,56,59].




Fig. 5. Summary of curtailment rates for Scottish onshore wind farms; data: [55,56,59].

volume-weighted average and plant average have all increased from 2012 to 2015, but decreased in 2016.

Combining the offshore and onshore data gives the overall curtailment rates of the observed wind farms: The volume-weighted average is shown in Fig. 6, and later in Table 2. If all this curtailed wind output had instead been fed into the grid, this would have raised Britain's wind capacity factor from by 1–2% in 2015. With 5.68% curtailment





Fig. 6. Summary of curtailment rates for British wind farms which participate in the Balancing Market [55,56,59].


observed in 51.2% of feed-in, the lowest value for gross capacity factor is  $34.7\% = 33.7\% \cdot \left( \frac{51.2\%}{1-5.68\%} + (1 - 51.2\%) \right)$ . If all of Britain's wind farms were curtailed at this rate, the gross capacity factor would be  $35.7\% = \frac{33.7\%}{1-5.68\%}$ .

**Table 2**  
 Compensation payments for wind curtailment in Germany and Britain. The German value for compensation payments in 2012–2014 is estimated from the total RES curtailment compensation multiplied by the share of wind in total curtailed energy; currency conversion based on average conversion rates in each period from www.oanda.com. For Britain, wind penetration values are for the whole UK; wind curtailment values are only for observed plant, which generated 50–55% of total UK wind feed-in. Data: [1,11,41,42,59].


Germany	2012	2013	2014	2015	2016
Compensation to wind [m€]	30.85	37.88	141.46	365.84	325.89
Curtailed wind output [TWh]	0.36	0.48	1.22	4.12	3.53
Average price per MWh [€]	86.05	78.86	115.81	88.69	92.32
Wind penetration	8.37%	8.56%	9.71%	13.34%	13.02%
Wind curtailment rate	0.70%	0.92%	2.08%	4.95%	4.36%
Cost per MWh feed-in [€]	0.61	0.73	2.47	4.62	4.21
<b>Britain</b>					
Compensation to wind [£m]	5.92	32.71	53.26	90.74	81.88
Curtailed wind output [TWh]	0.05	0.38	0.66	1.24	1.12
Average price per MWh [£]	130.31	86.13	80.91	72.99	72.88
Average price per MWh [€]	160.68	101.46	100.38	100.53	89.26
Wind penetration	5.61%	8.07%	9.45%	11.87%	11.13%
Wind curtailment rate	0.44%	2.39%	3.58%	5.68%	5.64%
Cost per MWh feed-in [£]	0.30	1.15	1.67	2.25	2.18
Cost per MWh feed-in [€]	0.37	1.36	2.07	3.10	2.67



**Fig. 7.** The cost of compensating wind farms and other generators in Britain for curtailment, along with the total amount of wind energy curtailed in Britain's Balancing Mechanism; data: [50,55,59].



**Fig. 8.** Yearly constraint costs in Britain by fuel; data: [50].



**Fig. 9.** Average price received by British wind farms (on and offshore) in the Balancing Mechanism for curtailment, and the average price of Renewables Obligation Certificates (ROCs) that are forfeit during curtailment; data: [55,59,64].

**2.4.2. Absolute curtailment, total costs and prices**

The quantity and cost of wind curtailment has grown substantially in Britain, from 45 to 1123 GWh between 2012 and 2016, and from £5.9 m to £81.9 m (Fig. 7).<sup>6</sup> While the share of wind constraint in overall constraint costs has increased, the bulk of constraint costs come from payments to gas plants (Fig. 8). It is also important to note that constraint costs were high (comparable to levels of 2014 and 2015) in 2008 and 2011, when VRE penetration was still at around 5% (Fig. 3).

Wind farms participating in the balancing mechanism will offer to reduce their output at the cost of their foregone revenues from selling Renewables Obligation Certificates (ROCs) and electricity. While on-shore windfarms receive only 0.9 ROCs per MWh, offshore windfarms get 2 ROCs per MWh [61,62] and so request higher compensation and subsequently get curtailed less. Fig. 9 shows the monthly volume-weighted average price that National Grid paid wind farms to reduce their output, which has fallen 68% since 2011.

These curtailment prices are well above the ROC buyout and market prices, averaging £75/MWh in 2015, and £85/MWh in 2016. This is 1.9 and 2.2 times the ROC buyout price of £44–45/MWh in these years [63,64]. National Grid suggested that wind farms might place prohibitively high bids to avoid being curtailed due to bilateral contracts with suppliers who have an obligation to collect a certain number of ROCs [65]. These prices may also reflect a cautionary approach to potential wear and tear impacts, additional operational cost, obligations due to PPA provisions, or simply rent-seeking behaviour from operators [66].

**2.5. Comparing curtailment in Britain and Germany**

Congestion management costs have increased sharply in both Britain and Germany in recent years, due to expansion of renewable capacity and other developments such as new thermal plant coming online or ongoing grid upgrades. Constraint costs in both countries are expected to decrease once major transmission grid infrastructure projects are finished. The implications of constraint costs have to be compared to grid investment costs for it is more economic to accept some curtailment than to expand the grid indefinitely [10].

Wind curtailment rates have increased in both countries along with wind penetration. British wind farms are curtailed at a significantly higher rate than those in Germany, but our plant sample might not be representative for the complete wind capacity in Britain, as distributed wind farms outside of the Balancing Mechanism could not be analysed.

<sup>6</sup> Constraint costs given by National Grid are made up mainly of BM constraint costs, for example in December 2015, £63.3 m of £65.9 m total constraint management costs are from BM constraints, as in [50].




Fig. 10. Curtailment rates against penetration levels for wind power in Britain and Germany; data: [1,11,42,56,59]. For context, China experienced 15% curtailment for a 3.2% penetration in 2015 [67].

Nevertheless, we find that wind curtailment is a strongly localised problem in Britain, caused by congestion of the connection between Scotland and England.

Table 2 compares recent developments of wind curtailment and its compensation in Britain and Germany. Average prices per MWh of curtailed wind output have decreased in Britain, whereas in Germany they seem more volatile. Curtailment costs per MWh of feed in are lower in Britain, since a smaller share of the wind farms is compensated (only BM-participating plant).

Fig. 10 shows curtailment rates versus penetration level of wind in Germany and Britain. British wind farms appear to suffer around twice the curtailment of German ones for a given penetration and curtailment seems to increase with penetration at a steeper slope in Britain than in Germany. These findings come with two major caveats: Onshore wind farms in Northern Ireland, and most distribution grid connected farms in England and Wales do not participate in the Balancing Mechanism and so could not be considered in the analysis.

### 3. Balancing systems of Britain and Germany

The balancing system is the set of technical and economic institutions that maintain active power balance of the electricity system over the period of seconds to hours [68]. Other ancillary services such as reactive power for voltage support and black start capabilities are reviewed elsewhere [69,70].

Supply and demand must always match to a high precision to maintain a stable system frequency. An imbalance of more than a few percent for a few seconds will lead to frequency deviating beyond tolerance levels that could damage generating equipment and lead to system collapse. In principle, this balance is ensured by the wholesale market: Suppliers contract electricity in the wholesale markets according to their demand and generators produce only as much electricity as they have sold. But deviations from contracted positions are inevitable due to imperfect forecasts and unpredicted events such as outages of power plants or lines. The resulting imbalances are managed and corrected by the system operator, which contracts for reserve capacity to be called upon in real-time. The cost of these operations is usually recovered through grid fees and/or imbalance prices (penalties for deviating from schedule).

#### 3.1. Overview of balancing system functions

We briefly summarise the balancing system's functions to establish some terminology. Note that terminology and system roles vary between countries, which is a major problem in this field [20,68]. More

detailed descriptions of balancing systems can be found in [68,71] (Germany) and [20,72–74] (Britain).

The main actors in the balancing system are *transmission system operators* (TSOs), *balance responsible parties* (BRPs), *balancing service providers* (BSPs) and *regulators*. TSOs are responsible for managing system balance within their *balancing area* (usually nationally), they determine the necessary size of reserves, then procure and activate these reserves. Balancing areas can be interconnected to form *synchronous areas* sharing the same system frequency [75]. Britain contains one balancing area and is not included in a wider synchronous area. Germany consists of four balancing areas managed by 50 Hz, Amprion, Tennet and TransnetBW and is integrated in the Continental Europe synchronous area.

BRPs are market participants held accountable for the amount of electricity they deliver to or take off the grid. These range from single power stations to the entire generation and demand portfolio of a utility. In Germany, BRPs deliver binding schedules of their generation and/or consumption for each *settlement period* (¼ hour) at 14:30 the previous day, but they may modify these schedules until 15 min ahead of delivery [76,77]. In Britain BRPs are called *Balance and Settlement Code (BSC) parties*, and deliver day-ahead schedules for each ½ hour period at 11:00 the previous day [78], which can be changed until one hour before real-time [73]. Intraday markets close 30 min (Germany) and 1 h (Britain) ahead of delivery [79].

After delivery, every BRP's schedule is compared to their actual feed-in and consumption. In Germany, BRPs can adjust their schedules after delivery by trading with each other in the *day after* market until 16:00 the following day [34,71]. Such a market does not exist in Britain, but has been proposed by EdF [80]. Each BRP's imbalance in a settlement period is multiplied with the *imbalance price* of that period to give the imbalance cost to pay. The calculation of imbalance prices is covered later in Section 3.3.

BSPs can be generators or consumers which reserve part of their capacity for pre-agreed time periods at the TSO's disposal and are usually remunerated for capacity availability (€/MW per hour) and energy utilisation (€/MWh). They must complete a prequalification process to prove their capability to provide services to the required standards. Regulators determine the design of the imbalance settlement and the balancing power markets (e.g. procurement system, pre-qualification).

#### 3.2. Balancing market design

##### 3.2.1. The balancing market in Germany

Germany follows the ENTSO-E terminology [81]: balancing power is called control power and differentiated into three categories: *primary control (PC)*, *secondary control (SC)* and *tertiary control (TC) power*.

Table 3  
Balancing market design in Germany; based on [68,71,83].

	Primary Control	Secondary Control	Tertiary Control
<b>Auction timing</b>	weekly	weekly	daily
<b>Tenderable period</b>	1 week	1 week	1 day
<b>Availability windows</b>	whole week	peak (Mo-Fr, 08:00–20:00)/base (rest)	6 × 4 h blocks
<b>Minimum bid size</b>	± 1 MW	± 5 MW	± 5 MW
<b>Pooling of capacity</b>	allowed	allowed	allowed
<b>Price components</b>	capacity	capacity & energy	capacity & energy
<b>Bid selection</b>	capacity price merit order	capacity price merit order	capacity price merit order
<b>Commitment</b>	all parallel	energy price merit order	energy price merit order
<b>Remuneration</b>	pay as bid (capacity)	pay as bid (capacity & energy)	pay as bid (capacity & energy)




Fig. 11. Market size and average prices for balancing power in Germany; source: [68].

These must be fully activated within 30 s, 5 min and 15 min respectively. PC and SC reserves are automatically activated and in proportion to frequency deviation, TC reserves are scheduled in 15 min intervals at fixed values. A more detailed description is given in Appendix F.

PC reserves are shared throughout the Continental Europe synchronous system. 3000 MW are procured to compensate for the simultaneous loss of the two largest generators (1500 MW nuclear reactors) [71]. Each balancing area procures a share of this reserve according to their total electricity generation, so in 2015 Germany procured 583 MW.

Sizing methods for SC and TC reserves differ significantly between European TSOs. Germany's approach is based on the convolution of probability density functions to estimate the combined risk due to forecast errors in load and VRE output, plus plant and line outages. The reserve sizes are updated every 3 months, and for Q3 2017 were +1.92 and -1.84 GW of SC, and +1.37 and -1.82 GW of TC [82].

PC, SC and TC capacities are allocated in separate auctions on a common platform for all four TSOs [82]. Table 3 summarises the current design of balancing power auctions, and Appendix F gives further details.

The current design was implemented by the regulator Bundesnetzagentur in 2011. It assumed responsibility in 2006 after concerns over inefficiency, lack of transparency, market barriers to new and smaller entrants and market power of incumbents [83]. Minimum bid sizes have been reduced and the frequency of auctions have increased from biannually [83]. The number of prequalified suppliers has increased substantially, and balancing power prices have either remained constant or decreased (Fig. 11). While prices are volatile and influenced by a variety of factors, more providers should increase competition and cost efficiency of balancing markets [68].

### 3.2.2. The balancing market in Great Britain

National Grid, Britain's TSO, procures several services to manage the transmission system. We focus on those which maintain and restore the active power balance. *Frequency Response* reserves are first to react, mostly within 10–30 s. They are activated automatically and help to keep the frequency from further decreasing. National Grid then instruct *Fast Reserves*, which must be activated within 2 min. Finally, *Short Term*

*Operating Reserves (STOR)* are activated on a timescale of around 10 min to replace fast reserves and lost generation [84,85]. In ENTSO-E terminology these approximate to PR, SR and TR respectively, although the boundaries are not completely aligned.

The reserve sizing methodology for Frequency Response and STOR is specified by the *Security and Quality of Supply Standard (SQSS)*. Frequency Response is sized to cover the pre-defined largest loss event – currently 1800 MW, corresponding to the loss of half of the anticipated Hinkley Point C capacity. STOR is sized to meet the largest loss requirement and additional capacity beyond that is contracted based on forecast of available production and balancing market conditions and driven mainly by economic aspects. Typically, 2300 MW are contracted for [47,86,87].

Most balancing services are procured via competitive tender, as summarised in Table 4. Frequency response can either be provided as a mandatory service (for power stations  $\geq 100$  MW) or as a commercial service. Both are remunerated both in terms of availability and utilisation [88,89].

A primary difference between system management in Britain and Germany is the Balancing Mechanism. This can be seen as a reserve energy market operated after gate closure. Generators and suppliers can offer to increase or decrease production or consumption for a specified compensation. In the hour between gate closure and delivery, the TSO will accept some of these bids and offers according to expected imbalances in the settlement period, and BRPs' contracted positions are adjusted accordingly.

The introduction of such a reserve energy market is currently discussed in Germany (see Section 4.4.4), where currently only BSPs who have secured bids in the capacity auctions can provide balancing energy. It is also envisaged in the draft of the European Network Code on Electricity Balancing [93,94].

Payment and contract structures for National Grid's balancing services are much less straightforward than the German auction design. Procurement cycles, contract and product lengths are longer which favours BSPs with large generation fleets [95]. It is also suggested that there is over-procurement of balancing power and balancing activity is taken out of the market [96]. However, long-term contracts give the TSO and BSPs an opportunity to hedge risk, might make BSPs bid at lower prices for long-term security, make investment in flexible capacity more attractive [90,97] and are complemented by a balancing energy market (the BM) which efficiently provides short-term flexibility to the system [79].

National Grid has recognised the need to restructure and simplify balancing services to become more accessible, transparent and address changed system needs [98,99]. Both countries have similar shares of availability (2/3) and utilisation payments (1/3) in balancing costs [79].

### 3.3. Imbalance settlement and cost allocation

#### 3.3.1. Cost allocation and imbalance price in Britain

All costs incurred in managing the power system (including reserve availability and utilisation payments, reactive power and black start capabilities, accepted bids and offers in the balancing mechanism and the TSO's internal costs) are socialised via the *Balancing Services Use of System (BSUoS)* charge. This is paid by every supplier and generator pro rata. It is calculated for each settlement period by dividing the costs incurred by the amount of electricity consumed and fed in during the period [51]. Fixed costs like availability payments are spread across the year. This gives a price per MWh for system services, which is multiplied by the amount of electricity fed in or consumed by each party to calculate their charge for that period.

Since the Electricity Balancing Significant Code Review (EBSCR) of 2014/2015 [100], the imbalance price aims to reflect the marginal costs caused by energy imbalances (excluding other factors such as constraint management) and the scarcity of generating capacity [73].



**Table 4**  
Balancing market design in Britain; based on: [90–92].

	Frequency Response	Fast Reserve	STOR
<b>Tender timing</b>	monthly	monthly	3 times a year
<b>Tenderable period</b>	1 – 23 months	1 month – 10 years	1 season up to 2 years
<b>Availability windows</b>	at least 2 h for at least 1 month (recommended)	06:00–23:30 plus additional windows	ca. 07:00–14:00 and 16:00–22:00
<b>Minimum bid size</b>	± 10 MW ( ± 1 MW from Apr – 2017)	+ 50 MW	+ 3 MW
<b>Pooling of capacity</b>	allowed	ongoing trial	allowed
<b>Price components</b>	capacity & energy	capacity & energy	capacity & energy
<b>bid selection</b>	cost benefit analysis	cost benefit analysis	cost benefit analysis
<b>Commitment</b>	energy price merit order	energy price merit order	energy price merit order
<b>Remuneration</b>	pay as bid (capacity and energy)	pay as bid (capacity and energy)	pay as bid (capacity and energy)

**Table 5**  
Balancing costs for wind and solar reported in the literature.

Study	Context	Energy Penetration	Balancing Costs
<b>Gross [20]</b>	Various countries, 2006, model	VRE up to 20%	£2–3/MWh
<b>Heptonstall [21]</b>	Various countries, 2016, model	VRE up to 30%	£0–5/MWh
		50% VRE in UK/Ireland	£15–45/MWh
<b>Sijm [102]</b>	Various countries, 2014, model	VRE up to 30%	€1–6/MWh
<b>Holtinen [23]</b>	In thermal systems, 2013, model	Wind, up to 20%	€2–4/MWh
<b>Holtinen [23]</b>	In hydro systems, 2013, model	Wind, up to 20%	< €1/MWh
<b>Pudjianto [107]</b>	Various EU countries, 2013, model	PV, 2–18%	€0.5–1/MWh
<b>Hirth [22]</b>	Various countries, 2015, model	Wind to 40%, Solar to 30%	€0–6/MWh
<b>Hirth [22]</b>	Various Countries, 2015, historic (market data)	Wind up to 17%	€0–13/MWh
<b>Hirth [22]</b>	Historic (market data), 2015	Wind (8–10% In Germany)	€1.7–2.5/MWh
<b>Holtinen [23]</b>	Historic (market data), 2013	Wind (24% in Denmark)	€1.4–2.6/MWh
		Wind (16% in Spain)	€1.3–1.5/MWh

The settlement of imbalances is not maintained to recover costs but solely to incentivise BRPs to be in balance (see Appendix I for details of the British settlement). Historically, short BRPs (generating less or consuming more energy than contracted) paid the *System Buy Price* and long BRPs received the *System Sell Price* and these differed [101]. In November 2015, a single price system was established, i.e. short balancing groups pay the same price that long balancing groups receive [100]. This aims to reduce costs for small parties which are unable to influence the system imbalance and whose imbalances over longer periods usually average zero [47,51,101].

### 3.3.2. Cost allocation and imbalance price in Germany

While the costs for availability (capacity payments) are allocated among consumers via grid fees, utilisation payments are recovered through the imbalance costs that every BRP pays (or receives) for being out of balance [35]. The imbalance price is calculated by dividing the TSO's net costs to utilise balancing power by the net balancing energy in each ¼ hour [34]. Some caveats to this calculation are given in Appendix I. Germany follows a single price system [83].

## 3.4. Balancing Costs of VRE generation

### 3.4.1. Impact of VRE plant on reserve requirements

VRE plants cause balancing costs due to output forecasting errors which must be offset by operating dedicated reserve or peaking plants. Many studies find that balancing costs should rise with wind penetration because of increased reserve requirements, with a wide range of estimates given [22,23]. Reasons include differences in sizing methodologies and other power system characteristics, and primarily the different timescales of uncertainty assumed. Reserves must be substantially larger if used to offset day-ahead forecast errors rather than errors of forecasts 1 h before real time (gate closure in many electricity markets).

Several meta-studies report an increase of secondary and tertiary

reserves by 2–11% of installed wind capacity up to penetration levels of 20%, while primary reserves remain unaffected since they are mainly determined by the largest contingency [23,68,102]. One industry approximation is the “3+5 rule”: reserves equalling 3% of demand plus 5% of wind generation [103].

Increased reserve requirements do not necessarily imply investment in new reserve capacity, as plant which formerly provided energy could be used for reserve services [23]. Downward reserves in particular are reported to be used more frequently with higher VRE penetration, but such reserves could be provided by curtailing excess wind power while still keeping curtailment at 1% or less of total wind energy [102,103].

### 3.4.2. Factors determining balancing costs

The magnitude of VRE forecast errors is a primary driver for the size of balancing costs. Key factors in the size of these errors are:

- the installed VRE capacity;
- the accuracy of forecasting tools;
- the time horizon of forecasting [104];
- the mix of VRE technologies (e.g. if PV has lower forecast errors than wind); and
- the geographic spread of VRE plants (as a larger area yields less correlated outputs and errors, and thus smaller aggregated errors) [20].

Several other factors influence balancing costs [22]:

- The correlation of VRE forecast errors with load forecast errors and other imbalances;
- The flexibility of the residual plant mix (e.g. flexible hydro can provide lower cost balancing than large coal units) [105,106];
- The design and liquidity of intraday and balancing markets; and
- What costs are rolled into the study: some include only the costs of reserves while others also include costs of intraday trading and




Fig. 12. Socialised annual system operation costs in Germany; values for PC, SC & TC are capacity payments only; data: [11,41,42,46,82].




Fig. 13. Size of the German balancing capacity and energy markets; data: [11,42,46,82,83].

portfolio management [10].

### 3.4.3. Balancing cost estimates

Table 5 lists several estimates of the balancing costs imposed by VRE generation, with more detail given in Appendix C.

Balancing costs are relatively low even at higher penetration levels up to 40% of electricity demand. Estimates for grid-related integration costs are also modest, typically single-digit €/MWh [22], which suggests that the flexibility already built into power systems to cope with demand and generation uncertainty will accommodate the additional uncertainty from a significant VRE share [108,109]. However, integrating higher levels of VRE (e.g. > 50% of demand) will require transformation of the power system with large scale deployment of alternative flexibility options such as demand-side management (DSM) and storage to maintain cost efficiency [108,110,111] as well as transformation of power markets to provide and remunerate short-term flexibility sufficiently [84,112,113].

It is also important to note that while most VRE integration literature focusses on balancing costs [114], these make up a smaller part of energy bills than costs of grid infrastructure. In Britain combined balancing and constraint costs account for 1–1.5% of bills [112,115], whereas grid infrastructure accounts for about 15% [48]. Similarly, system operation costs made up 1% of Germany’s residential retail

electricity price in 2015 (0.31 of 29.80ct/kWh) [19]. For context, electricity production costs made up 40% of domestic electricity bills in Britain in 2015 and 46% in Germany in 2015 (including renewable support) [40,116].

### 3.5. Recent developments of balancing costs

#### 3.5.1. Germany

The socialised costs of ancillary services in Germany have reduced significantly between 2007 and 2014, mainly due to balancing costs falling despite VRE capacity tripling [19] (Fig. 12). However in 2015 they reached their highest value in the last decade due to increasing grid congestion. While decreasing in 2016, total costs were still 26% higher than in 2010.

Fig. 13 shows the absolute size of German balancing markets,<sup>7</sup> which has fallen 72% between 2010 and 2016. Capacity payments form about 2/3 of the market, the bulk of which are for SC reserves.

Total balancing costs and contracted reserve capacities have fallen due to recent developments in German balancing markets. The four TSOs are increasing cooperation, merging the four balancing areas into one and working with European neighbours to apply imbalance netting; reformed regulation improved competition and efficiency in the balancing market, and intraday liquidity has increased [35,68].

#### 3.5.2. Britain

In Britain, the BSUoS charges (which recover all system operation costs) have constantly increased in recent years, from £746 m in 2010 to £1207 m in 2016 (+62%) whilst VRE capacity has quadrupled (Fig. 14)<sup>8</sup>.

The right panel of shows the market size of the balancing market in Britain, which has been reducing gradually since 2013. Frequency response constitutes the bulk of costs, unlike in Germany, where the share of analogous PC reserves is much smaller. This is partly because Britain is an island system that cannot share reserves over a wider synchronous area [118], and also because the characteristics of British frequency response overlap with SC reserves to some extent.

The average BSUoS price has quadrupled over the last 15 years to £2.47/MWh during summer 2016 (Fig. 15). This energy-weighted average is increasing by £0.16/MWh a year; a trend which precedes the

<sup>7</sup> 2016 numbers for reactive power, black start and losses were not available at the time of writing, and so were estimated to remain the same as 2015 values.

<sup>8</sup> Fast Reserve: availability & utilisation excluding bids and offer acceptances in the Balancing Mechanism; STOR: availability & utilisation; Frequency Response: availability only.





Fig. 14. Total BSUoS charges with and without constraint costs (left), and total size of the Balancing Market (right) in Britain; data: [1,50,60,117].




Fig. 15. Six-month rolling average for the BSUoS price in Britain weighted by demand, wind and solar output; data: [57,117].




Fig. 16. Monthly balancing costs in Britain, showing the six-month rolling average; data: [50].

development of VRE capacity. Wind output is correlated with higher BSUoS costs and solar with lower costs; when weighted by wind output the average cost is 17% above the energy-weighted average, and the solar-weighted average is 23% lower. These are diverging as VRE capacity rises: the spread between wind- and solar-weighted BSUoS charge is increasing by 6.5% points per year. June 2017 recorded the highest balancing costs on record: £3.68/MWh time-weighted; £4.44/MWh wind-weighted and £3.17/MWh solar-weighted.

PC and frequency response reserves are sized according to the




Fig. 17. Monthly contracted STOR capacity, Fast Reserve and Frequency Response requirements in Britain, showing the percentage change over the period from linear regression; data: [50].

largest generator that could be lost, which is usually a nuclear plant [71,118]. It is argued that these costs should be allocated to those who cause them [68], which would act as a strong disincentive to build ever-larger units (such as Hinkley Point C). National Grid expects that by 2030 primary frequency response requirements will have increased to 3–4 times the level of 2015, mainly due to new-build nuclear increasing the largest infeed loss [119]. Strbac estimates that reducing the largest generator from 1800 to 500 MW lowers VRE system integration costs by 44% due to lower frequency response requirements and thermal must run [110].

A look at the monthly balancing costs in Britain reveals a mixed picture. The total costs of STOR, Fast Reserve and Frequency Response have decreased by 6% (Fig. 16). The trend over the whole period saw the cost of frequency response and fast reserve rise by 5% and 26% respectively, while the cost of STOR fell by 40%; however, it should be noted that these costs have all reverted to their pre-2012 levels in recent months [50].

Fig. 17 shows that the contracted capacity of STOR has varied over a wide range while gradually increasing. The volume of fast reserve has increased, while frequency response has decreased [50].

Fig. 18 shows that holding volumes of mandatory frequency response provided by large thermal stations decreased by 50%, while volumes of commercial frequency response increased by 26%. The cost of procuring mandatory frequency response decreased by 62% while costs of commercial response have increased by 72%. Declining mandatory response volumes might reflect the retirement and lower




Fig. 18. Monthly frequency Response holding volumes (left) and cost (right) in Britain, showing the three-month rolling average and the percentage change over the period from linear regression; data [50].




Fig. 19. Monthly average availability prices for balancing power in Britain; showing the three-month rolling average and the percentage change over the period from linear regression; FR = Frequency Response; data: [50].

utilisation of coal plants: the share of electricity generated by coal has fallen by three-quarters between 2012 and 2016 whilst half of the capacity (8 plants, 14 GW) has closed down [1,57].

Fig. 19 shows the average price for each service.<sup>9</sup> While prices for Fast Reserve and Commercial Frequency Response have increased, prices of Mandatory Frequency Response and STOR have decreased, the later due to oversupply of STOR capacity because of low spark spreads increasing the attractiveness of balancing markets to generators [96]. Commercial Frequency Response prices vary between £20–45/MW/h while Mandatory Frequency Response prices are mostly between £3–5/MW/h.

Balancing costs per MWh of demand were about 30% higher in Britain than in Germany in 2015, but both are lower than average for Europe [120].

#### 4. Policy options to address balancing costs

Several options exist to reduce balancing costs, which can be classed as [10]:

- (i) improved forecasting,
- (ii) improved spot markets and
- (iii) improved balancing management and markets (including

<sup>9</sup> Prices of Fast Reserve include utilisation payments excluding accepted Bids and Offers.




Fig. 20. Imbalance prices in Germany in the first quarter of 2012 in relation to system imbalance. A positive imbalance indicates a short (undersupplied) system and vice versa; data: [71].

European integration).

We first discuss the potential of (i) and the main mechanism to incentivise BRPs to contribute to it: The imbalance settlement (Section 4.1). (ii) can be seen as the tools BRPs must be given to act on the imbalance settlement's incentives: liquid and refined spot markets (Section 4.2). Finally, we look at (iii), and ways to improve operation (Section 4.3) and design of balancing markets (Section 4.4). The emphasis of this section is on increased balancing activity and responsibility of VRE generators, so other ways to reduce balancing costs such as TSO cooperation or support of storage and DSR are covered in less detail.

##### 4.1. A stricter imbalance settlement

Fig. 20 shows an example of imbalance prices in Germany [71].

##### 4.1.1. Forecasting accuracy

The field of wind output forecast is still evolving, and experts agree that major improvements are possible [121–124]. Halving short-term forecast errors (a few hours ahead) over the next 10 years seems realistic [10], although it is suggested that wind forecasts are now becoming more accurate than demand forecasts [125].

Halving forecast error could reduce integration costs of wind by 42% according to Strbac [110]. Notably, this assumes a forecast error of 15% of installed wind capacity 4 h before real time and proposes a reduction to 10% post 2020 and < 6% afterwards [110]. However, the

IEA reports a mean absolute error (MAE) of 3% of installed wind capacity in Germany for day-ahead forecasts and 1% 1 h ahead of real time [126]. National Grid aims for 3.25–4.75% accuracy in its day-ahead wind energy forecast [127], and German TSO 50 Hz states that actual wind output deviates by 2% (RMSE) from day-ahead forecast [128,129].

Data mining has gained prominence for improving forecast accuracy [130]. Including hub height wind speed and wind farm operational data (in addition to satellite data) into forecasting improves accuracy of output and ramping rates significantly [131]. Such data is often not made available by wind farms due to privacy laws or simply lack of information technology [132]. An obligation for wind farms to share some performance and measurement data with forecast providers, central meteorological institutions or TSOs may be a promising route forwards. However, such forecast improvements need to be incentivised via an efficient imbalance settlement.

#### 4.1.2. The imbalance price: incentive and price signal

A central part of Germany's electricity market reform is to strengthen the obligation of BRPs to uphold commitments, ensuring their *contracted* consumption and generation matches *actual* consumption and generation. This is seen as the essential market mechanism (along with free price formation) to address long-term security of supply and short-term balance of the system. High peak prices in the spot markets and imbalance prices should incentivise a more active management of balancing groups. This would decentralise system management by deferring system balancing responsibilities from the TSO to market participants and thereby fuel competition of different flexibility options. In combination with decreasing technology costs of storage [133], marginal imbalance prices might make combining a wind farm with storage economic to avoid high imbalance charges [134]. BRPs will want to hedge against peak prices and imbalance risk by increasing intraday trading and entering long-term supply and option contracts [34]. Such contracts offer possibilities to remunerate capacity and should thus contribute to long-term security of supply by ensuring that flexible capacity can be financed. Similarly it is argued in Britain that the imbalance price reflects the marginal value of electricity in the power system, signalling to investors what remuneration they can expect for offering flexible capacity [47,51,101,135]. The imbalance price thus serves two purposes: It incentivises balancing activity by BRPs but is also a price signal for investment in new capacity.

Chaves-Ávila compares balancing systems and imbalance settlements in the Netherlands, Belgium, Denmark and Germany, and concludes that average pricing and the single price system in Germany reduce incentives to BRPs to be balanced [136]. Hirth argues the imbalance price in Germany is too much regarded as a vehicle to allocate balancing costs and should be seen as an economic incentive to BRPs to avoid imbalances [68]. Imbalances can be reduced in many ways: by improving forecasting tools, updating forecasts more frequently, trading more actively on intraday markets, shifting from hourly to ¼ hourly scheduling and dispatching assets more accurately [68]. BRPs will deploy and improve such methods only as long as they are provided with a return on investment, which is determined by the *imbalance spread*, the difference between the imbalance price and the spot market price.

For efficient resource allocation, the imbalance price should reflect the marginal costs of deploying balancing power, not the average costs. Operators should therefore introduce either uniform pricing in balancing markets (instead of the current pay-as-bid mechanism) or imbalance pricing based on marginal costs (the energy price of the most expensive reserve deployed). Note that the second approach allows the TSO to receive more revenue than its expenditure.

While Britain has made imbalance prices better reflect marginal balancing costs, several options to change the current German imbalance price formula (based on average costs) are being discussed in

response to a government white paper [34]. Notable among these are the inclusion of capacity payments [137,138] (opposed by ACER [139]), and the use of uniform pricing [93,140]. See Appendix L for more detail.

#### 4.1.3. Passive balancing

BRPs can react to imbalance price signals by deviating deliberately from their schedule to reduce the system imbalance: so-called passive balancing. Hirth argues that passive balancing by BRPs could be a good alternative to a reserve energy market suggested by ACER [68,94,139].

To enable passive balancing, balancing prices or system imbalances have to be published close to real time to allow BRPs to react to price signals [136]. Imbalance prices are published every 1 and 2 min in the Netherlands and Belgium, 30 min after real time in Britain [55], but not until 1 month afterwards in Germany [136].

Chaves-Ávila and van Hulle both promote passive balancing [39,141]. However, the Bundesnetzagentur's stance is ambivalent: One reason for establishing a one price system is that imbalances which benefit the system should not be punished. However, BRPs retain legal obligations to be in balance with their contracted positions [142]. Each balancing area's imbalance as well as combined imbalance across Germany in each ¼ hour is published no later than 15 min afterwards [82]. The Bundesnetzagentur has rejected proposals to publish system imbalances in real time, as it fears this would incentivise passive balancing [93]. Britain's Ofgem has stated that one reason to move to a single imbalance price was to avoid disproportionate efforts by BRPs to balance their positions since this might be uneconomic from a system perspective [47,101].

#### 4.2. Enabling balancing by market participants

Increased liquidity on spot (mainly intraday) markets, gate closure closer to real time and shortening trading intervals can transfer more balancing responsibility from the system operator to market participants and make the balancing process more efficient with more accurate forecasts being available closer to real time [10,126,143].

The main incentive for BRPs to accurately forecast their output comes from the imbalance price. A prerequisite for BRPs to act on these incentives and self-balance is liquid day-ahead and intraday markets [141]. Providing this responsibility will also increase the liquidity of these markets [120]. Shorter trading intervals help to reduce intra-interval imbalances enabling suppliers and VRE generators to better approximate their actual demand/output profile by their contracted profile [68] and thus reduce the need for balancing energy (Fig. 21) [144].

The 2015 solar eclipse across Europe demonstrated the balancing capability of liquid intraday markets. Less than a fifth of the balancing capacity that TSOs had anticipated was utilised, since the timing of the eclipse was precisely known, allowing market participants to trade on the intraday market [34].

In Germany, power can be traded in 1 h as well as in 15 min contracts (the later since 2011) [35,145,146]. In addition to continuous trading, auctions were introduced in 2014, which have proven attractive to small VRE generators and increased intraday volumes [79].

The intraday market volume has grown continuously in the last years (Fig. 22). Intraday schedule changes have increased significantly: from 0.1 million in 2008 (a volume of 20.5 TWh) to 2.8 million (134.9 TWh) in 2015 [40]. One reason for this is the fluctuating feed-in of VRE that is balanced in the intraday market [42].

Intraday markets are a rather new trading platform and remain an active field of research, regarding their design, market participants' behaviours, the interplay with day-ahead and balancing markets, and their increasing importance for balancing fluctuating VRE feed-in [147–150]. Their design needs to be coordinated with the design of day-ahead markets [149] and the imbalance settlement [151] to avoid arbitrage opportunities, as well as with balancing markets to avoid liquidity moving from intraday to balancing markets [93]. Balancing and




Fig. 21. Exemplary trading profiles with 15 and 60 min trading intervals. The area between dashed and solid lines indicates the balancing energy required; reproduced with permission from [144].

intraday approaches of neighbouring markets should be aligned to enable further integration of European markets and cost benefits [152]. A further question is whether continuous trading or discrete auctions are better suited for balancing purposes [148,153]. Genoese shows that the direct selling option in Germany is highly attractive for VRE generators and incentivises more accurate forecasting and clearing of forecast errors by intraday trading [154].

#### 4.3. Improving balancing operation

Options to improve balancing operation mainly relate to reserve sizing and TSO cooperation. Reserves should be sized dynamically since demand for them depends on instantaneous conditions of the power system. Adjusting the size of contracted balancing power according to system needs on a more frequent basis avoids over-procurement of power [139,155–157].

Larger balancing areas allow forecast errors to cancel each other out. In 2009–10, following an investigation by the Bundesnetzagentur into balancing efficiency, the four German TSOs established a co-operation called "Netzregelverbund" or *Grid Control Cooperation (GCC)*, which integrated their four balancing areas into one, with joint reserve sizing and activation [68,83]. TSO cooperation is viewed as essential to integrate larger amounts of VRE [103]. Four stages of increasing co-operation can be distinguished: (i) imbalance netting, (ii) common

reserve dispatch, (iii) common reserve procurement and (iv) common reserve sizing. The EU intends to harmonise and integrate balancing markets of its member states, led by the Association of European Energy Regulators (ACER) and TSOs (ENTSO-E). The benefits from integrating European balancing markets are estimated at £1.3–2.7bn per year [158].

Bottom-up initiatives such as the *International Grid Control Cooperation (IGCC)* have already emerged and proven highly beneficial at the stage of imbalance netting [40,159,160] and advanced integration can provide further benefits [120,157,161–164].

#### 4.4. Open balancing markets to VRE

The bulk of reserve capacity and energy is provided by large fossil and hydro plants [71]. Competitive and transparent balancing markets require barriers to be removed for new providers of balancing power. More frequent auctions (e.g. daily) and shorter lengths of balancing products (e.g. 1 h) would allow more and alternative providers such as demand side response (DSR), storage and VRE to participate in balancing markets [34,40,68,165–168]. This provides additional revenue streams for these providers and should also make balancing markets more competitive and efficient, thereby reducing costs.

We first focus on technical and economic aspects of VRE providing balancing power (Sections 4.4.1 and 4.4.2), then discuss system benefits of such provision (Section 4.4.3) and existing market barriers (Section 4.4.4).

##### 4.4.1. Technical capabilities

Wind farms are well-equipped to provide balancing power due to their ability to change output very quickly over a wide range without increasing maintenance costs significantly. In contrast, ramping thermal plants is often restricted by high minimum stable generation, limited ramping rates and thermal fatigue [68,119,169].

Wind and solar farms already meet most requirements for frequency support, reactive power and some system restoration services as prescribed in grid codes. Where enhanced capabilities are required, technological solutions exist (fast, reliable communication and controllers) but are not economic in current market frameworks [170]. Costs for installing the necessary hardware to provide frequency support are negligible (below 1% of turbine capital costs), but opportunity costs can be high.

Pilot projects have shown the capability of wind farms to provide balancing services with high reliability: downward SC in Belgium [169], and TC in Germany [171]. In a two-year pilot with the four German TSOs, a pool of two wind farms (89 MW) qualified for provision of 60 MW negative TC capacity [172]. In Denmark wind farms are




Fig. 22. Intraday trading volumes and schedule changes in Germany; data: [42].

already actively participating in balancing markets providing negative balancing energy to increase their revenue [39,173].

A particular challenge for wind farms providing reserve capacity and energy is quantifying the capacity that can be offered and the utilised reserve energy. Probabilistic forecasting enables wind parks to offer balancing power with the same reliability as conventional providers [174]. The share of forecasted feed-in (in terms of capacity) that can be offered using this method can be increased with shorter forecast horizons, shorter product lengths and pooling of wind farms. The quantification of delivered reserve energy is more challenging, with solutions that either have insufficient accuracy to meet current standards or impose high opportunity costs [170,174]. See Appendix M for more detail.

Inertia is another critical area. Large thermal synchronised generators dampen the rate of change of frequency (RoCoF) of the system during contingencies such as losing a plant, passively through the mechanical inertia of their rotating turbine mass. Where wind is connected by power electronics to the system it does not contribute to system inertia at present. System inertia is falling with more wind farms going online and large coal and nuclear stations retiring, making frequency changes more rapid and difficult to manage [84,109]. This issue is more emphasised in the debate in Britain than Germany, since the effects are more significant in islanded systems than large interconnected systems [118]. However, with appropriate frequency controllers wind plant could provide fast frequency response similar to that of conventional plant [118].

#### 4.4.2. Opportunity costs and coordination with subsidies

Providing positive reserve would require wind plants to continually limit their output, resulting in high opportunity costs. Therefore most studies argue that only provision of negative reserve would be economic [68,169,175]; however, this changes at times when prices are negative [173]. Since 2014, German RES subsidies cease when wholesale prices are negative for at least 6 consecutive hours [176], meaning provision of positive reserve capacity would have zero opportunity costs for a wind farm. Strbac argues there could be other system conditions when the marginal value of reserve would be higher than the marginal value of energy [110]. National Grid is considering new service provision arrangements to incentivise VRE generators to de-load constantly to offer frequency response [119].

Hirth argues that providing negative reserve comes at zero opportunity costs for wind farms, but does not for thermal generators when market prices cannot cover their operational expenses but they must still operate at their minimum stable generation plus the offered reserve capacity [68]. In addition to providing reserve *availability*, the opportunity costs of *utilising* that capacity must also be considered. If VRE generators receive subsidies per MWh fed into the grid, as in Britain and Germany, they lose subsidies when their negative reserve capacity is utilised. Furthermore, if output is curtailed that had not been sold beforehand, the farm loses the payments for this output via the imbalance settlement.

This structure of opportunity costs for VRE generators providing balancing reserves suggests that their most attractive option might be offering downward reserve capacities which are rarely utilised, i.e. SC and TC reserves. In 2014 Germany used only 7–8% of the SC and TC reserve volume tendered [35]. Enabling VRE generators to provide these reserves instead of fossil plant would also replace more fossil electricity per MW of reserve capacity than in the case of positive reserves. As mentioned before, capacity payments make up 2/3 of overall balancing costs in Germany [83].

In order to make provision of negative reserve economic, either wind farms must be compensated at least by the opportunity cost of foregone subsidy [39,65], or subsidies should be paid for output that was curtailed to provide negative reserve energy [177]. It is argued that a subsidy proportional to energy inhibits VRE generators from providing negative reserve and reduces VRE generators' incentives to be in

balance, and should therefore be avoided or adapted [169,178]. Britain is also discussing whether provision of certain balancing services should be made mandatory for VRE generators, as for large thermal generators [110]. Since only a fraction of the installed capacity would be needed to provide sufficient frequency support, this approach is considered ineffective [118], and would also inhibit innovation and competition [141,167].

#### 4.4.3. Benefits

The provision of balancing services mainly by thermal generators leads to high thermal 'must run': plants avoid turning off as they must provide reserve capacity even if cheaper renewable electricity is available [179]. Therefore, high penetrations of VRE and corresponding emission reductions cannot be achieved without enabling VRE generators to provide balancing services [110,118].

Strbac estimates that wind providing inertia and primary frequency control reduces integration costs by 54% [110], as less part-loaded thermal plant is needed to provide these services and subsequently more renewable energy can be accommodated, allowing higher VRE utilisation. Teng shows that provision of synthetic inertia by wind plants in a Britain power system with 60 GW wind reduces system costs by a factor of 10 [118]. Jansen shows SC costs would be reduced by 24% in Germany if wind could provide it [180].

The system benefit of wind providing downward reserve is especially high in times of low demand and high wind output [175]. Provision of upward reserve by wind plants is argued to reduce system operation cost, even if it is remunerated at the lost opportunity cost [181]. Participation of wind plants in balancing markets, actively or passively, would also increase operational efficiency since it improves communication and coordination between system operators and VRE generators [39].

Opening balancing markets to smaller and alternative providers also offers revenue streams for important flexibility technologies like storage and demand side response. Furthermore, a larger number of providers increases competition in the balancing markets and should thus improve efficiency [40].

#### 4.4.4. Market barriers

While VRE technologies have sufficient capabilities to provide balancing power, barriers to market participation remain due to inadequate market design [177]. These prevent "non-discriminatory, fair, objective, transparent, market based and economically efficient" procurement as demanded by ACER [182]. Three market reforms are mainly discussed to eliminate these barriers [68]:

- (i) changing the procurement regime: shorter lead times and product lengths, smaller minimum bid sizes, allowing pooling;
- (ii) an energy only market for reserve energy with gate closure close to real time; and
- (iii) passive balancing.

Balancing reserves are often procured several days to weeks in advance (even years in Britain), for time periods of several hours to months (Table 3 and Table 4 above). For such time horizons, the uncertainty and variability of wind resources is usually too high: the size of forecast errors and variation of feed-in capacity mean only a small share of VRE output can be reliably offered as reserve energy. Calendar day procurement and hourly product lengths for all three kinds of reserve have been proposed in Germany [140]. Elia suggest daily procurement and 4 h blocks of SC reserves to enable wind participation; estimating that individual farms could go from offering just 1–65% of their in-feed as downward balancing when moving from monthly to daily procurement [169].

Positive and negative reserves should be procured separately to enable more providers to compete [79,173,183]. Minimum bid sizes should be reduced as far as possible to enable smaller plant to

participate [165,182,184]. Pooling wind farms to provide balancing services should be enabled, since it reduces uncertainty of the output due to geographical smoothing. Furthermore, harmonisation and integration of balancing markets should be increased to enable cross border participation and sharing of resources [183]. The lack of clear specifications and requirements by TSOs is an obstacle to wind farms enhancing their technical capabilities to provide ancillary services [170]. Pay as bid remuneration instead of uniform pricing of products can consolidate market power: It incentivises participants to bid as close as possible to the estimated marginal price, thus disadvantaging small players with less capabilities to forecast these prices [185].

The German government has initiated reforms of balancing markets addressing some of the issues above [34] (see Appendix K for further details) and National Grid has started a process to reform the procurement system of balancing services in Britain which currently still blocks alternative providers to participate [99]. Chaves-Ávila argues that procurement of reserves via organised markets is more transparent than bilateral contracting, and that Britain's transparency could be increased if some of National Grid's many balancing schemes were merged and opened to alternative providers [39].

On the other hand, National Grid reduced the minimum bid size for frequency response to 1 MW [186], and wind farms actively participate in the Balancing Mechanism – thus realising the balancing energy market envisioned by ACER, which is currently absent in Germany. Regulation in Britain seems to be more favourable towards passive balancing than in Germany; however, it is not actively encouraged in either market (Section 4.1.3).

#### 4.5. Are balancing costs externalities?

In Germany and Britain most VRE generators have to sell their power on the wholesale market to participate in subsidy schemes [187–189] (see Appendix J), and have the same balancing responsibilities as other market participants. The obligation for new VRE plants to sell their output directly (as opposed to the TSO having to sell it) is seen as the first step towards greater exposure of VRE to market signals in Germany [154,176,190]. A goal of policy is to incentivise VRE generators to adjust their positions through trading in the spot markets, reducing the use of more expensive balancing reserves by the TSO after gate closure [191,192]. The European Commission advises that VRE should bear balancing responsibilities and recommends establishing liquid intraday markets to enable them to be in balance with their contracted positions. Furthermore, their costs from balancing responsibility should be considered when assessing the optimal level of support [193,194]. ENTSO-E states RES producers should be bound by the same duties and responsibilities as all other electricity generators. Providing incentives for RES producers to correctly forecast their feed-in and hedge their volatility improves system security and economic efficiency [177,195]. Britain's recent imbalance price reform already seems to have increased some VRE generators' balancing activity [196]. Due to the higher ratio of their imbalances to their output, VRE are more exposed to uncertainty and imbalance risk than conventional generators [197,198]. Rather than focusing on system operation cost, ongoing grid fee reforms in Britain and Germany aim at allocating transmission grid investments to some extent with distributed generation, due to increased power flows from distribution to transmission grids and perceived market distortions caused by exemption of distributed generators from transmission grid charges [199,200].

Increased responsibility for, and contribution to, system balancing has been required from German wind farms in the form of obligatory capabilities to handle a wider range of grid frequencies (47.5–50.2 Hz) [201] and the ability to monitor and control output remotely [202]. Since 2012, wind farms in the wholesale market are allowed to provide balancing power, and can earn prices on the spot market above their strike price. This increases wind generators' exposure to the market value of their output, giving the incentive to produce a less fluctuating

output profile using advanced wind turbine design [34,203].

Despite VRE having the same balancing responsibilities, it is argued that the imbalance settlement regime may not be cost reflective, as costs are not allocated in a way that who causes these costs also bears them [204]. Around 2/3 of balancing costs (the availability costs of reserves) are socialised in Germany and Britain [79]. While VRE generators pay imbalance charges like all BRPs, part of the balancing costs they cause is socialised in form of higher grid fees and imbalance prices for all participants [105]. However, cost allocation based on causation may be impossible, or associated with high transaction costs due to the complexity of interactions in the electricity system [143], so reforms to make the imbalance settlement more cost reflective will always have some shortcomings.

## 5. Conclusions

This paper examined recent developments of short-term integration costs of variable renewable energy (VRE) sources, congestion management and balancing costs, in Britain and Germany. Congestion management costs have increased recently in both countries to unprecedented levels. In Germany, these costs are dominated by compensation payments to wind farms for curtailment, whereas in Britain the costs for redispatch of gas plants make up the bulk of costs. Ongoing and planned major grid upgrades are expected to relieve congestion to a large extent in both countries. We show that 4.4% of German and 5.6% of (metered) British wind energy was curtailed in 2016, a total of 4.65 TWh. This energy cost €426 m to curtail, and could have saved approximately 2.1 MT of CO<sub>2</sub> if it had been utilised.<sup>10</sup>

Balancing costs have stayed constant in Britain and have decreased in Germany, despite VRE capacity increasing five-fold and two-fold respectively. This goes against most modelling studies which predict an increase of reserve requirements and costs with increasing VRE penetration levels. This supports the hypothesis that significant flexibility already exists in these systems, and so accommodating more intermittent renewable output can be managed by improved system operation without necessarily raising costs.

Three policy goals should be pursued to enable and incentivise such improved system operation by system operators as well as market participants:

- i) a stricter imbalance settlement,
- ii) refined and more liquid intraday trading, and
- iii) transparent, competitive and liquid balancing markets.

The first is discussed in Germany and already practiced in Britain, and will incentivise more accurate forecasting and better portfolio management by VRE generators as well as suppliers. The second has been facilitated in Germany by a move to 15-min trading and moving gate closure to 30 min before real time, Britain still has half hourly trading intervals and gate closure 60 min before real-time.

The German balancing market was reformed in 2011 to improve transparency and competition. Since then prices and absolute costs have fallen. Further reforms are enabling more potential providers of balancing power, in particular VRE generators to participate. Wind turbines have sufficient capability to provide all three kinds of control power reserves, but if prevented from doing so, VRE output will have to be suppressed by must-run fossil stations providing reserves. Therefore rearranging balancing power procurement to enable VRE participation is necessary to reduce both costs and carbon emissions. The costs and benefits of making specific services mandatory or voluntary have to be weighed up.

Britain should move to a balancing system with shorter product

<sup>10</sup> Assuming carbon intensities of 470 kg/MWh in Germany and 350 kg/MWh in Britain.



lengths and more frequent auctions instead of tenders. This could also help the system operator to merge products and improve transparency and accessibility of balancing markets. The short-term balancing energy market suggested by ACER is already in place in Britain while Germany lacks such a market. Harmonisation and integration of European balancing markets as well as bottom-up TSO cooperation help to reduce balancing costs and should be pursued further.

In summary, integrating large amounts of wind energy into power systems has not proven to be the major impediment that was once feared. System operators are managing this integration better than expected, but there is plenty of scope for countries to still learn from one another.

## Acknowledgements

We thank Alex Coulton (Low Carbon Contracts Company), Eamonn Bell (RenewableUK), Phil Heptonstall and Rob Gross (Imperial College London), Dimitri Pescia (Agora Energiewende), Joachim Nick-Leptin (BMW), Wilhelm Appler (50 Hz), Sebastian Just (Aurora Energy Research) and Graeme Cooper (Fred. Olsen Renewables), for participating in interviews for this project and offering us their valuable insights and perspectives. We thank Lion Hirth, Fabian Ocker, Sebastian Just and Consentec for generously granting permission to use figures and data from their publications. We thank Robert Staffell for proof reading and error checking.

IS was supported by the Engineering and Physical Sciences Research Council (EPSRC) via the project “Maximising the Carbon Impact of Wind Power” (EP/N005996/1).

The views and opinions expressed in this paper are solely those of the authors, and do not necessarily reflect their organisations.

## Appendix A. Supporting information

Supplementary data associated with this article can be found in the online version at <http://dx.doi.org/10.1016/j.rser.2018.01.009>.

## References

- [1] Department for Business, Energy & industrial strategy. Energy trends, <https://www.gov.uk/government/collections/energy-trends> [Accessed 19 June 2017]; 2017.
- [2] Federal Statistical Office Germany. Gross electricity production in Germany from 2014 to 2016, <https://www.destatis.de/EN/FactsFigures/EconomicSectors/Energy/Production/Tables/GrossElectricityProduction.html> [Accessed 19 August 2017]; 2017.
- [3] Federal Ministry for Economic Affairs and Energy, 2015. The energy of the future: fourth “energy transition” monitoring report – summary. Federal Ministry for Economic Affairs and Energy. Available online at: <http://www.bmwi.de/English/Redaktion/Pdf/vierter-monitoring-bericht-energie-der-zukunft-kurzfassung,property=pdf,bereich=bmwi2012,sprache=en,rwb=true.pdf> [Accessed 4 October 2016].
- [4] Committee on Climate Change, 2014. Power sector scenarios for the fifth carbon budget. Committee on Climate Change. Available online at: <https://documents.theccc.org.uk/wp-content/uploads/2015/10/Power-sector-scenarios-for-the-fifth-carbon-budget.pdf> [Accessed 4 October 2016]; 2015.
- [5] European Council. European Council Conclusions 23/24 October, 2014. European Council. Available online at: [http://www.consilium.europa.eu/uedocs/cms\\_data/docs/pressdata/en/ec/145397.pdf](http://www.consilium.europa.eu/uedocs/cms_data/docs/pressdata/en/ec/145397.pdf) [Accessed 4 October 2016].
- [6] European Commission, 2014. Communication from the commission to the European parliament, the council, the European economic and social committee and the committee of the regions - a policy framework for climate and energy in the period from 2020 to 2030. European Commission. Available online at: <http://eur-lex.europa.eu/legal-content/EN/TEXT/PDF/?Uri=CELEX:52014DC0015&from=EN> [Accessed 4 October 2016].
- [7] European Commission. Communication from the commission to the European parliament, the council, the European economic and social committee and the committee of the regions - Launching the public consultation process on a new energy market design. European Commission. Available online at: [https://ec.europa.eu/energy/sites/ener/files/documents/1\\_EN\\_ACT\\_part1\\_v11.pdf](https://ec.europa.eu/energy/sites/ener/files/documents/1_EN_ACT_part1_v11.pdf) [Accessed 4 October 2016]; 2015.
- [8] Knopf B, Nahmmacher P, Schmid E. The European renewable energy target for 2030 – an impact assessment of the electricity sector. Energy Policy 2015;85:50–60.
- [9] IEA. Medium-Term Renewable Energy Market Report 2016. IEA. Available online at: <https://www.iea.org/newsroom/news/2016/october/medium-term-renewable-energy-market-report-2016.html> [Accessed 12 November 2016]; 2016.
- [10] Fuerstenwerth D, Pescia D, Litz P. The integration cost of wind and solar power. Agora Energy 2015 [Available online at]. [https://www.agora-energiewende.de/fileadmin/Projekte/2014/integrationskosten-wind-pv/Agora\\_Integration\\_Cost\\_Wind\\_PV\\_web.pdf](https://www.agora-energiewende.de/fileadmin/Projekte/2014/integrationskosten-wind-pv/Agora_Integration_Cost_Wind_PV_web.pdf) [Accessed 4 June 2016].
- [11] Arbeitsgruppe Erneuerbare Energien-Statistik. Zeitreihen zur Entwicklung der erneuerbaren Energien in Deutschland. Federal Ministry for Economic Affairs and Energy. Available online at: [http://www.erneuerbare-energien.de/EE/Redaktion/DE/Downloads/zeitreihen-zur-entwicklung-der-erneuerbaren-energien-in-deutschland-1990-2015.pdf?\\_blob=publicationFile&v=6](http://www.erneuerbare-energien.de/EE/Redaktion/DE/Downloads/zeitreihen-zur-entwicklung-der-erneuerbaren-energien-in-deutschland-1990-2015.pdf?_blob=publicationFile&v=6) [Accessed 19 June 2017].
- [12] National Audit Office. Nuclear power in the UK. National Audit Office. Available online at: <https://www.nao.org.uk/wp-content/uploads/2016/07/Nuclear-power-in-the-UK.pdf> [Accessed 6 September 2016]; 2016.
- [13] Chatterton R, Olsen J. Clean energy investment. Carbon Mark Paris Agreeem 2016.
- [14] Department for Business, Energy & Industrial Strategy. Electricity Generation Costs. Available online at: <https://www.gov.uk/government/publications/beis-electricity-generation-costs-november-2016> [Accessed 12 January 2017]; 2016.
- [15] Henning HM, Palzer A. A comprehensive model for the German electricity and heat sector in a future energy system with a dominant contribution from renewable energy technologies - Part I: methodology. Renew Sustain Energy Rev 2014;30:1003–18.
- [16] Pfenninger S, Keirstead J. Renewables, nuclear, or fossil fuels? Scenarios for Great Britain's power system considering costs, emissions and energy security. Appl Energy 2015;152:83–93.
- [17] Jacobson MZ, Delucchi MA, Bazouin G, Bauer ZAF, Heavey CC, Fisher E, et al. 100% clean and renewable wind, water, and sunlight (WWS) all-sector energy roadmaps for the 50 United States. Energy Environ Sci 2015;8:2093–117.
- [18] Schlandt J. Germany's grid stable amid energy transition. Clean EnergyWire. 20. 10.16. Available online at: <https://www.cleanenergywire.org/factsheets/germanys-electricity-grid-stable-amid-energy-transition> [Accessed 27 June 2017].
- [19] Federal Ministry for Economic Affairs and Energy. Fuenfter Monitoring-Bericht zur Energiewende. Federal Ministry for Economic Affairs and Energy. Available online at: <http://www.bmwi.de/Redaktion/DE/Publikationen/Energie/fuenfter-monitoring-bericht-energie-der-zukunft.html> [Accessed 27 June 2017].
- [20] Gross R, Heptonstall P, Anderson D, Green T, Leach M, Skea J. The costs and impacts of intermittency. UKERC 2006 [Available online at]. <http://www.ukerc.ac.uk/publications/the-costs-and-impacts-of-intermittency.html> [Accessed 6 September 2016].
- [21] Heptonstall P, Gross R, Steiner F. The costs and impacts of intermittency – 2016 update. UKERC 2017 Available online at: <http://www.ukerc.ac.uk/publications/the-costs-and-impacts-of-intermittency-2016-update.html> [Accessed 28 June 2017].
- [22] Hirth L, Ueckerdt F, Edenhofer O. Integration costs revisited – An economic framework for wind and solar variability. Renew Energy 2015;74:925–39.
- [23] Holttinen H, Kiviluoma J, Robitaille A, Cutululis N, Orths A, van Hulle F, et al. Design and operation of power systems with large amounts of wind power. IEA WIND Task 2013;25 Available online at: [http://www.ieawind.org/task\\_25/PDF/HomePagePDF%27s/T75.pdf](http://www.ieawind.org/task_25/PDF/HomePagePDF%27s/T75.pdf) [Accessed 6 August 2016].
- [24] ENTSO-E. TYNDP 2016 Scenario development report. Available online at: <https://www.entsoe.eu/Documents/TYNDP%20documents/TYNDP%202016/rqip/TYNDP2016%20Scenario%20Development%20Report%20-%20Final.pdf> [Accessed 16 July 2017]; 2016.
- [25] Anaya KL, Pollitt MG. The role of distribution network operators in promoting cost-effective distributed generation: lessons from the United States of America for Europe. Renew Sustain Energy Rev 2015;51:484–96.
- [26] Kane L, Ault G. A review and analysis of renewable energy curtailment schemes and Principles of Access: transitioning towards business as usual. Energy Policy 2014;72:67–77.
- [27] Jahn A. Netzentgelte in Deutschland. Agora Energiewende. Available online at: [https://www.agora-energiewende.de/fileadmin/downloads/publikationen/Analysen/Netzentgelte\\_in\\_Deutschland/Agora\\_Netzentgelte\\_web.pdf](https://www.agora-energiewende.de/fileadmin/downloads/publikationen/Analysen/Netzentgelte_in_Deutschland/Agora_Netzentgelte_web.pdf) [Accessed 30 September 2016]; 2014.
- [28] Bundesnetzagentur. Bericht Netzentgeltsystematik Elektrizität. Bundesnetzagentur. Available online at: [https://www.bundesnetzagentur.de/SharedDocs/Downloads/DE/Sachgebiete/Energie/Unternehmen\\_Institutionen/Netzentgelte/Netzentgeltsystematik/Bericht\\_Netzentgeltsystematik\\_12-2015.pdf?\\_blob=publicationFile&v=1](https://www.bundesnetzagentur.de/SharedDocs/Downloads/DE/Sachgebiete/Energie/Unternehmen_Institutionen/Netzentgelte/Netzentgeltsystematik/Bericht_Netzentgeltsystematik_12-2015.pdf?_blob=publicationFile&v=1) [Accessed 6 September 2016]; 2015.
- [29] Ofgem. Open letter consultation on a derogation from Standard Licence Conditions (SLC) 13.1 and 14.15 of the Electricity Distribution Licence. Available online at: <https://tinyurl.com/ybvl59qg> [Accessed 6 September 2016].
- [30] Bundesnetzagentur. Netzentwicklungsplan 2025. Bundesnetzagentur. Available online at: [http://www.netzentwicklungsplan.de/\\_NEP\\_file\\_transfer/NEP\\_2025\\_2\\_Entwurf\\_Teil1.pdf](http://www.netzentwicklungsplan.de/_NEP_file_transfer/NEP_2025_2_Entwurf_Teil1.pdf) [Accessed 6 September 2016].
- [31] Electricity Networks Strategy Group. Major Projects Status Update for Electricity Transmission. Available online at: [https://www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/485791/Major\\_projects\\_status\\_update\\_summary\\_December\\_2015.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/485791/Major_projects_status_update_summary_December_2015.pdf) [Accessed 6 September 2016].
- [32] Bundesnetzagentur. 3. Quartalsbericht 2015 zu Netz- und Systemsicherheitsmaßnahmen. Bundesnetzagentur. Available online at: [http://www.bundesnetzagentur.de/SharedDocs/Downloads/DE/Sachgebiete/Energie/Unternehmen\\_Institutionen/Versorgungssicherheit/Stromnetze/System-u\\_Netzsicherheit/Quartalsbericht\\_Q4\\_2015.pdf?\\_blob=publicationFile&v=1](http://www.bundesnetzagentur.de/SharedDocs/Downloads/DE/Sachgebiete/Energie/Unternehmen_Institutionen/Versorgungssicherheit/Stromnetze/System-u_Netzsicherheit/Quartalsbericht_Q4_2015.pdf?_blob=publicationFile&v=1)

- [Accessed 6 September 2016].
- [33] Bundesnetzagentur. Netzreserve; 2016. [http://www.bundesnetzagentur.de/DE/Sachgebiete/ElektrizitaetundGas/Unternehmen\\_Institutionen/Versorgungssicherheit/Netzreserve/netzreserve-node.html](http://www.bundesnetzagentur.de/DE/Sachgebiete/ElektrizitaetundGas/Unternehmen_Institutionen/Versorgungssicherheit/Netzreserve/netzreserve-node.html) [Accessed 2 September 2016].
- [34] Federal Ministry for Economic Affairs and Energy. An electricity market for Germany's energy transition. Federal Ministry for Economic Affairs and Energy. Available online at: <http://www.bmwi.de/English/Redaktion/Pdf/weissbuch-englisch,property=pdf,bereich=bmwi2012,sprache=en,rwb=true.pdf> [Accessed 6 September 2016].
- [35] Bundesnetzagentur. Monitoring Report 2015. Bundesnetzagentur. Available online at: [http://www.bundesnetzagentur.de/EN/Areas/Energy/Companies/DataCollection\\_Monitoring/MonitoringBenchmarkReport2015/Monitoring\\_Benchmark\\_Report\\_2015\\_node.html](http://www.bundesnetzagentur.de/EN/Areas/Energy/Companies/DataCollection_Monitoring/MonitoringBenchmarkReport2015/Monitoring_Benchmark_Report_2015_node.html) [Accessed 6 September 2016].
- [36] Bundesnetzagentur. Leitfaden EEG-Einspeisemanagement. Available online at: [https://www.bundesnetzagentur.de/DE/Sachgebiete/ElektrizitaetundGas/Unternehmen\\_Institutionen/ErneuerbareEnergien/Einspeisemanagement/einspeisemanagement-node.html](https://www.bundesnetzagentur.de/DE/Sachgebiete/ElektrizitaetundGas/Unternehmen_Institutionen/ErneuerbareEnergien/Einspeisemanagement/einspeisemanagement-node.html) [Accessed 12 January 2017]; 2014.
- [37] ECOFYS. Weiterentwicklung des Einspeisemanagement. Bundesverband Windenergie. Available online at: [https://www.wind-energie.de/sites/default/files/download/publication/studie-weiterentwicklung-des-einspeisemanagements/studie\\_weiterentwicklung\\_einspeisemanagement.pdf](https://www.wind-energie.de/sites/default/files/download/publication/studie-weiterentwicklung-des-einspeisemanagements/studie_weiterentwicklung_einspeisemanagement.pdf) [Accessed 12 January 2017]; 2015.
- [38] Buttler A, Dinkel F, Franz S, Spliethoff H. Variability of wind and solar power – an assessment of the current situation in the European Union based on the year 2014. *Energy* 2016;106:147–61.
- [39] Chaves-Avila JP, Hakvoort RA. Participation of wind power on the European balancing mechanisms. In: Proceedings of the international conference european energy market, EEM; 2013.
- [40] Bundesnetzagentur. Monitoringbericht 2016. Available online at: [https://www.bundesnetzagentur.de/DE/Sachgebiete/ElektrizitaetundGas/Unternehmen\\_Institutionen/DatenaustauschundMonitoring/Monitoring/Monitoringberichte/Monitoring\\_Berichte.html](https://www.bundesnetzagentur.de/DE/Sachgebiete/ElektrizitaetundGas/Unternehmen_Institutionen/DatenaustauschundMonitoring/Monitoring/Monitoringberichte/Monitoring_Berichte.html) [Accessed 13 January 2017]; 2016.
- [41] Bundesnetzagentur. Quartalsbericht zu Netz- und Systemsicherheitsmaßnahmen, Viertes Quartal und Gesamtjahr 2016. Available online at: [https://www.bundesnetzagentur.de/DE/Sachgebiete/ElektrizitaetundGas/Unternehmen\\_Institutionen/Versorgungssicherheit/Netz\\_Systemsicherheit/Netz\\_Systemsicherheit\\_node.html](https://www.bundesnetzagentur.de/DE/Sachgebiete/ElektrizitaetundGas/Unternehmen_Institutionen/Versorgungssicherheit/Netz_Systemsicherheit/Netz_Systemsicherheit_node.html) [Accessed 28 June 2017]; 2017.
- [42] Bundesnetzagentur. Monitoringberichte; 2016. [http://www.bundesnetzagentur.de/cln\\_1431/DE/Sachgebiete/ElektrizitaetundGas/Unternehmen\\_Institutionen/DatenaustauschundMonitoring/Monitoring/Monitoringberichte/Monitoring\\_Berichte.html?Nn=266276](http://www.bundesnetzagentur.de/cln_1431/DE/Sachgebiete/ElektrizitaetundGas/Unternehmen_Institutionen/DatenaustauschundMonitoring/Monitoring/Monitoringberichte/Monitoring_Berichte.html?Nn=266276) [Accessed 19 June 2017].
- [43] Schraa R. Bundesnetzagentur: Stromnetz wächst zu langsam. *finanztreff.de*. 29.12.15. Available online at: <http://www.finanze.de/news/bundesnetzagentur-stromnetz-waechst-zu-langsam/10985312> [Accessed 29 September 2016].
- [44] Oltermann P. Germany takes steps to roll back renewable energy revolution. *The Guardian*. 11.10.16. Available online at: <https://www.theguardian.com/environment/2016/oct/11/germany-takes-steps-to-roll-back-renewable-energy-revolution> [Accessed 12 October 2016].
- [45] Statistisches Bundesamt. Energy supply, water supply, sewerage, waste management and remediation activities, <https://www.destatis.de/EN/FactsFigures/EconomicSectors/Energy/PersonsEmployedTurnoverInvestments/Tables/CostStructure.html> [Accessed 6 September 2016]; 2016.
- [46] Bundesnetzagentur. SMARD - Strommarktdaten, [www.smard.de](http://www.smard.de) [Accessed 16 July 2017]; 2017.
- [47] Competition and Markets Authority. Energy Market Investigation - Appendix 5. 1: Wholesale Electricity Market Rules. Competition and Markets Authority. Available online at: <https://www.gov.uk/cma-cases/energy-market-investigation> [Accessed 6 September 2016]; 2016.
- [48] Competition and Markets Authority. Locational Pricing in the Electricity Market in Great Britain. Competition and Markets Authority. Available online at: [https://assets.publishing.service.gov.uk/media/54eb5da5ed915d0c700010/Locational\\_pricing.pdf](https://assets.publishing.service.gov.uk/media/54eb5da5ed915d0c700010/Locational_pricing.pdf) [Accessed 6 September 2016]; 2015.
- [49] Elxon. Active management of distributed generation. Available online at: [https://www.elxon.co.uk/wp-content/uploads/2015/03/Active-Management-of-Distributed-Generation\\_March\\_2015.pdf](https://www.elxon.co.uk/wp-content/uploads/2015/03/Active-Management-of-Distributed-Generation_March_2015.pdf) [Accessed 6 September 2016]; 2015.
- [50] National Grid. Services Reports; 2017. <http://www2.nationalgrid.com/UK/Industry-information/Electricity-transmission-operational-data/Report-explorer/Services-Reports/> [Accessed 27 June 2017].
- [51] National Audit Office. Electricity Balancing Services. National Audit Office. Available online at: <https://www.nao.org.uk/wp-content/uploads/2014/05/Electricity-Balancing-Services.pdf> [Accessed 6 September 2016]; 2014.
- [52] BP. Statistical Review of World Energy; 2016. <http://www.bp.com/en/global/corporate/energy-economics/statistical-review-of-world-energy.html> [Accessed 5 October 2016].
- [53] National Grid. Grounds for Constraint; 2014. <http://nationalgridconnecting.com/grounds-for-constraint/> [Accessed 4 September 2016].
- [54] Ofgem. Monitoring the 'Connect and Manage' electricity grid access regime. Ofgem. Available online at: [https://www.ofgem.gov.uk/sites/default/files/docs/monitoring\\_the\\_connect\\_and\\_manage\\_electricity\\_grid\\_access\\_regime\\_sixth\\_report\\_from\\_ofgem\\_0.pdf](https://www.ofgem.gov.uk/sites/default/files/docs/monitoring_the_connect_and_manage_electricity_grid_access_regime_sixth_report_from_ofgem_0.pdf) [Accessed 6 September 2016]; 2015.
- [55] Elxon. About Us | BMRS, <https://bmreports.com/bmrs/?Q=help/about-us> [Accessed 10 October 2016]; 2016.
- [56] Variable Pitch. Variable Pitch; 2017. <http://www.variablepitch.co.uk/> [Accessed 27 June 2017].
- [57] Staffell I. Measuring the progress and impacts of decarbonising British electricity. *Energy Policy* 2017;102:463–75.
- [58] National Grid. Connect and Manage; 2015. <http://www2.nationalgrid.com/UK/Services/Electricity-connections/Industry-products/connect-and-manage/> [Accessed 5 September 2016].
- [59] I. Staffell Aggregated and processed Balancing Mechanism data for 2011 – 2017; 2017.
- [60] Department for Business, Energy & Industrial Strategy. Digest of UK Energy Statistics, <https://www.gov.uk/government/collections/digest-of-uk-energy-statistics-dukes> [Accessed 15 November 2016]; 2016.
- [61] Garton Grimwood G, Ares E. Energy: the renewables obligation. House Commons Libr 2016 [Available online at]. <http://researchbriefings.parliament.uk/ResearchBriefing/Summary/SN05870> [Accessed 6 September 2016].
- [62] Department for Energy and Climate Change. ROC banding levels 2013–2017. Available online at: [https://www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/211292/ro\\_banding\\_levels\\_2013\\_17.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/211292/ro_banding_levels_2013_17.pdf) [Accessed 6 September 2016]; 2012.
- [63] Ofgem. Renewables Obligation (RO) buy-out price and mutualisation ceilings for 2017 – 18, <https://www.ofgem.gov.uk/publications-and-updates/renewables-obligation-ro-buy-out-price-and-mutualisation-ceilings-2017-18> [Accessed 27 June 2017]; 2017.
- [64] e-POWER. e-ROC track record; 2017. <http://www.epowerauctions.co.uk/erorecord.htm> [Accessed 27 June 2017].
- [65] National Grid. Managing intermittent and inflexible generation in the Balancing Mechanism. Available online at [Accessed 6 September 2016]; 2011.
- [66] Ofgem. Consultation on the future of the Transmission Constraint Licence Condition. Available online at: <https://www.ofgem.gov.uk/ofgem-publications/100733> [Accessed 8 January 2017]; 2016.
- [67] Zhang Y, Tang N, Niu Y, Du X. Wind energy rejection in China: current status, reasons and perspectives. *Renew Sustain Energy Rev* 2016;66:322–44.
- [68] Hirth L, Ziegenhagen I. Balancing power and variable renewables: three links. *Renew Sustain Energy Rev* 2015;50:1035–51.
- [69] Petrinir JO, Shaaban M. Impact of renewable generation on voltage control in distribution systems. *Renew Sustain Energy Rev* 2016;65:770–83.
- [70] van Hulle F, Pineda I, Wilczek P. Economic grid support services by wind and solar PV - final Publication of the ReserveES Project. EWEA 2014 [Available online at]. <http://www.ewea.org/fileadmin/files/library/publications/reports/REserviceS.pdf> [Accessed 25 October 2016].
- [71] Consentec. Beschreibung von Regelleistungskonzepten und Regelleistungsmarkt. 50Hz, Amprion, Tennet, TransnetBW. Available online at: <https://www.regelleistung.net/ext/static/market-information> [Accessed 6 September 2016]; 2014.
- [72] Elxon A. Beginner's guide to electricity trading arrangements. Available online at: [https://www.elxon.co.uk/wp-content/uploads/2015/10/beginners\\_guide\\_to\\_trading\\_arrangements\\_v5.0.pdf](https://www.elxon.co.uk/wp-content/uploads/2015/10/beginners_guide_to_trading_arrangements_v5.0.pdf) [Accessed 6 September 2016]; 2015.
- [73] Elxon. Imbalance Pricing Guide. Available online at: [https://www.elxon.co.uk/wp-content/uploads/2016/06/Imbalance\\_Pricing\\_guidance\\_v10.0.pdf](https://www.elxon.co.uk/wp-content/uploads/2016/06/Imbalance_Pricing_guidance_v10.0.pdf) [Accessed 6 September 2016]; 2016.
- [74] CEER. How Imbalance Prices works in the GB market. Available online at: [http://www.ceer.eu/portal/page/portal/EER\\_HOME/EER\\_ACTIVITIES/EER\\_INITIATIVES/ERI/France-UK-Ireland/Meetings1/SG\\_meetings/1st\\_France-UK-Ireland\\_SG/DD/How%20Imbalance%20Prices%20Work.pdf](http://www.ceer.eu/portal/page/portal/EER_HOME/EER_ACTIVITIES/EER_INITIATIVES/ERI/France-UK-Ireland/Meetings1/SG_meetings/1st_France-UK-Ireland_SG/DD/How%20Imbalance%20Prices%20Work.pdf) [Accessed 27 October 2016].
- [75] ENTSO-E. ENTSO-E at a glance. Available online at: [https://www.entsoe.eu/Documents/Publications/ENTSO-E%20general%20publications/entsoe\\_at\\_a\\_glance\\_2015\\_web.pdf](https://www.entsoe.eu/Documents/Publications/ENTSO-E%20general%20publications/entsoe_at_a_glance_2015_web.pdf) [Accessed 4 October 2016]; 2015.
- [76] Bundesnetzagentur. Bilanzkreisvertrag. Available online at: [http://www.bundesnetzagentur.de/DE/Service-Funktionen/Beschlusskammern/1BK-Geschaeftszeichen-Datenbank/BK6-GZ/2014/2014\\_0001bis0999/2014\\_001bis099/BK6-14-044/BK6-14-044\\_Bilanzkreisvertrag\\_Konsultationsentwurf\\_.pdf?\\_blob=publicationFile&v=2](http://www.bundesnetzagentur.de/DE/Service-Funktionen/Beschlusskammern/1BK-Geschaeftszeichen-Datenbank/BK6-GZ/2014/2014_0001bis0999/2014_001bis099/BK6-14-044/BK6-14-044_Bilanzkreisvertrag_Konsultationsentwurf_.pdf?_blob=publicationFile&v=2) [Accessed 4 October 2016].
- [77] Bundesnetzagentur. Monitoringbericht 2012. Bundesnetzagentur. Available online at: [http://www.bundesnetzagentur.de/DE/Sachgebiete/ElektrizitaetundGas/Unternehmen\\_Institutionen/DatenaustauschundMonitoring/Monitoring/Monitoringberichte/Monitoring\\_Berichte\\_node.html](http://www.bundesnetzagentur.de/DE/Sachgebiete/ElektrizitaetundGas/Unternehmen_Institutionen/DatenaustauschundMonitoring/Monitoring/Monitoringberichte/Monitoring_Berichte_node.html) [Accessed 26 October 2016].
- [78] Elxon. Initial Physical Notification, <https://www.elxon.co.uk/glossary/initial-physical-notification/> [Accessed 27 October 2016]; 2016.
- [79] ACER. ACER Market Monitoring Report 2015. Available online at: [http://www.acer.europa.eu/official\\_documents/acts\\_of\\_the\\_agency/publication/acer\\_market\\_monitoring\\_report\\_2015.pdf](http://www.acer.europa.eu/official_documents/acts_of_the_agency/publication/acer_market_monitoring_report_2015.pdf) [Accessed 26 October 2016].
- [80] Elxon. Modification P342: Change to Gate Closure for Energy Contract Volume Notifications, <https://www.elxon.co.uk/mod-proposal/p342/> [Accessed 25 October 2016]; 2016.
- [81] ENTSO-E. Continental Europe Operation Handbook. Available online at: <https://www.entsoe.eu/publications/system-operations-reports/operation-handbook/Pages/default.aspx> [Accessed 6 September 2016].
- [82] 50Hz, Amprion, Tennet and TransnetBW. regelleistung.net - Internetplattform zur Vergabe von Regelleistung, [www.regelleistung.net](http://www.regelleistung.net) [Accessed 28 June 2017]; 2017.
- [83] S. Just The German Market for System Reserve Capacity and Balancing Energy. Available online at: [http://www.evl.wiwi.uni-due.de/fileadmin/fileupload/BWL-ENERGIE/Arbeitspapiere/RePEc/pdf/wp1506\\_Just2015TheGermanMarketForSystemReserveCapacityAndBalancing.pdf](http://www.evl.wiwi.uni-due.de/fileadmin/fileupload/BWL-ENERGIE/Arbeitspapiere/RePEc/pdf/wp1506_Just2015TheGermanMarketForSystemReserveCapacityAndBalancing.pdf) [Accessed 6 September 2016].
- [84] Energy Research Partnership. Managing Flexibility Whilst Decarbonising the GB Electricity System. Energy Research Partnership. Available online at: <http://erpub.org/project/managing-flexibility-of-the-electricity-system/> [Accessed 6

- September 2016].
- [85] National Grid. Short Term Operating Reserve Market Information & Tender Round Results; 2017. <<http://www2.nationalgrid.com/UK/Services/Balancing-services/Reserve-services/Short-Term-Operating-Reserve/Short-Term-Operating-Reserve-Information/>> [Accessed 28 June 2017].
- [86] National Grid. NETS Security and Quality of Supply Standard. Available online at: <<http://www2.nationalgrid.com/UK/Industry-information/Electricity-codes/SQSS/The-SQSS/>> [Accessed 12 January 2017].
- [87] Ofgem. National Electricity Transmission System Security and Quality of Supply Standard: Normal Infeed Loss Risk (GSR015). Available online at: <[https://www.ofgem.gov.uk/sites/default/files/docs/2014/12/141203\\_gsr015\\_decision.pdf](https://www.ofgem.gov.uk/sites/default/files/docs/2014/12/141203_gsr015_decision.pdf)> [Accessed 12 January 2017]; 2014.
- [88] National Grid. Firm Frequency Response, FAQs. Available online at: <<http://www2.nationalgrid.com/WorkArea/DownloadAsset.aspx?id=44429>> [Accessed 6 September 2016].
- [89] National Grid. Firm Frequency Response – Service Guide. Available online at: <<http://www2.nationalgrid.com/uk/services/balancing-services/service-guides/>> [Accessed 6 September 2016].
- [90] Proffitt E. Profiting from Demand Side Response. National Grid, Major Energy Users' Council. Available online at: <[http://powerresponsive.com/wp-content/uploads/2016/11/ng\\_meuc-dsr-book.pdf](http://powerresponsive.com/wp-content/uploads/2016/11/ng_meuc-dsr-book.pdf)>; 2016 [Accessed 9 January 2017].
- [91] National Grid. Balancing Services; 2016. <<http://www2.nationalgrid.com/uk/services/balancing-services/>> [Accessed 26 October 2016].
- [92] Harper T, Collins C. Assessing the impact of class on the GB electricity market. Electr North West Ltd 2016 [Available online at]. <<http://www.enwl.co.uk/docs/default-source/class-documents/assessing-the-impact-of-class-on-the-gb-electricity-market.pdf?sfvrsn=4>> [Accessed 26 October 2016].
- [93] Bundesnetzagentur. Festlegungsverfahren zur Weiterentwicklung der Ausschreibungsbedingungen und Veröffentlichungspflichten für Sekundärregelung und Minutenreserve, Eckpunktepapier mit Zusammenfassung der Stellungnahmen; 2016.
- [94] ACER. Annex II to Recommendation of the Agency for the Cooperation of Energy Regulators No 03 /2015 of 20 July 2015 on the Network Code on Electricity Balancing. Available online at: <[http://www.acer.europa.eu/official\\_documents/acts\\_of\\_the\\_agency/pages/annexes-and-supporting-documents-to-the-acer-recommendation-03-2015-on-the-network-code-on-electricity-balancing.aspx](http://www.acer.europa.eu/official_documents/acts_of_the_agency/pages/annexes-and-supporting-documents-to-the-acer-recommendation-03-2015-on-the-network-code-on-electricity-balancing.aspx)> [Accessed 21 January 2017].
- [95] Just S. Appropriate contract durations in the German markets for on-line reserve capacity. *J Regul Econ* 2011;39:194.
- [96] Shuttleworth G, Anstey G. The latest market reforms reduce the apparent need for STOR. *New Power* 2013;55:68–71.
- [97] Buchner J, Frenken R. Towards a sustainable market model. Tennenet 2013 [Available online at]. <[http://www.prodeon.nl/EndReportMarketModel\\_final14052013%5B1%5D.pdf](http://www.prodeon.nl/EndReportMarketModel_final14052013%5B1%5D.pdf)> [Accessed 12 January 2017].
- [98] Energy UK. Ancillary Services Report 2017. Available online at: <<https://www.energy-uk.org.uk/publication.html?Task=file.download&id=6138>> [Accessed 22 July 2017]; 2017.
- [99] National Grid. Future of Balancing Services; 2017. <<http://www2.nationalgrid.com/UK/Services/Balancing-services/Future-of-balancing-services/>> [Accessed 22 July 2017].
- [100] Elexon. P305 - ELEXON, <<https://www.elexon.co.uk/mod-proposal/p305/>> [Accessed 19 October 2016]; 2015.
- [101] Ofgem. Electricity Balancing Significant Code Review - Final Policy Decision. Available online at: <[https://www.ofgem.gov.uk/sites/default/files/docs/2014/05/electricity\\_balancing\\_significant\\_code\\_review\\_-\\_final\\_policy\\_decision.pdf](https://www.ofgem.gov.uk/sites/default/files/docs/2014/05/electricity_balancing_significant_code_review_-_final_policy_decision.pdf)> [Accessed 6 September 2016]; 2014.
- [102] Brouwer AS, van den Broek M, Seebregts A, Faaij A. Impacts of large-scale Intermittent Renewable Energy Sources on electricity systems, and how these can be modeled. *Renew Sustain Energy Rev* 2014;33:443–66.
- [103] GE Energy. Western Wind and Solar Integration Study. NREL. Available online at: <<http://www.nrel.gov/docs/fy10osti/47434.pdf>> [Accessed 6 September 2016].
- [104] Sijm J. Cost and revenue related impacts of integrating electricity from variable renewable energy into the power system - A review of recent literature. ECN 2014 [Available online at]. <<ftp://ftp.ecn.nl/pub/www/library/report/2014/e14022.pdf>> [Accessed 20 May 2016].
- [105] Aurora Energy Research. Intermittency and the Cost of Integrating Solar in the GB Power Market. Solar Trade Association. Available online at: <<http://www.solar-trade.org.uk/intermittency-cost-integrating-solar-gb-power-market/>> [Accessed 20 October 2016].
- [106] Hirth L. The benefits of flexibility: the value of wind energy with hydropower. *Appl Energy* 2016;181:210–23.
- [107] Pudjianto D, Djapic P, Dragovic J, Strbac G. Grid integration cost of photovoltaic power generation. *PV Parity* 2013 [Available online at]. <[http://www.pvparity.eu/fileadmin/PVPARITY\\_docs/public/PV\\_PARITY\\_D44\\_Grid\\_integration\\_cost\\_of\\_PV\\_-\\_Final\\_300913.pdf](http://www.pvparity.eu/fileadmin/PVPARITY_docs/public/PV_PARITY_D44_Grid_integration_cost_of_PV_-_Final_300913.pdf)> [Accessed 6 September 2016].
- [108] Mueller S. The power of transformation [Available online at]. IEA2014 <[https://www.iea.org/publications/freepublications/publication/The\\_power\\_of\\_Transformation.pdf](https://www.iea.org/publications/freepublications/publication/The_power_of_Transformation.pdf)> [Accessed 6 September 2016].
- [109] Royal Academy of Engineering. WIND ENERGY - implications of large-scale deployment on the GB electricity system. RAEng. Available online at: <<http://www.raeng.org.uk/publications/reports/wind-energy-implications-of-large-scale-deployment>> [Accessed 6 September 2016].
- [110] Strbac G, Aunedi M, Pudjianto D, Teng F, Djapic P. The value of flexibility in a decarbonised grid. Committee on Climate Change. Available online at: <<https://www.theccc.org.uk/publication/value-of-flexibility-in-a-decarbonised-grid-and-system-externalities-of-low-carbon-generation-technologies/>> [Accessed 6 September 2016]; 2015.
- [111] Strbac G, Aunedi M, Pudjianto D, Djapic P, Gammons S, Druce R. Understanding the Balancing challenge. DECC 2012 [Available online at]. <[https://www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/48553/5767-understanding-the-balancing-challenge.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/48553/5767-understanding-the-balancing-challenge.pdf)> [Accessed 6 September 2016].
- [112] Druce R, Buryk S, Borkowski K. Making flexibility pay: an emerging challenge in European power market design. NERA Econ Consult 2016 [Available online at]. <[http://www.nera.com/content/dam/nera/publications/2016/PUB\\_Making\\_Flexibility\\_Pay\\_A4\\_0816.pdf](http://www.nera.com/content/dam/nera/publications/2016/PUB_Making_Flexibility_Pay_A4_0816.pdf)> [Accessed 6 November 2016].
- [113] Pöyry Management Consulting. The value of within-day flexibility in the GB electricity market. Available online at: <<http://www.poyry.co.uk/news/poyry-point-view-value-within-day-flexibility-gb-electricity-market>> [Accessed 6 November 2016]; 2014.
- [114] Hirth L, Ueckerdt F, Edenhofer O. Integration costs revisited – an economic framework for wind and solar variability. *Renew Energy* 2015;74:925–39.
- [115] National Grid. BalancingThe Network; 2013. <<http://www2.nationalgrid.com/UK/Our-company/Electricity/Balancing-the-network/>> [Accessed 6 November 2016].
- [116] Ofgem. Understanding the profits of the large energy suppliers, <<https://www.ofgem.gov.uk/electricity/retail-market/retail-market-monitoring/understanding-profits-large-energy-suppliers>> [Accessed 12 January 2017]; 2016.
- [117] National Grid. Balancing Services Use of System; 2016. <<http://www2.nationalgrid.com/bsuos/>> [Accessed 5 September 2016].
- [118] Teng F, Strbac G. Assessment of the role and value of frequency response support from wind plants. *IEEE Trans Sustain Energy* 2016;7:586–95.
- [119] National Grid. System Operability Framework 2015 - UK electricity transmission. National Grid. Available online at: <<http://www2.nationalgrid.com/UK/Industry-information/Future-of-Energy/System-Operability-Framework/>> [Accessed 13 October 2016].
- [120] ACER, CEER. Annual Report on the Results of Monitoring the Internal Electricity Markets in 2015. ACER; CEER. Available online at: <[http://www.ceer.eu/portal/page/portal/EEER\\_HOME/EEER\\_PUBLICATIONS/NATIONAL\\_REPORTS/National\\_Reporting\\_2016/NR\\_En](http://www.ceer.eu/portal/page/portal/EEER_HOME/EEER_PUBLICATIONS/NATIONAL_REPORTS/National_Reporting_2016/NR_En)> [Accessed 20 November 2016]; 2016.
- [121] Jung J, Broadwater RP. Current status and future advances for wind speed and power forecasting. *Renew Sustain Energy Rev* 2014;31:762–77.
- [122] Tascikaraoglu A, Uzunoglu M. A review of combined approaches for prediction of short-term wind speed and power. *Renew Sustain Energy Rev* 2014;34:243–54.
- [123] Fraunhofer IWES. EWELiNE; 2016. <<http://www.projekt-eweline.de/en/index.html>> [Accessed 20 October 2016].
- [124] Mc Garrigue EV, Leahy PG. The value of accuracy in wind energy forecasts. International Conference Environ Electr Eng, IEEEIC:529-533; 2013.
- [125] Evans-Pritchard A. Britain's vast national gamble on wind power may yet pay off. *The Telegraph*. 14.08.16. Available online at: <<http://www.telegraph.co.uk/business/2016/08/14/britains-vast-national-gamble-on-wind-power-may-yet-pay-off/>> [Accessed 13 January 2017].
- [126] Holttinen H, Kiviluoma J, Forcione A, Milligan M, Smith CJ, Dillon J, et al. Design and operation of power systems with large amounts of wind power. IEA WIND Task 2016;25 <[http://www.ieawind.org/task\\_25/PDF/T268.pdf](http://www.ieawind.org/task_25/PDF/T268.pdf)> [Accessed 6 September 2016].
- [127] National Grid. Wind Generation Forecasting; 2015. <<http://www2.nationalgrid.com/UK/Industry-information/Electricity-system-operator-incentives/Wind-Generation-Forecasting/>> [Accessed 26 October 2016].
- [128] Dehmer D. „80 Prozent Erneuerbare sind kein Problem. Der Tagesspiegel. 6.06.16. Available online at: <<http://www.tagesspiegel.de/wirtschaft/energiewende-80-prozent-erneuerbare-sind-kein-problem/13688974.html>> [Accessed 6 September 2016].
- [129] 50 Hz. Personal communication with Wilhelm Appler, energy policy manager; 2016.
- [130] Colak I, Sagiroglu S, Yesilbudak M. Data mining and wind power prediction: a literature review. *Renew Energy* 2012;46:241–7.
- [131] National Oceanic and Atmospheric Administration. The Wind Forecast Improvement Project (WFIP): A Public/Private Partnership for Improving Short Term Wind Energy Forecasts and Quantifying the Benefits of Utility Operations. Department of Energy. Available online at: <<http://energy.gov/eere/wind/downloads/wind-forecast-improvement-project-wfip-public-private-partnership-improving-short>> [Accessed 6 September 2016].
- [132] Fraunhofer IWES. Better Forecasting For Solar And Wind Power Generation, <<https://www.fraunhofer.de/en/press/research-news/2016/June/better-forecasting-for-solar-and-wind-power-generation.html>> [Accessed 5 September 2016]; 2016.
- [133] Schmidt O, Hawkes A, Gambhir A, Staffell I. The future cost of electrical energy storage based on experience rates. *Nature Energy* 2017;2:17110.
- [134] Staffell I, Rustomji M. Maximising the value of electricity storage. *J Energy Storage* 2016;8:212–25.
- [135] Baringa Partners LLP. Electricity Balancing Significant Code Review (EBSCR): Further analysis to support Ofgem's Updated Impact Assessment. Ofgem. Available online at: <<https://www.ofgem.gov.uk/ofgem-publications/87788/electricitybalancingsignificantcodereview-furtheranalysisupportofgemupdatedimpactassessment.pdf>> [Accessed 21 January 2017]; 2014.
- [136] Chaves-Ávila JP, Hakvoort RA, Ramos A. The impact of European balancing rules on wind power economics and on short-term bidding strategies. *Energy Policy* 2014;68:383–93.
- [137] Bundesnetzagentur. Diskussionsprozess zur Weiterentwicklung des Ausgleichsenergiesystems; 2015. <[63](http://www.bundesnetzagentur.de/DE/Service-Funktionen/Beschlusskammern/1BK-Geschaeftszeichen-Datenbank/BK6-</a></p>
</div>
<div data-bbox=)

- GZ/2015/2015\_0001bis0999/BK6-15-012/BK6-15-012>Weiterentwicklung\_Ausgleichsenergiesystem.html> [Accessed 2 September 2016]; 2015.
- [138] Vandezande L, Meeus L, Belmans R, Saguan M, Glachant J. Well-functioning balancing markets: a prerequisite for wind power integration. *Energy Policy* 2010;38:3146–54.
- [139] ACER. Recommendation on the Network Code on Electricity Balancing. Available online at: <http://www.acer.europa.eu/Official\_documents/Acts\_of\_the\_Agency/Recommendations/ACER%20Recommendation%2003–2015.pdf> [Accessed 4 September 2016].
- [140] Connect. Leitstudie Strommarkt. Federal Ministry of Economic Affairs and Energy. Available online at: <https://www.bmwi.de/BMWi/Redaktion/PDF/Publikationen/Studien/leitstudie-strommarkt-2015,property=pdf,bereich=bmwi2012,sprache=de,rwb=true.pdf> [Accessed 6 September 2016]; 2015.
- [141] van Hulle F, Pineda I, Wilczek P. Economic grid support services by wind and solar PV. *ReservicES 2014* [Available online at]. <http://www.reservic-es-project.eu/wp-content/uploads/REserviceS-project-recommendations-EN.pdf> [Accessed 6 September 2016].
- [142] Bundesnetzagentur. Weiterentwicklung des Ausgleichsenergie-Abrechnungssystems. Bundesnetzagentur. Available online at: <http://www.bundesnetzagentur.de/DE/Service-Funktionen/Beschlusskammern/1BK-Geschaeftszeichen-Datenbank/BK6-GZ/2012/2012\_0001bis0999/2012\_001bis0999/BK6-12-024/BK6-12-024\_Beschluss.html> [Accessed 6 September 2016]; 2012.
- [143] Druce R, Carmel A, Borkowski K. System integration costs for alternative low carbon generation technologies – policy implications. *Comm Clim Change* 2015 [Available online at]. <https://documents.theccc.org.uk/wp-content/uploads/2015/10/NERA-Final-Report-21-Oct-2015.pdf> [Accessed 6 September 2016].
- [144] Ocker F, Ehrhart K. The “German Paradox” in the balancing power markets. *Renew Sustain Energy Rev* 2017;67:892–8.
- [145] EPEX SPOT. EPEX SPOT SE, <https://www.epexspot.com/en/> [Accessed 20 October 2016]; 2016.
- [146] EXAA. EXAA Energy Exchange Austria; 2016. <http://www.exaa.at/en> [Accessed 20 October 2016].
- [147] Borggreve F, NeuhoFF K. Balancing and intraday market design: options for wind integration. *DIW Discuss Pap* 2011;1162.
- [148] Scharff R, Amelin M. Trading behaviour on the continuous intraday market Elbas. *Energy Policy* 2016;88:544–57.
- [149] Chaves-Ávila JP, Fernandes C. The Spanish intraday market design: a successful solution to balance renewable generation? *Renew Energy* 2015;74:422–32.
- [150] González-Aparicio I, Zucker A. Impact of wind power uncertainty forecasting on the market integration of wind energy in Spain. *Appl Energy* 2015;159:334–49.
- [151] Chaves-Ávila JP, Hakvoort RA, Ramos A. Short-term strategies for Dutch wind power producers to reduce imbalance costs. *Energy Policy* 2013;52:573–82.
- [152] NeuhoFF K, Battle C, Brunekreeff G, Konstantinidis C. Flexible short-term power trading: gathering experience in EU countries. *DIW Discuss Pap* 2015;1494.
- [153] NeuhoFF K, Ritter N, Salah-Abou-El-Enien A, Vassilopoulos P. *Intraday Markets for Power: Discretizing the Continuous Trading*. Cambridge Working Paper in Economics 2016;1616.
- [154] Genoese M, Slednev V, Fichtner W. Analysis of drivers affecting the use of market premium for renewables in Germany. *Energy Policy* 2016;97:494–506.
- [155] Fraunhofer IWES. Dynamic Sizing of automatic and manual Frequency Restoration Reserves for different Product Lengths. Available online at: <http://publica.fraunhofer.de/starweb/servlet.starweb?Path=epub0.web&search=N-403998> [Accessed 6 September 2016].
- [156] Fraunhofer IWES. Sizing control reserves with a new dynamic method considering wind and photovoltaic power forecasts. Available online at: <http://publica.fraunhofer.de/documents/N-356522.html> ; 2016 [accessed 6.09.16].
- [157] 50 Hz, Amprion, APG, Elia, Tennet, TransnetBW. EXPLORE Target model for exchange of frequency restoration reserves. Available online at: <http://www.tennet.eu/news/detail/explore-target-model-for-exchange-of-frequency-restoration-reserves/> [Accessed 13 January 2017], 2016.
- [158] Newbery D, Strbac G, Viehoff I. The benefits of integrating European electricity markets. *Energy Policy* 2016;94:253–63.
- [159] 50 Hz, Amprion, Tennet and TransnetBW. Grid Control Cooperation, <https://www.regelleistung.net/ext/static/gcc?Lang=en> [Accessed 27 October 2016]; 2016.
- [160] IAEW, E-Bridge Consulting. Potential cross-border balancing cooperation between the Belgian, Dutch and German electricity Transmission System Operators. 50 Hz; Amprion; Elia; Tennet; TransnetBW. Available online at: <https://www.regelleistung.net/ext/download/studie20081014> [Accessed 11 October 2016]; 2014.
- [161] AEEGSI, CNMC, CRE, ELCOM, ERSE, OFGEM. Common opinion from AEEGSI, CNMC, CRE, ELCOM, ERSE and OFGEM on TERRE project design. Available online at: <https://www.ofgem.gov.uk/system/files/docs/2016/10/terre\_hld\_nra\_opinion\_paper\_oct\_2016.pdf> ; 2016 [accessed 13.01.17].
- [162] Gebrekiros Y, Doorman G, Jaehner S, Farahmand H. Reserve procurement and transmission capacity reservation in the Northern European power market. *Int J Electr Power Energy Syst* 2015;67:546–59.
- [163] ENTSO-E. FCR cooperation potential market design evolutions, <https://consultations.entsoe.eu/markets/fcr-cooperation-potential-market-design-evolutions/> [Accessed 21 January 2017]; 2017.
- [164] 50 Hz, Amprion, Tennet and TransnetBW. International PCR cooperation: coupling of German, Belgian, Dutch, French, Swiss and Austrian markets, <https://www.regelleistung.net/ext/static/prl?Lang=en> [Accessed 28 June 2017]; 2017.
- [165] Bundesnetzagentur. Festlegungsverfahren zur Weiterentwicklung der Ausschreibungsbedingungen und Veröffentlichungspflichten für Sekundärregelung und Minutenreserve. Available online at: <https://www.bundesnetzagentur.de/DE/Service-Funktionen/Beschlusskammern/1BK-Geschaeftszeichen-Datenbank/BK6-GZ/2015/2015\_0001bis0999/BK6-15-158/BK6-15-158\_Verfahrenseroeffnung.html> [Accessed 6 September 2016]; 2016.
- [166] Ocker F, Braun S, Will C. Design of European balancing power markets. *International Conference European Energy Market, EEM;2016-July; 2016.*
- [167] Teng F, Aunedi M, Strbac G. Benefits of flexibility from smart electrified transportation and heating in the future UK electricity system. *Appl Energy* 2016;167:420–31.
- [168] Böttger D, Götz M, Theofilidi M, Bruckner T. Control power provision with power-to-heat plants in systems with high shares of renewable energy sources – an illustrative analysis for Germany based on the use of electric boilers in district heating grids. *Energy* 2015;82:157–67.
- [169] Windvision Eneco, Enercon Elia. Delivery of downward aFR by wind farms. Windvision, Enecon, Enercon, Elia. Available online at: <http://www.elia.be/~media/files/Elia/users-group/task-force-balancing/Downward\_aFR\_windfarms\_EN\_2015.pdf> [Accessed 6 September 2016].
- [170] Holttinen H, Cutulis N, Gubina A, Keane A, van Hulle F. Ancillary services: technical specifications, system needs and costs. *ReservicES*. Available online at: <http://www.reservic-es-project.eu/wp-content/uploads/D2.2\_REserviceS\_Ancillary-Services.pdf> [Accessed 6 September 2016].
- [171] 50 Hz, Amprion, Tennet, TransnetBW. Leitfaden zur Präqualifikation von Windenergieanlagen zur Erbringung von Minutenreserveleistung im Rahmen einer Pilotphase. Available online at: <https://www.regelleistung.net/ext/download/pqWindkraft> [Accessed 6 September 2016]; 2015.
- [172] 50 Hz. Wind farms can participate in balancing market. Available online at: <http://www.50hertz.com/en/News/Detail/id/960/wind-farms-can-participate-in-balancing-market> [Accessed 6 September 2016].
- [173] Sorknaes P, Andersen AN, Tang J, Strom S. Market integration of wind power in electricity system balancing. *Energy Strategy Rev* 2013;1:174–80.
- [174] Brauns S, Jansen M, Jost D, Siefert M, Speckmann M, Widdel M. *Regelenergie durch Windkraftanlagen*. Fraunhofer IWES. Available online at: <http://www.energiesystemtechnik.iwes.fraunhofer.de/content/dam/iwes-neu/energiesystemtechnik/de/Dokumente/Studien-Reports/20140822\_Abschlussbericht\_rev1.pdf> [Accessed 6 September 2016].
- [175] De Vos K, Driesen J. Active participation of wind power in operating reserves. *IET Renew Power Gener* 2015;9:566–75.
- [176] Purkus A, Gawel E, Deissenroth M, Nienhaus K, Wassermann S. Market integration of renewable energies through direct marketing - lessons learned from the German market premium scheme. *Energy, Sustain Soc* 2015;5:12.
- [177] ENTSO-E. ENTSO-E Response to EC Consultation on Market Design. Available online at: <https://www.entsoe.eu/Documents/News/151012\_Response%20to%20EC%20Consultation%20on%20Market%20Design.pdf> [Accessed 6 September 2016]; 2015.
- [178] ENTSO-E. ENTSO - E Response to EC Consultation on Market Design; 2015.
- [179] *Consentec. Konventionelle Mindestenergie – Einordnung, aktueller Stand und perspektivische Behandlung*. 50Hz, Amprion, Tennet, TransnetBW. Available online at: <https://www.netztransparenz.de/de/file/Consentec\_UeNB\_MinErz\_Ber\_API\_2\_20160415.pdf> [Accessed 6 September 2016]; 2016.
- [180] Jansen M, Speckmann M, Schwinn R. Impact of control reserve provision of wind farms on regulating power costs and balancing energy prices. *Proceedings of the 11th International Workshop on Large-Scale Integration of Wind Power into Power Systems as well as on Transmission Networks for Offshore Wind Power Plants, Lisboa, Portugal, 13. – 15.11.2012*. 2012.
- [181] Dvorkin Y, Ortega-Vazquez MA, Kirschen DS. Wind generation as a reserve provider. *IET Gener Transm Distrib* 2015;9:779–87.
- [182] ACER. Framework Guidelines on Electricity Balancing. Available online at: <http://www.acer.europa.eu/official\_documents/acts\_of\_the\_agency/framework\_guidelines/framework%20guidelines/framework%20guidelines%20on%20electricity%20balancing.pdf> [Accessed 6 September 2016].
- [183] WindEurope. Balancing Responsibility and Costs. *WindEurope*. Available online at: <https://windeurope.org/fileadmin/files/library/publications/position-papers/EWEA-position-paper-balancing-responsibility-and-costs.pdf> [Accessed 6 September 2016]; 2015.
- [184] Burgholzer B. Evaluation of different balancing market designs with the EDisOn + Balancing model. *International Conference European Energy Market, EEM;2016-July; 2016.*
- [185] WindEurope. The ten commandments of the wind industry on balancing markets. *WindEurope*. Available online at: <https://windeurope.org/wp-content/uploads/files/policy/position-papers/WindEurope-Ten-Commandments-of-the-Wind-Industry-on-Balancing-Markets.pdf> [Accessed 6 September 2016]; 2016.
- [186] National Grid. Firm Frequency Response Review Detailed Change Proposals (DCP – 17). Available online at: <http://www2.nationalgrid.com/WorkArea/DownloadAsset.aspx?Id=8589938209> [Accessed 16 January 2017].
- [187] CEER. Key support elements of RES in Europe: moving towards market integration. CEER. Available online at: <http://www.ceer.eu/portal/page/portal/EER\_HOME/EER\_PUBLICATIONS/CEER\_PAPERS/Electricity/2016/C15\_SDE-49-03%20CEER%20report%20on%20key%20support%20elements\_26\_January\_2016.pdf> [Accessed 6 September 2016].
- [188] González JS, Lacal-Arántegui R. A review of regulatory framework for wind energy in European Union countries: current state and expected developments. *Renew Sustain Energy Rev* 2016;56:588–602.
- [189] Fraunhofer ISI. Institut fuer Klimaschutz, Energie und Mobilitaet, Fraunhofer IWES. *Monitoring der Direktvermarktung von Strom aus erneuerbaren Energien (Quartalsbericht 9/2016)*. Federal Ministry for Economic Affairs and Energy 2016<http://www.erneuerbare-energien.de/EE/Redaktion/DE/Downloads/

- Berichte/monitoring-direktvermarktung-strom-ee.html).
- [190] Klobasa M, Winkler J, Sensfuß F, Ragwitz M. market integration of renewable electricity generation — the German market premium model. *Energy Environ* 2013;24:127–46.
- [191] Bundesnetzagentur. Positionspapier zur Bilanzkreisbewirtschaftung. Available online at: <[https://www.bundesnetzagentur.de/cln\\_1422/DE/Service-Funktionen/Beschlusskammern/1BK-Geschaeftszeichen-Datenbank/BK6-GZ/2013/2013\\_0001bis0999/2013\\_100bis199/BK6-13-104/BK6-13-104Positionspapier.html?Nn=269642](https://www.bundesnetzagentur.de/cln_1422/DE/Service-Funktionen/Beschlusskammern/1BK-Geschaeftszeichen-Datenbank/BK6-GZ/2013/2013_0001bis0999/2013_100bis199/BK6-13-104/BK6-13-104Positionspapier.html?Nn=269642)> [Accessed 14 January 2017]; 2013.
- [192] r2b, Consentec. Förderung der Direktvermarktung und der bedarfsgerechten Einspeisung von Strom aus Erneuerbaren Energien. Federal Ministry for Economic Affairs and Energy. Available online at: <<http://www.bmwi.de/BMWi/Redaktion/PDF/Publikationen/Studien/foerderung-direktvermarktung-und-einspeisung-von-strom,property=pdf,bereich=bmwi2012,sprache=en,rwb=true.pdf>> [Accessed 14 January 2017].
- [193] EU Commission. European Commission guidance for the design of renewables support schemes. Available online at: <[https://ec.europa.eu/energy/sites/ener/files/documents/com\\_2013\\_public\\_intervention\\_swd04\\_en.pdf](https://ec.europa.eu/energy/sites/ener/files/documents/com_2013_public_intervention_swd04_en.pdf)> [Accessed 6 September 2016]; 2013.
- [194] European Commission. Communication from the Commission: Guidelines on State aid for environmental protection and energy 2014–2020. Available online at: <<http://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?Uri=CELEX:52014XC0628%2801%29&from=EN>> [Accessed 27 October 2016].
- [195] ENTSO-E. ENTSO-E position on the review of the Renewable Energy Directive, <<https://www.entsoe.eu/publications/position-papers/position-papers-archive/Pages/Position%20Papers/ENTSO-E-position-on-the-review-of-the-renewables-energy-directive.aspx>> [Accessed 4 September 2016]; 2016.
- [196] Coyne B. Dong Energy enters demand-side response with wind power balancing service. *The Energyst*. 9.02.16. Available online at: <<http://theenergyst.com/dong-energy-enters-demand-side-response-with-wind-power-balancing-service/>> [Accessed 17 January 2017].
- [197] Guerrero-Mestre V, Sanchez De La Nieta AA, Contreras J, Catalao JPS. Optimal bidding of a group of wind farms in day-ahead markets through an external agent. *IEEE Trans Power Syst* 2016;31:2688–700.
- [198] Moreno MÁ, Bueno M, Usaola J. Evaluating risk-constrained bidding strategies in adjustment spot markets for wind power producers. *Int J Electr Power Energy Syst* 2012;43:703–11.
- [199] Ofgem. Embedded Benefits: Impact Assessment and Decision on industry proposals (CMP264 and CMP265) to change electricity transmission charging arrangements for Embedded Generators, <<https://www.ofgem.gov.uk/publications-and-updates/embedded-benefits-impact-assessment-and-decision-industry-proposals-cmp264-and-cmp265-change-electricity-transmission-charging-arrangements-embedded-generators>> [Accessed 10 July 2017]; 2017.
- [200] Deutscher Bundestag. Entwurf eines Gesetzes zur Modernisierung der Netzentgeltstruktur (Netzentgeltmodernisierungsgesetz), <<https://www.bundestag.de/ausschuesse18/a09/anhoerungen/inhalt-anhoerung-netzentgeltmodernisierung/506164>> [Accessed 10 July 2017]; 2017.
- [201] Federal Ministry for Economic Affairs and Energy. Häufig gestellte Fragen zur Änderung der Systemstabilitätsverordnung; 2016. <<http://www.bmwi.de/DE/Themen/Energie/Netze-und-Netzausbau/Systemicherheit/faq-systemstabilitaetsverordnung.html>> [Accessed 20 October 2016].
- [202] NEXT Kraftwerke. Verpflichtende Fernsteuerbarkeit, <<https://www.next-kraftwerke.de/wissen/direktvermarktung/verpflichtende-fernsteuerbarkeit>> [Accessed 20 October 2016]; 2015.
- [203] Hirth L, Müller S. System-friendly wind power: How advanced wind turbine design can increase the economic value of electricity generated through wind power. *Energy Econ* 2016;56:51–63.
- [204] NERA Economic Consulting. UK Renewable Subsidies and Whole System Costs. Drax. Available online at: <[http://www.nera.com/content/dam/nera/publications/2016/NERA\\_Imperial\\_Feb\\_2016\\_Renewable\\_Subsidies\\_and\\_Whole\\_System\\_Costs\\_FINAL\\_160216.pdf](http://www.nera.com/content/dam/nera/publications/2016/NERA_Imperial_Feb_2016_Renewable_Subsidies_and_Whole_System_Costs_FINAL_160216.pdf)> [Accessed 11 October 2016].